



**MOVE
TO A
BRIGHTER
WORLD**



PROFESSIONAL LUMINAIRES PRICELIST (MRP) w.e.f 1st Oct, 2021



RECOMMENDED BY
INDIAN MEDICAL ACADEMY
FOR PREVENTIVE HEALTH

OUR JOURNEY

SEVEN DECADES OF TRUST, INNOVATION & EXCELLENCE

We started our journey more than 70 years ago, manufacturing and distributing highly efficient, premium quality fans. Since then, we have grown, embracing new frontiers in technology and innovation, to become one of the leading consumer electrical brands in India. Today, we are the largest manufacturer and exporter of fans from India with a dominating global presence in over 35 international markets. In the domestic market, we enjoy a robust pan-India reach, with over 1 lakh retail outlets and a service network covering 300 cities aided by a 24x7 call center. Not only this, we have also paved the way for pioneering developments in fans, home appliances, lighting and switchgear. We take pride in our R&D capabilities, spirit of continuous innovation and commitment to manufacturing cutting-edge lifestyle electrical products that meet the needs and expectations of modern consumers. We've always strived to achieve and exceed industry benchmarks in quality and processes through constant evolution and rejuvenation. As always, we'll continue to partner our customers at every stage of their lives by offering superior lifestyle solutions with technology that makes their world safer, easier and creatively inspiring. Orient Electric offers a diverse variety of lighting solutions apart from its equally diverse range of fans and home appliances. Advancing with modern requirements, the brand constantly upgrades to newer technologies. These, being low on cost and more efficient, are used for industrial lighting and outdoor, and also for specialised lighting requirements. With the power of the most futuristic and smartest lighting solutions, it's so easy to switch to smart.

FELICITATIONS THAT SPUR US ON

Orient Electric and its efforts towards excellence have been lauded by several awards and accolades. Here is a look at some of the most prominent ones.

Superbrand, 2016 & 2017

Orient Electric was named a 'Superbrand' two times in a row in Consumer Durable category in 2016 & 2017.

ASSOCHAM's Corporate Excellence Award, 2016

Orient Electric received the award for The 'Comeback Brand' in the consumer durables category at the ASSOCHAM National Brand Summit & Excellence Awards in 2016. The prestigious awards felicitate Indian brands working in various sectors towards excellence and innovation.

Make in India Award for Excellence, 2015

Orient Electric bagged the prestigious 'Make in India Award for Excellence' in the consumer electrical products category in 2015. The 'Make in India Awards for Excellence' recognise contributions that enable India to become a leading global economy.

Most Trusted Brand, 2015

Orient Electric earned the status of being one of India's most trusted brands in 2015, as per a Nielsen survey. It was listed in the consumer durables category in the Most Trusted Brand Survey report.

Global Quality Award, 2015

Orient Electric bagged the prestigious 'Global Quality Award' for the quality energy-efficient lighting products Manufacturer of the Year in 2016. The 'Global Quality Awards' recognise doers and pioneers across the manufacturing sector in India.

Icon of the Year, 2015

Orient Electric won the 'Icon of the Year' award in the lighting & switchgear category in 2015. The Brands Academy 'Icon of the Year' Awards are given to select individuals, brands and organisations to recognise their outstanding contributions to the economic growth of India.



WHY ORIENT ?

A pioneer of innovation in lighting and more, Orient is a name you can always put your trust in.

- Orient Electric offers a wide range of lighting products, from LED lighting and fixtures to energy-efficient light bulbs, batten and tube lights, as well as consumer and professional luminaires.
- Smart lighting at Orient Electric stands for four P's: People, Power, Planet and Performance. Our LED lighting solutions comply with photobiological safety norms and are environment-friendly, save energy, and perform even in trying temperature conditions, from cold storages to boiler rooms.
- Orient Electric provides lighting solutions for the professional and consumer segments, catering to commercial, industrial and residential needs.
- Orient Electric operates major manufacturing facility in Noida (Uttar Pradesh).
- Orient Electric has a wide network made up of 500 distributors and over 50,000 direct/indirect retail shops, efficiently serviced by 20 company depots across India.
- Orient Electric is one of the first companies in India to receive a 3-star BEE rating for all the wattages. It's also the only brand to have a 5-star rating for selected wattages.
- Orient Electric is the first company to launch Flicker Controlled Lights with their EyeLuv.
- Orient Electric is a regular and prominent supplier of various LED lights to the Indian government through Energy Efficiency Services Limited (EESL).

CONTENT

EYELUV LIGHTING



EYELUV LIGHTING	01-06
INDOOR LIGHTING	07-20
RETAIL LIGHTING	21-24
INDUSTRIAL LIGHTING	25-32
OUTDOOR LIGHTING	33-38
SOLAR LIGHTING	39-44
LANDSCAPE LIGHTING	45-52

**FLICKER IN LED
LIGHTS IS NOT
VISIBLE.
BUT IT AFFECTS
EYE HEALTH.**

Presenting

eyeLuv
Flicker-Control Technology



RECOMMENDED BY
INDIAN MEDICAL ACADEMY
FOR PREVENTIVE HEALTH

Orient EyeLuv LED lights come with Flicker-Control Technology that reduces the impact of LED flicker and its effects, like eye strain and eye fatigue, making them better and safer for overall eye health.

YOUR LED LIGHTS HAVE FLICKER THAT IS NOT VISIBLE.



Flicker is the constant fluctuation of light output. It can be divided into two kinds: Visible and Invisible. While Visible Flicker can be seen with your eyes, Invisible Flicker is at a high frequency and therefore not visible to the naked eye.

HOW DOES LED LIGHTS' FLICKER AFFECT YOU ?

- Blurred vision and eye strain
- Reduced visual task performance
- Apparent slowing or stopping of motion
- Epileptic seizure and other neurological problems
- Headache, migraine, fatigue and distraction
- Leading to lack of concentration

DECREASES PERFORMANCE AND PRODUCTIVITY

IT'S INVISIBLE. BUT HERE'S HOW TO CHECK THE FLICKER

- 1 Open your smartphone camera in slow-motion video mode.
- 2 Point the camera towards the lights & check for flicker.



Presenting | **orient** electric | **eyeLuv** Flicker-Control Technology

Orient EyeLuv LED Lights come with the revolutionary FCT (Flicker-Control Technology), which reduces the harmful invisible flicker present in LED lighting sources that causes eye strain, eye fatigue and many other health complications, thus making them better and safer for overall eye health.

- 👁️ Good for eye health
- 💡 High lumen efficacy
- ∞ Long life
- 💡 Substantial energy saving

eyeLuv
Flicker-Control Technology

Low Flicker Toh **No Fikar**



LED TUBE LIGHTS

POWERLINE FC

(Double Side Connection)

Ultra bright LED retrofit tube light with aluminium housing with powder coating and polycarbonate diffuser with high efficacy, suitable for replacement of existing T8 & T12 fluorescent tube light with G13 lamp holder with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.

Product Code	Rated Power	Case Lot	MRP (₹)
LTPS-18-C-FC	18W	20	1400



LED TUBE WITH BATTEN

TASKLINE FC

Slim LED batten with polycarbonate round-shape diffuser, grey end cap, housing is an ideal replacement solution for existing battens/fluorescent lamps with elegantly designed end caps with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.

Product Code	Rated Power	Case Lot	MRP (₹)
LBLN-18-C-FC	18W	20	700



eyeLuv
Flicker-Control Technology




LED DOWN LIGHTERS

VENUS PLUS FC

Recess-mounting low-height round LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing with heat-dissipating fins for larger surface area, finished in epoxy powder-coated white. With revolutionary flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.

Product Code	Rated Power	Case Lot	MRP (₹)
LDRVP-012-C-FC	12W	10	1800
LDRVP-015-C-FC	15W	10	1880
LDRVP-018-C-FC	18W	10	2500



MERCURY PLUS FC

Recess-mounting low-height square LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing with heat-dissipating fins for larger surface area, finished in epoxy powder-coated white. With revolutionary flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.


Product Code	Rated Power	Case Lot	MRP (₹)
LDRMP-012-C-FC	12W	20	1800
LDRMP-015-C-FC	15W	20	1880
LDRMP-018-C-FC	18W	20	2500



VENUS RECESS ECO FC

Recess-mounting low-height round LED downlighter designed in Polycarbonate housing with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.

Product Code	Rated Power	Case Lot	MRP (₹)
LDRVE-015-C-FC	15W	20	1000



LED DOWN LIGHTERS

MERCURY RECESS ECO FC

Recess-mounting low-height square LED downlighter designed in Polycarbonate housing with revolutionary Flicker controlled technology to reduce harmful in visible flicker present in LED lighting sources.

Product Code	Rated Power	Case Lot	MRP (₹)
LDRME-015-C-FC	15W	20	1000



LED TILES RECESS MOUNTING

VENUS SURFACE ECO FC

Surface-mounting low-height round LED downlighter designed in Polycarbonate housing with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.

Product Code	Rated Power	Case Lot	MRP (₹)
LDSVE-015-C-FC	15W	10	1100



eyeLuv
Flicker-Control Technology

MERCURY SURFACE ECO FC

Surface-mounting low-height square LED downlighter designed in Polycarbonate housing with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.

Product Code	Rated Power	Case Lot	MRP (₹)
LDSME-015-C-FC	15W	10	1100




RECESS MOUNTING

AQUA RECESS 2X2 FC

Recess-mounting back-lit LED 2X2 tile in CRCA housing with full-opal diffuser suitable for Armstrong/Grid ceilings with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.

Product Code	Rated Power	Case Lot	MRP (₹)
LTRAQ-36-C-FC	36W	2	5000



AQUA RECESS 1X4 FC

Recess-mounting back-lit LED 1X4 tile in CRCA housing with full-opal diffuser suitable for Armstrong/Grid ceilings with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.

Product Code	Rated Power	Case Lot	MRP (₹)
LTRAQ-36-C-1X4-FC	36W	2	6800



SURFACE MOUNTING

AQUA SURFACE 2X2 FC

Surface-mounting back-lit LED 2x2 tile in CRCA housing with full-opal diffuser for soft & glare-free light distribution with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.


Product Code	Rated Power	Case Lot	MRP (₹)
L TSAQ-36-C-FC	36W	2	7000



AQUA SURFACE 1X4 FC

Surface-mounting back-lit LED 1x4 tile in CRCA housing with full-opal diffuser for soft & glare-free light distribution with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.

Product Code	Rated Power	Case Lot	MRP (₹)
L TSAQ-36-C-1x4-FC	36W	2	7500




LED LINEAR LIGHTS

DLINE RECESS FC

Seamless aluminium extruded recess-mounting luminaire for indoor architectural lighting solution for continuous mounting. Offers excellent energy saving and maintenance-free operation featured with best-in-class LED light sources with high luminous efficacy and highly translucent optical system to ensure maximum light output with excellent glare control and uniformity with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.

Product Code	Rated Power	Case Lot	MRP (₹)
LCRDL-28-C-66-FC	28W	6	On Request
LCRDL-36-C-90-FC	36W	6	On Request




eyeLuv
Flicker-Control Technology

DLINE FC

Seamless LED aluminium extruded suspended luminaire for indoor architectural lighting solution. Offers excellent energy saving and maintenance-free operation. It is ideal for linear lighting system and is suitable for continuous mounting. It enhances visual ambience with uniform illumination with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting sources.

Product Code	Rated Power	Case Lot	MRP (₹)
LCPDL-28-C-54-FC	28W	6	On Request
LCPDL-36-C-75-FC	36W	6	On Request





INDOOR LIGHTING



LED TUBE LIGHTS

XLINE

(Single Side Connection)



Ultra bright polycarbonate LED retrofit tube light with high efficacy, suitable for replacement of existing T8 & T12 fluorescent tube light with G13 lamp holder.

Product Code	Rated Power	Case Lot	MRP (₹)
LTXL-09-C	9W	20	550
LTXL-18-C	18W	20	775
LTXL-20-C	20W	20	800

XLINE XT

(Double Side Connection)




Ultra bright polycarbonate LED retrofit tube light with very high efficacy of $\geq 115\text{lm/W}$, suitable for replacement of existing T8 & T12 fluorescent tube light with G13 lamp holder.

Product Code	Rated Power	Case Lot	MRP (₹)
LTXL-13-C-XT-DV1	13W	20	780
LTXL-18-C-XT-DV1	18W	20	800

POWERLINE SP

(Double Side Connection)



Ultra bright LED retrofit tube light with aluminium housing and polycarbonate diffuser with high efficacy, suitable for replacement of existing T8 & T12 fluorescent tube light with G13 lamp holder.

Product Code	Rated Power	Case Lot	MRP (₹)
LTPS-18-C	18W	10	1100
LTPS-20-C	20W	10	1125

LED TUBE LIGHTS

POWERLINE SPXT

(Double Side Connection)



Ultra bright LED retrofit tube light with aluminium housing and polycarbonate diffuser with very high efficacy of 120lm/W, suitable for replacement of existing T8 & T12 fluorescent tube light with G13 lamp holder.

Product Code	Rated Power	Case Lot	MRP (₹)
LTPS-18-C-XT	18W	10	1200

SLEEKLINE

(Double Side Connection)




Ultra bright LED retrofit tube light with aluminium housing and polycarbonate diffuser, suitable for replacement of existing T5 fluorescent tube light with G5 lamp holder.

Product Code	Rated Power	Case Lot	MRP (₹)
LTSL-018-C	18W	20	1150

LED TUBE WITH BATTEN

TASKLINE



Slim LED batten with polycarbonate round-shape diffuser, grey end cap, housing is an ideal replacement solution for existing battens/fluorescent lamps with elegantly designed end caps.

Product Code	Rated Power	Case Lot	MRP (₹)
LBLN-18-C	18W	20	550
LBLN-20-C	20W	20	575

TASKLINE SQUARE



Slim LED batten with polycarbonate housing and diffuser is an ideal replacement solution for existing battens/fluorescent lamps with elegantly designed end caps.

Product Code	Rated Power	Case Lot	MRP (₹)
LBLN-10-C-SQ	10W	20	500
LBLN-18-C-SQ	18W	20	560
LBLN-20-C-SQ	20W	20	575
LBLN-22-C-SQ	22W	20	620



LED TUBE WITH BATTEN

TASKLINE AL



Slim LED batten with aluminium housing and polycarbonate diffuser is an ideal replacement solution for existing battens/fluorescent lamps with elegantly designed end caps.

Product Code	Rated Power	Case Lot	MRP (₹)
LBLN-18-C-AL	18W	20	800
LBLN-20-C-AL	20W	20	850
LBLN-22-C-AL	22W	20	900
LBLN-36-C-AL	36W	20	1900

LED BATTEN-1/2X18 LED



Universal battens with powder coated CRCA housing complete with prewired accessories. Suitable for T5 and T8/T12 LED tubes.

Product Code	Rated Power	Case Lot	MRP (₹)
LIBT-118-SS	1X18/20 W T8 LED TUBE	10	450
LIBT-218-SS	2X18/20 W T8 LED TUBE	10	550
LIBT-118-DS	1X18/20 W T8 LED TUBE	10	475
LIBT-218-DS	2X18/20 W T8 LED TUBE	10	580
LIBT-118-T5	1X18 W T5 LED TUBE	10	525
LIBT-218-T5	2X18 W T5 LED TUBE	10	550



LED DOWN LIGHTERS RECESS MOUNTING

VENUS



Recess-mounting round LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing with heat-dissipating fins for larger surface area, finished in epoxy powder-coated white.

Product Code	Rated Power	Case Lot	MRP (₹)
LDRVS-010-C	10W	10	1550
LDRVS-015-C	15W	10	1650
LDRVS-020-C	20W	10	2250
LDRVS-022-C	22W	10	2300
LDRVS-024-C	24W	10	2550

VENUS PLUS



Recess-mounting low-height round LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing with heat-dissipating fins for larger surface area, finished in epoxy powder-coated white.

Product Code	Rated Power	Case Lot	MRP (₹)
LDRVP-06-C	6W	10	1000
LDRVP-012-C	12W	10	1500
LDRVP-015-C	15W	10	1540
LDRVP-018-C	18W	10	2200

MERCURY PLUS



Recess-mounting low-height square LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing with heat-dissipating fins for larger surface area, finished in epoxy powder-coated white.

Product Code	Rated Power	Case Lot	MRP (₹)
LDRMP-06-C	6W	20	1000
LDRMP-012-C	12W	20	1500
LDRMP-015-C	15W	20	1540
LDRMP-018-C	18W	20	2200

LED DOWN LIGHTERS RECESS MOUNTING

EDGE RECESS ROUND PANEL



Ultra slim recess-mounting round LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing with heat-dissipating fins for larger surface area finished in epoxy powder-coated white to deliver high-efficacy light output and uniformity, utilising edge-lit technology.

Product Code	Rated Power	Case Lot	MRP (₹)
LDRER-06-C	6W	20	850
LDRER-12-C	12W	20	1200
LDRER-15-C	15W	20	1400
LDRER-18-C	18W	20	1725

EDGE RECESS SQUARE PANEL



Ultra slim recess-mounting square LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing with heat-dissipating fins for larger surface area finished in epoxy powder coated white to deliver high-efficacy light output and uniformity, utilising edge-lit technology.

Product Code	Rated Power	Case Lot	MRP (₹)
LDRES-06-C	6W	20	850
LDRES-12-C	12W	20	1200
LDRES-18-C	18W	20	1725
LDRES-24-C	24W	20	2100

LED DOWN LIGHTERS SURFACE MOUNTING

EDGE SURFACE ROUND PANEL



Ultra slim surface-mounting round LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing with heat-dissipating fins for larger surface area finished in epoxy powder-coated white to deliver high-efficacy light output and uniformity, utilising edge-lit technology.

Product Code	Rated Power	Case Lot	MRP (₹)
LDSER-06-C	6W	20	1100
LDSER-12-C	12W	20	1400
LDSER-18-C	18W	20	2000

LED DOWN LIGHTERS SURFACE MOUNTING

EDGE SURFACE SQUARE PANEL




Ultra slim surface-mounting square LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing with heat-dissipating fins for larger surface area finished in epoxy powder-coated white to deliver high efficacy light output and uniformity, utilising edge-lit technology.

Product Code	Rated Power	Case Lot	MRP (₹)
LDSES-06-C	6W	20	1100
LDSES-12-C	12W	20	1400
LDSES-18-C	18W	20	2000

LED TILES RECESS MOUNTING


AQUA RECESS 2 X2



Recess-mounting back-lit LED 2X2 tile in CRCA housing with full-opal diffuser suitable for Armstrong/Grid ceilings.

Product Code	Rated Power	Case Lot	MRP (₹)
LTRAQ-24-C	24W	2	4100
LTRAQ-30-C	30W	2	4200
LTRAQ-36-C	36W	2	4300
LTRAQ-42-C	42W	2	4500

AQUA RECESS 1X4




Recess-mounting back-lit LED 1X4 tile in CRCA housing with full-opal diffuser suitable for Armstrong/Grid ceilings.

Product Code	Rated Power	Case Lot	MRP (₹)
LTRAQ-36-C-1x4	36W	2	5900

LED TILES RECESS MOUNTING


HYDRA 2X2



Recess-mounting ultra-slim LED 2x2 edge-lit tile in aluminium extruded housing with full opal diffuser suitable for perfect lighting conditions for most varied visual tasks in offices and general areas.

Product Code	Rated Power	Case Lot	MRP (₹)
LTRHD-36-C	36W	5	5200


HYDRA 1X4



Recess-mounting ultra-slim LED 1x4 edge-lit tile in aluminium extruded housing with full opal diffuser suitable for perfect lighting conditions for most varied visual tasks in offices and general areas.

Product Code	Rated Power	Case Lot	MRP (₹)
LTRHD-36-C-4X1	36W	2	6500

HYDRA 1X1



Recess-mounting ultra-slim LED 1x1 edge-lit tile in aluminium extruded housing with full opal diffuser suitable for perfect lighting conditions for most varied visual tasks in offices and general areas.

Product Code	Rated Power	Case Lot	MRP (₹)
LTRHD-24-C	24W	10	2400

LED TILES SURFACE MOUNTING


AQUA SURFACE 2X2



Surface-mounting back-lit LED 2x2 tile in CRCA housing with full-opal diffuser for soft & glare-free light distribution.

Product Code	Rated Power	Case Lot	MRP (₹)
LTSAQ-36-C	36W	2	6200

AQUA SURFACE 1X4




Surface-mounting back-lit LED 1x4 tile in CRCA housing with full-opal diffuser for soft & glare-free light distribution.

Product Code	Rated Power	Case Lot	MRP (₹)
LTSAQ-36-C-1x4	36W	2	6500



LED LINEAR LIGHTS RECESS MOUNTING


DLINE RECESS



Seamless aluminium extruded recess-mounting luminaire for indoor architectural lighting solution for continuous mounting. Offers excellent energy saving and maintenance-free operation featured with best-in-class LED light sources with high luminous efficacy and highly translucent optical system to ensure maximum light output with excellent glare control and uniformity.

Product Code	Rated Power	Case Lot	MRP (₹)
LCRDL-28-C-66	28W	6	On Request
LCRDL-56-C-66	56W	6	On Request
LCRDL-36-C-90	36W	6	On Request
LCRDL-72-C-90	72W	6	On Request

DLINE TZ




High-efficiency energy-saving LED recess-mounting luminaire with premium powder coating and robust electronics makes it ideal choice for office lighting for continuous mounting featured with best-in-class LED light sources with high luminous efficacy and highly translucent optical system to ensure maximum light output with excellent glare control and uniformity. Suitable for architectural lighting for Techzone ceiling.

Product Code	Rated Power	Case Lot	MRP (₹)
LCRDL-28-C-TZ	28W	2	On Request
LCRDL-56-C-TZ	56W	2	On Request



LED LINEAR LIGHTS PENDANT MOUNTING


DLINE



Seamless LED aluminium extruded suspended luminaire for indoor architectural lighting solution. Offers excellent energy saving and maintenance-free operation. It is ideal for linear lighting system and is suitable for continuous mounting. It enhances visual ambience with uniform illumination.

Product Code	Rated Power	Case Lot	MRP (₹)
LCPDL-14-C-54	14W	6	On Request
LCPDL-28-C-54	28W	6	On Request
LCPDL-56-C-54	56W	6	On Request
LCPDL-18-C-75	18W	6	On Request
LCPDL-36-C-75	36W	6	On Request
LCPDL-72-C-75	72W	6	On Request

UDLINE



Suspended, seamless LED up-downlight luminaire in extruded aluminium for indoor architectural lighting solution, offering excellent energy saving and maintenance-free operation. Luminaires can be connected end-to-end to make a continuous lighting system of any length to uplifting visual ambience.

Product Code	Rated Power	Case Lot	MRP (₹)
LCPUD-28-C-1-EI	8W+20W(1200mm)	6	On Request
LCPUD-56-C-2-EI	16W+40W(2400mm)	6	On Request









RETAIL LIGHTING

LED RECESSED COB

NUCLEUS RECESS



Nucleus Recess-mounting adjustable COB LED downlights made of extruded aluminium fins and high-lumen LED as a light source with clear diffuser and separate electronic driver.

Product Code	Rated Power	Case Lot	MRP (₹)
LDRNS-03-C	3W	10	1200
LDRNS-06-C	6W	10	1350
LDRNS-010-C	10W	10	1400
LDRNS-015-C	15W	10	2750
LDRNS-020-C	20W	10	3250
LDRNS-025-C	25W	10	4350
LDRNS-030-C	30W	10	5750

NUCLEUS DEEP RECESS



Deep Recess-mounting COB LED downlights made of extruded aluminium housing and high-lumen LED as a light source with clear diffuser and separate electronic driver.

Product Code	Rated Power	Case Lot	MRP (₹)
LDRND-06-C	6W	10	2000
LDRND-010-C	10W	10	2400
LDRND-012-C	12W	10	2800
LDRND-015-C	15W	10	2850
LDRND-020-C	20W	10	4800
LDRND-025-C	25W	10	5200

LED SURFACE COB

NUCLEUS SURFACE



Cylindrical surface-mounting round LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing finished in epoxy powder-coated white to deliver high efficacy light output and uniformity, utilising COB technology.

Product Code	Rated Power	Case Lot	MRP (₹)
LDSNS-010-C	10W	10	2000
LDSNS-015-C	15W	10	3050
LDSNS-020-C	20W	10	4650

LED WALL WASHER

WALL-WASHER



LED recessed adjustable downlight made up of high-grade aluminum die-cast housing with spectacular reflector with 36-degree beam angle. It is featured with advanced COB LED and focus can be adjusted as per requirement

Product Code	Rated Power	Case Lot	MRP (₹)
LDRWS-25-C	25W	20	6500

LED TRACK LIGHT

TRACK LIGHT



Track-based spot light with high-efficiency reflector, makes it ideal for lighting-up retail spaces with bright and crisp light throw.

Product Code	Rated Power	Case Lot	MRP (₹)
LTSTL-20-C	20W	20	5000
LTSTL-30-C	30W	20	5500

*Suitable Track rail & accessories can be supplied on request at an additional price.

LED STRIP LIGHT

LED STRIP



Flexible LED strip uses high brightness SMD LED as the light source for indoor application only. Suitable for cove lighting, decorative lighting etc. IP 20

Product Code	Rated Power	Case Lot	MRP (₹)
LSTRIP-24-C	24W	30	1250
LSTRIP-24-C DRIVER			800





INDUSTRIAL LIGHTING

LED INDUSTRIAL BATTENS

TASKLINE IND



Elegantly designed IP40 Luminaire made of aluminium housing and opal diffuser integrated with LEDs suitable for industrial areas.

Product Code	Rated Power	Case Lot	MRP (₹)
LBLN-40-C-IND	40W	12	3000

VAPORPROOF



Elegantly designed IP65 fixture made of polycarbonate housing and highly translucent polycarbonate diffuser, suitable for areas prone to corrosion and high impact. Suitable for fitment of T8 LED Tube

*Tubes to be ordered separately.

Product Code	Rated Power	Case Lot	MRP (₹)
LIVP-118-DS	1X18 W T8 LED TUBE	6	2800
LIVP-218-DS	2X18 W T8 LED TUBE	6	3100

VAPORPROOF-I



Elegantly designed IP65 fixture with integrated LED's made of polycarbonate housing and highly translucent polycarbonate diffuser, suitable for areas prone to corrosion and high impact.

Product Code	Rated Power	Case Lot	MRP (₹)
LIVP-36-C	36W	6	5500

LED WELL GLASS

KRYPTON



Integral high-efficiency IP65 LED well-glass luminaire with aluminium die-cast housing and bowl- shaped polycarbonate diffuser, offering potential for high energy savings over conventional luminaires.

Product Code	Rated Power	Case Lot	MRP (₹)
LWKT-30-C	30W	8	3450
LWKT-36-C	36W	8	3550
LWKT-40-C	40W	8	3575
LWKT-45-C	45W	8	3650
LWKT-60-C	60W	8	4350
LWKT-70-C	70W	8	6000

NEUTRON



Innovative indoor industrial IP65 LED well-glass luminaire with high lumen efficacy and aluminium die-cast housing, offering perfect LED solution for outdoor & industrial application.

Product Code	Rated Power	Case Lot	MRP (₹)
LWNT-35-C	35W	6	5250

LED BAYLIGHTS

VERTEX SPIRAL



High-efficiency IP65 round LED high-bay luminaire with high lumen efficacy of > 110lm/W with aluminium die-cast housing. Provides better uniformity and high illumination levels.

Product Code	Rated Power	Case Lot	MRP (₹)
LHVXS-080-C	80W	1	8500
LHVXS-100-C	100W	1	9500
LHVXS-120-C	120W	1	10500
LHVXS-150-C	150W	1	13500
LHVXS-180-C	180W	1	17000
LHVXS-200-C	200W	1	19000

LED BAYLIGHTS

PINNACLE



High-efficiency round LED high-bay luminaire with aluminium die-cast housing with high lumen efficacy of 110lm/W. A perfect energy saving solution with IP65 over conventional high-bay luminaires.

Product Code	Rated Power	Case Lot	MRP (₹)
LHPN-080-C-V1	80W	1	11500
LHPN-100-C-V1	100W	1	13250
LHPN-120-C-V1	120W	1	15000
LHPN-150-C-V1	150W	1	19500
LHPN-180-C-V1	180W	1	21000
LHPN-200-C-V1	200W	1	22500

PINNACLE PLUS




High-efficiency round LED high-bay luminaire with aluminium die-cast housing with high lumen efficacy of 130lm/W. A perfect energy-saving solution with IP65 over conventional high-bay luminaires.

Product Code	Rated Power	Case Lot	MRP (₹)
LHPNP-080-C	80W	1	14000
LHPNP-100-C	100W	1	15000
LHPNP-120-C	120W	1	18000
LHPNP-150-C	150W	1	23000
LHPNP-180-C	180W	1	26000
LHPNP-200-C	200W	1	28000

LED CANOPY LIGHT

CANOPY



Innovatively designed recess-mounting bottom-opening LED canopy light, IP65 high-grade aluminium housing with frame, and elegantly designed extruded aluminium heat sink for efficient thermal management, sturdiness, excellent corrosion resistance, dust-free and zero-maintenance luminaire suitable for petrol pump lighting.

Product Code	Rated Power	Case Lot	MRP (₹)
LICP-080-C	80W	1	11000
LICP-100-C	80W	1	12000

LED CLEANROOM

CLEANLED-R-BO



Recess-mounting bottom-opening LED cleanroom IP65 (from bottom) zero-maintenance luminaire having highly translucent opal diffuser is a perfect energy-saving solution for F&B and Pharma industries.

Product Code	Rated Power	Case Lot	MRP (₹)
LTRCL-24-C-BO	24W	1	On request
LTRCL-36-C-BO	36W	1	On request
LTRCL-45-C-BO	45W	1	On request
LTRCL-60-C-BO	60W	1	On request

CLEANLED-R-TO



Recess-mounting top-opening LED cleanroom IP65 (from top) zero-maintenance luminaire having highly translucent opal diffuser is a perfect energy-saving solution for F&B and Pharma industries.

Product Code	Rated Power	Case Lot	MRP (₹)
LTRCL-24-C-TO	24W	1	On request
LTRCL-36-C-TO	36W	1	On request
LTRCL-45-C-TO	45W	1	On request
LTRCL-60-C-TO	60W	1	On request

LED BULKHEAD

BULKHEAD PLUS



Industrial bulkhead luminaire having IP65 design with aluminium die cast housing and vandal-resistant cover finished in epoxy powder-coated housing.

Product Code	Rated Power	Case Lot	MRP (₹)
LIBHP-10-C	10W	10	2800

LED FLAMEPROOF

WELL GLASS



High-efficiency IP65 Flameproof LED well-glass luminaire with aluminium die-cast housing and diffuser with cage.

Product Code	Rated Power	Case Lot	MRP (₹)
LWFLP-30-C	30W	1	On request
LWFLP-40-C	40W	1	On request
LWFLP-45-C	45W	1	On request
LWFLP-60-C	60W	1	On request



LED FLAMEPROOF

WELL GLASS/BAYLIGHT



High-efficiency IP65 Flameproof LED well-glass luminaire with aluminium die-cast housing and high grade diffuser.

Product Code	Rated Power	Case Lot	MRP (₹)
LWFLP-30-C-H	30W	1	On request
LWFLP-40-C-H	40W	1	On request
LWFLP-45-C-H	45W	1	On request
LWFLP-60-C-H	60W	1	On request
LWFLP-70-C-H	70W	1	On request
LWFLP-80-C-H	80W	1	On request
LWFLP-100-C-H	100W	1	On request
LWFLP-120-C-H	120W	1	On request
LWFLP-150-C-H	150W	1	On request

LED FLAMEPROOF

FLOOD LIGHT



High-efficiency IP65 Flameproof LED floodlight luminaire with aluminium die-cast housing and high grade diffuser.

Product Code	Rated Power	Case Lot	MRP (₹)
LFFLP-30-C-H	30W	1	On request
LFFLP-40-C-H	40W	1	On request
LFFLP-45-C-H	45W	1	On request
LFFLP-60-C-H	60W	1	On request
LFFLP-70-C-H	70W	1	On request
LFFLP-80-C-H	80W	1	On request
LFFLP-100-C-H	100W	1	On request
LFFLP-120-C-H	120W	1	On request
LFFLP-150-C-H	150W	1	On request





OUTDOOR LIGHTING

LED STREET LIGHTS

FEST



Highly efficient Front-openable IP66 LED streetlight with aluminium pressure die-cast housing, toughened glass in the front and peanut lens for batwing light distribution to ensure uniform light distribution ,higher spacing between poles and maintenance-free system.

Product Code	Rated Power	Case Lot	MRP (₹)
LSFT-045-C	45W	1	5200
LSFT-060-C	60W	1	6500
LSFT-070-C	70W	1	7000

FIESTA



Highly efficient IP66 LED streetlight with high-power LEDs; having aluminium pressure die-cast housing and PC cover in the front and lens for batwing light distribution.

Product Code	Rated Power	Case Lot	MRP (₹)
LSFS-020-CF	20W	4	2500

FIESTA PC



Highly efficient IP66 LED streetlight with high-power LEDs; having aluminium pressure die-cast housing and PC cover in the front and lens for batwing light distribution.

Product Code	Rated Power	Case Lot	MRP (₹)
LSFS-25-CF-PC	25W	1	2900
LSFS-36-CF-PC	36W	1	3300
LSFS-45-CF-PC	45W	1	3500

LED STREET LIGHTS

FIESTA PLUS



Highly efficient IP66 LED street-light with aluminium pressure die-cast housing, toughened glass in the front and peanut lens for batwing light distribution, higher spacing between poles and maintenance-free system.

Product Code	Rated Power	Case Lot	MRP (₹)
LSFS-020-C	20W	16	3000
LSFS-030-C	30W	1	3800
LSFS-040-C	45W	1	4000
LSFS-045-C	45W	1	5200
LSFS-060-C	60W	1	6000
LSFS-070-C	70W	1	8400
LSFS-080-C	80W	1	8500
LSFS-090-C	90W	1	9000
LSFS-110-C	110W	1	11000
LSFS-120-C	120W	1	12000
LSFS-150-C	150W	1	15000
LSFS-160-C	160W	1	17500
LSFS-180-C	180W	1	18000
LSFS-200-C	200W	1	21000
LSFS-250-C	250W	1	25000



FIESTA PLUS PC

FIESTA PLUS PC



Highly efficient IP66 LED streetlight with high-power LEDs; having aluminium pressure die-cast housing and PC cover in the front and lens for batwing light distribution.

Product Code	Rated Power	Case Lot	MRP (₹)
LSFS-030-C-PC	30W	1	3650
LSFS-045-C-PC	45W	1	3800
LSFS-060-C-PC	60W	1	5200
LSFS-070-C-PC	70W	1	5800
LSFS-090-C-PC	90W	1	6800
LSFS-100-C-PC	100W	1	7000
LSFS-120-C-PC	120W	1	8750
LSFS-150-C-PC	150W	1	12500
LSFS-180-C-PC	180W	1	16000
LSFS-200-C-PC	200W	1	18000

LED FLOOD LIGHTS

SIGMA



High-efficiency IP65 front-openable innovative LED floodlight with pressure die-cast aluminium housing and toughened glass in the front with unique flood optics to ensure uniform distribution and savings upto 50% as compared to conventional system.

Product Code	Rated Power	Case Lot	MRP (₹)
LFSM-020-C-V1	20W	1	3000
LFSM-030-C-V1	30W	1	4050
LFSM-040-C-V1	40W	1	4650
LFSM-050-C-V1	50W	1	5150
LFSM-070-C-V1	70W	1	6250
LFSM-100-C-V1	100W	1	7850
LFSM-120-C-V1	120W	1	9000
LFSM-150-C-V1	150W	1	11000
LFSM-200-C-V1	200W	1	15500
LFSM-250-C-V1	250W	1	20000
LFSM-300-C-V1	300W	1	21500
LFSM-350-C-V1	350W	1	29000
LFSM-400-C-V1	400W	1	32500

LED FLOOD LIGHTS

SIGMA ULTRA



High-efficiency IP66 LED floodlight with pressure die-cast aluminium housing in rectangle shape and toughened glass in the front. Best suitable for area lighting.

Product Code	Rated Power	Case Lot	MRP (₹)
LFSMU-070-C	70W	1	7000
LFSMU-100-C	100W	1	10000
LFSMU-120-C	120W	1	12000
LFSMU-150-C	150W	1	15000
LFSMU-200-C	200W	1	20000
LFSMU-250-C	250W	1	25000

SIGMA PLUS



High-efficiency IP66 LED floodlight with pressure die-cast aluminium housing in rectangle shape and toughened glass in the front. Best suitable for area lighting.

Product Code	Rated Power	Case Lot	MRP (₹)
LFSMP-060-C	60W	1	7000
LFSMP-070-C	70W	1	8000
LFSMP-080-C	80W	1	9000
LFSMP-100-C	100W	1	12000
LFSMP-120-C	120W	1	14500
LFSMP-150-C	150W	1	18000
LFSMP-200-C	200W	1	23500
LFSMP-250-C	250W	1	28000
LFSMP-300-C	300W	1	33000
LFSMP-350-C	350W	1	38000
LFSMP-400-C	400W	1	44000

LED FLOOD LIGHTS

ALPHA



High-efficiency IP66 innovative LED floodlight with pressure die-cast aluminium housing and toughened glass in the front with unique flood optics to ensure uniform distribution and savings upto 50% as compared to conventional system.

Product Code	Rated Power	Case Lot	MRP (₹)
LFAP-050-C	50W	1	9500
LFAP-060-C	60W	1	10000
LFAP-070-C	70W	1	11000
LFAP-080-C	80W	1	12000
LFAP-100-C	100W	1	13500
LFAP-120-C	120W	1	17000
LFAP-150-C	150W	1	20000
LFAP-200-C	200W	1	25000
LFAP-250-C	250W	1	29500

DELTA



High-efficiency IP66 LED floodlight with pressure die-cast aluminium housing in oval shape and toughened glass in the front. Best suitable for area lighting.

Product Code	Rated Power	Case Lot	MRP (₹)
LFDT-300-C	300W	1	33500
LFDT-350-C	350W	1	37000
LFDT-400-C	400W	1	40000
LFDT-450-C	450W	1	51000
LFDT-500-C	500W	1	55000





SOLAR LIGHTING



LED SOLAR STREET LIGHT

SOLARIN



Highly efficient IP65 LED Solar Lighting System with built-in high-efficiency Solar Panel, LED Light and long-life Lithium-ion with high-efficiency microprocessor-based charge controller and a motion sensor. Due to compact size, it's easy to mount on a pole top. The light has automatic dusk-to-dawn operation. (Note: Pole is not a part of the product but can be supplied on request at an additional cost.)

Product Code	Rated Power	Case Lot	MRP (₹)
LSSN-09C30-12P	9W	1	On request
LSSN-12C40-18P	12W	1	On request
LSSN-15C40-24P	15W	1	On request
LSSN-20C50-30P	20W	1	on request
LSSN-30C90-30P	30W	1	On request
LSSN-40C70-30P	40W	1	on request

LED SOLAR SPIKE LIGHT

SOLAR SPIKE LIGHT



IP65 LED solar garden spike light with solar panel, 4 No. LED Light and Lithium battery with charge controller.

Product Code	Rated Power	Case Lot	MRP (₹)
LSSL-04-C	4W	1	21500

LED SOLAR BOLLARD

SOLAR BOLLARD



IP65 LED Solar bollard with built-in solar panel, LED Light and Lithium battery with charge controller.

Product Code	Rated Power	Case Lot	MRP (₹)
LSBL-03-C	3W	1	21000

LED SOLAR BOLLARD

SOLAR GATE LIGHT



IP65 LED Solar surface post top with built-in Solar panel, LED light and Lithium battery with charge controller.

Product Code	Rated Power	Case Lot	MRP (₹)
LSGL-02-C	2W	1	15000



LED SOLAR GATE/PILLAR LIGHT

SOLAR PILLAR LIGHT



IP65 LED Solar pillar light with built-in Solar panel, LED Light and Lithium battery with charge controller.

Product Code	Rated Power	Case Lot	MRP (₹)
LSPL-03-C	3W	1	19500

LED SOLAR POST TOP LIGHT

SOLAR POST TOP



IP65 LED Solar post top with built-in Solar panel, LED light and Lithium battery with charge controller.

Product Code	Rated Power	Case Lot	MRP (₹)
LSPT-25-C	25W	1	48500







LANDSCAPE LIGHTING

LED SPIKE LIGHT

SPIKE LIGHT



Spike light IP65 in pressure die-cast aluminium housing best suitable for bush lighting.

Product Code	Rated Power	Case Lot	MRP (₹)
LLSL-03-W	3W	40	1900
LLSL-06-W	6W	20	2100
LLSL-09-W	9W	20	2450
LLSL-12-W	12W	20	3500

LED STEP LIGHT

STEP LIGHT



LED steplight IP54 with a robust design and easy installation. Gives a comfortable asymmetric lighting effect.

Product Code	Rated Power	Case Lot	MRP (₹)
LLSP-03-W	3W	40	2100
LLSP-06-W	6W	20	2600

LED GROUND BURRIAL LIGHT

GROUND BURRIAL



LED ground burial light IP67 suitable for walkable floors with a circular top cover and partial satin finish having toughened glass for outdoor use.

Product Code	Rated Power	Case Lot	MRP (₹)
LLGB-15-W	15W	20	12000

LED BOLLARD LIGHT

CRYSTAL BOLLARD



LED bollard light IP65 having a cylindrical body placed on top. Ideal for architectural outdoor lighting, typically giving off light from the sides, suitable to illuminate walkways, steps or pathways.

Product Code	Rated Power	Case Lot	MRP (₹)
LLCBL-10-W	10W	4	9000
LLCBL-10-W-B	10W	4	11000

STEP BOLLARD



LED bollard light IP65 having step profile placed on top. Ideal for architectural outdoor lighting, typically giving off light from the sides suitable to illuminate walkways, steps or pathways.

Product Code	Rated Power	Case Lot	MRP (₹)
LLSBL-10-W	10W	4	9000
LLSBL-10-W-B	10W	4	11000

OYSTER BOLLARD



LED bollard light IP65 aesthetically designed landscape luminaire for diffused lighting. Suitable for architectural outdoor lighting typically giving off light from all sides. Best suitable to illuminate walkways, steps or pathways.

Product Code	Rated Power	Case Lot	MRP (₹)
LLOBL-10-W	10W	4	9250
LLOBL-10-W-B	10W	4	11250

LED BOLLARD LIGHT

GEM BOLLARD



LED bollard light IP65 having a cylindrical body with LED under PC Lens placed on top. Ideal for architectural outdoor lighting suitable to illuminate walkways, steps or pathways.

Product Code	Rated Power	Case Lot	MRP (₹)
LLGBL-10-W	10W	4	9250
LLGBL-10-W-B	10W	4	11250

RING BOLLARD



LED bollard light IP65 having circular profile placed on top. Ideal for architectural outdoor lighting suitable to illuminating Gardens and walkways.

Product Code	Rated Power	Case Lot	MRP (₹)
LLRBL-15-W	15W	4	10000
LLRBL-15-W-B	15W	4	12000

TOPAZ BOLLARD



LED bollard light IP65 aesthetically designed aluminium housing landscape luminaire for sturdiness with high power LED as light source.

Product Code	Rated Power	Case Lot	MRP (₹)
LLTBL-20-W	20W	1	21000

LED DECORATIVE POST TOP LIGHT

ASTER



LED Post-top IP65 elegantly designed spun aluminium and high grade aluminium heat sink for efficient thermal management, sturdiness and excellent corrosion resistance. MS base provided to support the housing. Powder coated black after phosphochromate treatment.

Product Code	Rated Power	Case Lot	MRP (₹)
LLAS-20-C	20W	1	12000
LLAS-30-C	30W	1	13000
LLAS-45-C	45W	1	14000

OPALINE



LED Post-top IP65 die-cast aluminium spigot for mounting LED driver and spun aluminium canopy which is painted white inside. Epoxy powder-coated matte black finish after phosphochromate treatment.

Product Code	Rated Power	Case Lot	MRP (₹)
LLOP-30-C	30W	1	13250
LLOP-45-C	45W	1	14250

MERIDIAN



LED Post-top IP65 elegantly designed die-cast aluminium housing and high grade aluminium heat sink for efficient thermal management, sturdiness and excellent corrosion resistance. 4 nos. die-cast aluminium arms are provided to support the housing. Powder coated black after phosphochromate treatment.

Product Code	Rated Power	Case Lot	MRP (₹)
LLMD-30-C	30W	1	27500
LLMD-45-C	45W	1	29500

LED DECORATIVE POST TOP LIGHT

CRESTINE



LED Post-top IP65 elegantly designed die-cast aluminium housing and high grade aluminum heat sink for efficient thermal management, studiness and excellent corrosion resistance. 4 nos. die-cast aluminium arms are provided to support the housing. Powder coated black after phosphochromate treatment.

Product Code	Rated Power	Case Lot	MRP (₹)
LLCT-45-C	45W	1	30000
LLCT-60-C	60W	1	33000

SNOWDROP



LED Post-top IP65 designed in spun aluminium housing and excellent corrosion resistance. 2 nos. aluminium arms are provided to support the housing. Powder coated black after phosphochromate treatment.

Product Code	Rated Power	Case Lot	MRP (₹)
LLSD-30-C	30W	1	22000
LLSD-45-C	45W	1	25000

PRISTINE



LED Post-top IP65 elegantly designed die-cast aluminium housing and high grade aluminum heat sink for efficient thermal management, studiness and excellent corrosion resistance. 3 nos. die-cast aluminium arms are provided to support the housing. Powder coated black after phosphochromate treatment.

Product Code	Rated Power	Case Lot	MRP (₹)
LLPT-30-C	30W	1	25000
LLPT-45-C	45W	1	26500
LLPT-60-C	60W	1	32000
LLPT-90-C	90W	1	35000

LED DECORATIVE POST TOP LIGHT

ORBIT



LED Post-top IP65 elegantly designed spun aluminium housing and heat sink for efficient thermal management, sturdiness and excellent corrosion resistance. 2 nos. aluminium arms are provided to support the housing. Powder coated black after phosphochromate treatment.

Product Code	Rated Power	Case Lot	MRP (₹)
LLOT-60-C	60W	1	On request
LLOT-90-C	90W	1	On request

COMET



LED Post-top IP65 spun aluminum housing and high grade aluminium heat sink for efficient thermal management, sturdiness and excellent corrosion resistance. 3 nos. MS arms are provided to support the housing. Powder coated black after phosphochromate treatment.

Product Code	Rated Power	Case Lot	MRP (₹)
LLCO-60-C	60W	1	On request
LLCO-125-C	125W	1	On request



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

PROFESSIONAL LUMINAIRES PRICELIST (MRP) w.e.f 1st Oct, 2021.

Terms & Conditions:

- 1) Prices are in Indian ₹ (Inclusive of GST) at current rate.
- 2) Prices are subject to change without prior notice.
- 3) All prices are subject to Orient Electric Limited general terms and conditions of business.
- 4) This price list supersedes all previous price lists.
- 5) Warranty voids for LED fixtures including drivers, if the individual point of installations is not provided with proper earthing.
- 6) Continuous design improvement is a routine practice of Orient Electric Limited. Data provided Sept change without any prior intimation. Customers are advised to reconfirm the data or product dimensions before purchase with our local offices.
- 7) Company reserves the right to issue amendments, which Sept arise due to any errors in the price list.
- 8) Every effort has been made to ensure accuracy in the compilation of technical details within this publication. However, specifications & performance are constantly changing therefore, current details should be checked with Orient Electric Limited. Specifications and performance data are constantly changing.
- 9) Displayed product images in the catalogue are only for indicative purpose and Sept differ from the actual product.
- 10) Disputes, if any are subject to Delhi jurisdiction only.

Lighting Business Unit
ORIENT ELECTRIC LIMITED
C-130, Sector-63, Noida-201301,
U.P, India

Head Office
ORIENT ELECTRIC LIMITED
240, Okhla Industrial Estate Phase III
New Delhi-110020

Fans | Home Appliances | Lighting | Switchgear

Website: www.orientelectric.com | Email: customercare_lighting@orientelctric.com | Orient Helpline No: 18001037574 | Customer Care: 91-120-4894900 | Follow us on | 