



FRESH, HEALTHY AIR EVERYWHERE

0



4.4

0----

WHY ORIENT ELECTRIC AIR COOLERS?

Today, when the air pollution levels are breaking records every day, the home is our only safe haven. Therefore, we must ensure that the indoor air remains pure and healthy.

This is why, Orient Electric Air Coolers are designed to give you not just a cool breeze, but the air that is fresh and healthy. Unlike other air-cooling devices, these coolers ensure fresh air ventilation and not just the circulation of the same air. With revolutionary technologies like DenseNest Honeycomb for efficient water retention and premium Aerofan technology for the strongest air throw, Orient air coolers make summertime truly blissful.

Apart from this, these coolers feature futuristic technologies like IoT and Voice Control so that you can operate your cooler from anywhere. Now you can supercool your room even before you enter it.



A RANGE AS DIVERSE AS YOUR PREFERENCES

As the summers step in, we all crave that cool and fresh breeze from an air cooler. While the basic function remains the same, different customers have unique preferences when it comes to air coolers.

Orient Electric is a one-stop solution for your air cooling needs. We have a complete range of air coolers of all sizes, shapes, capacities, and features. Whichever cooler you choose, it's an Orient promise that your home will be filled with cool, fresh, and healthy air the moment you push that switch on.





TRUST THE BEST



DESERT COOLERS

AWARD-WINNING QUALITY AND PERFORMANCE





The Economic Times Best Brands 2021



India 2019



Frost And Sullivan New Product Innovation Leadership Award India 2019



TOWER COOLERS



PERSONAL COOLERS



DESERT COOLERS

With the temperature breaking records every summer, Orient Electric Desert Coolers are the perfect solution. The combination of large tank capacity and powerful fan motor allows these sturdy air coolers to throw fresh, healthy air everywhere, all day long. The superior air delivery, powerful air throw, high cooling efficiency, along with low noise & easy manoeuvrability, make these coolers the best in their segment.

man my let a change



Cools up to: 37 sq m.* *Estimated area based on 3mts (10ft) ceiling height and an all-sides-covered room.

Q the

PLUS RANGE



6



All image sizes are representative, for actual size of the products, please refer the specification table.









7



Large Tank Capacity

Î

4-Way Cooling Motorised Vertical Louvres

Uniterrupted Cooling During Power Cuts Inverter Compatible

≋ **Powerful Air Delivery** 5000 Metre Cube/Hr With 3-Speed Motor



0= Q Q Q

Titan 100 & 75

CD1002H, CD7501H

Longest Air Throw Of 18.5m With 18" Metal Blade Fan



Openable Ice Chamber For Quick Cooling And Easy Cleaning





Knight 70 CD7002HR, CD7003H, CD7005HI, CD7006HIT*



Fully Collapsible Louvres



Uniterrupted Cooling During Power Cuts Inverter Compatible





Ultimo 88 & 50 CD8803H, CD5003H, CD5006HIT*




0

Powerful Air Delivery 3650 Metre Cube/Hr With 3-Speed Motor







Easy Maintenance

Cord Winder



Ultimo 65

CD6501H, CD6503HI, CD6502HR, CD6506HIT*

IoT-Enabled

Remote Control

With Timer (Optional)

(Optional)

P

Auto Filling Of Tank

Breeding

Prevents Mosquito

All image sizes are representative, for actual size of the products, please refer the specification table. *Available in ECM inverter technology.











Tornado 88, 65 & 52 CD5202H, CD6508H, CD8804H



Ocean Air 70 CD7001H



9



Large Tank Capacity 4-Way Cooling Motorised Vertical Louvres

IIII

Uniterrupted Cooling During Power Cuts Inverter Compatible

All image sizes are representative, for actual size of the products, please refer the specification table.









PERSONAL COOLERS

Different people, different choices. With this thought at the core of its design, Orient's range of Personal Coolers offers coolers of different sizes, shapes, and designs. You can simply pick one that complements your home or workspace perfectly. They're equipped with a powerful blower that packs a punch when it comes to air delivery. Their easy-lift handles and castor wheels make it easy to move them around so that you can enjoy fresh and healthy air wherever you wish.

IDEAL FOR









Bedroom Study Room

Kids Room Dining P

Dining Area Small Office Small Shop

Cools up to: 5.4 sq m.* *Estimated area based on 3mts (10ft) ceiling height and an all-sides-covered room.





Rerocool 40 & 20 CP4001H, CP2005H



Premia 45, 36 & 26 CP4502H, CP3602H, CP2602H





4-Way Cooling Motorised Vertical Louvres



Uniterrupted Cooling During Power Cuts Inverter Compatible





Smartcool DX 37, 24, 18 CP3701H, CP2401H, CP1801H







Keep Dust Away Dust Filter



Uniterrupted Cooling During Power Cuts Inverter Compatible

SUPERCOOLER SERIES

Whatever the weather conditions, our Outdoor Air Coolers are built to deliver fresh and healthy air without any interruption. Protected with specialised powder coated GPSP sheets, these coolers can withstand extremely harsh weather conditions. Their new LockMatic[™] Technology keeps the tank leak-proof and cool. The latest AeroFan Technology makes these coolers ideal for large and open spaces, where you can easily move them around on a trolley.







(16)



All image sizes are representative, for actual size of the products, please refer the specification table.

WINDOW COOLERS

The innovative Window Coolers are equipped with a myriad of features that make your life easier. Large water tank capacity ensures that you do not need to worry about repeatedly filling the cooler, just fill it and forget it for a long time. The advanced 4-way deflection system cools the room evenly. The combo of special Humidity Control and the Fragrance Chamber turns humid air into a fresh, healthy, and pleasantly cool breeze. The icing on the cake is that these coolers are built to consume less energy and save power.









TOWER COOLERS

Comfort shouldn't depend on how much space you've got. Bring home these sleek and tall air coolers specially designed for rooms with limited space. They can easily fit into one corner of the room while ensuring a powerful flow of fresh and healthy air throughout the room. Amp up your style as well as comfort quotient with our range of Tower Coolers.







COMMERCIAL COOLER

Cooling big spaces at a pocket-friendly price just got easier with Orient Electric Commercial Air Cooler. It's equipped with a Bigger Vent Area, Honeycomb Pads, and Aero Fan Technology for high-thrust air delivery. Even at high speeds, its lockable castor wheels keep the cooler stable and compact. And the in-built autofill feature and higher tank capacity dispense powerful cooling throughout the day.

IDEAL FOR



Hotels













Open Air functions

Cools up to: 75 sq m.* *Estimated area based on 3mts (10ft) ceiling height and an all-sides-covered room.





— 150 cm 150 cm 140 cm 130 cm 120 cm 100 cm 90 cm 90 cm 80 cm 60 cm 50 cm 40 cm 30 cm 20 cm 10 cm 10 cm






Air 800 3-s



Rir Delivery 8000 cmh with 3-speed motor

Auto-Fill Hassle-free, uninterrupted cooling



Lockable Strong Castor Wheel For Better Stability

(•*****•≋



Rerofan Technology High Speed fan with heavy duty motor

PLUS RANGE —

DESERT COOLERS

	}
-	

-			
_		and the local division of the	
	1		



		r cus knine													
Model Number		CD7007H	CD6507H	CD5007H	CD1051H	CD9001H	CD1002H	CD7501H	CD8803H	CD5003H	CD5006HIT	CD6502HR/ CD6503HI	CD6501H	CD6506HIT	
Model Name		Knight+ 70	Ultimo+ 65	Ultimo+ 50	Avante 105	Avante 90	Titan 100	Titan 75	Ultimo 88	Ultimo 50	i-Ultimo 50	Ultimo 65	Ultimo 65	i-Ultimo 65	
Mode of Operation	n	Manual	Remote/IOT	Manual	Manual										
Cooling Medium		DenseNest® Honeycomb													
Water Tank Capac (Litres upto brim)	ity	70 Ltrs	65 Ltrs	50 Ltrs	105 Ltrs	90 Ltrs	100 Ltrs	75 Ltrs	88 Ltrs	50 Ltrs	50 Ltrs	65 Ltrs	65 Ltrs	65 Ltrs	
Power Consumpti (Wattage)	on	190 W													
Air Delivery (Cv.m	./hr)	3650	3650	3650	4500	4500	5000	5000	3650	3650	3650	3650	3650	3650	
Air Throw Distanc (Metres)	e	18.3 m.	18.3 m.	18.3 m.	18.0 m.	18.0 m.	18.5 m.	18.5 m.	18.3 m.						
Auto Fill		Yes	Yes	Yes	По	По	По	По	Yes	Yes	Yes	Yes	Yes	Yes	
Water Level Indica	ator	Yes													
Speed Control-3/F	RPM	H,M,L													
Blower/Fan Type		Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan/ 16 inch	Fan/ 16 inch	Fan/ 18 inch	Fan/ 18 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inct	
Wheels/Trolley		4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	5 Castor Wheels	4 Castor Wheels									
Prevents Mosquit Breeding	D	Yes	Yes	Yes	Πο	По	По	Πο	Yes	Yes	Yes	Yes	Yes	Yes	
Anti Bacterial Tan	k	По													
Dust Filter		Yes	По	По	Πο	По	По	Πο	По	Πο	Πο	По	По	По	
Ice Chamber		Yes													
Vertical Louvres M	lovement	Motorised													
Horizontal Louvre Movement	s	Manual													
	L	61.2	65.0	65.0	62	62	70	70	65.0	65.0	65.0	65.0	65.0	65.0	
Dimensions Without Packaging (cm)	W	43.0	42.6	42.6	46.5	46.5	45	45	42.6	42.6	42.6	42.6	42.6	42.6	
	н	124.8	121.0	112.0	127.5	118.5	127	118	130.0	112.0	112.0	121.0	121.0	121.0	
Dimensions With Packaging (cm)	LxWxH	65x48x131	69x47x130	69x47x121	71.5x52.5x135	71.5x52.5x125	79.5x57x130.5	79.5x57x119.5	69x47x137	69x47x121	69x47x121	69x47x130	69x47x130	69x47x130	
Net Weight (kg)		19.7	17.0	16.5	19.2	17.7	18	17	18.0	16.5	16.5	17.0	17.0	17.0	
Gross Weight (kg)		24.0	20.5	19.5	24.8	23.4	23	21.5	21.5	19.5	19.5	20.5	20.5	20.5	
Stocking		2	2	2	2	2	2	2	2	2	2	2	2	2	
Product Warranty		12 Months													
Cooling Area		380 sq ft	380 sq ft	350 sq ft	400 sq ft	400 sq ft	400 sq ft	400 sq ft	350 sq ft	350 sq ft	350 sq ft	380 sq ft	380 sq ft	380 sq ft	

All the technical parameters are as per Orient testing standards. Specifications of DenseTest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room.

As product upgradation is a continuous process, design and specifications are subject to change without notice. #Warranty is applicable in India only.

DESERT COOLERS -

Model Number		CD7002HR/ CD7005HI	CD7003H	CD7006HIT	CD9201H	CD7101H	CD8801H	CD6504H/08H	CD5201H/02H	CD5102H	CD5101B	CD7001H	AT802PM	AT602PM
Model Name		Knight 70	Knight 70	i-Knight 70	Aerostorm 92	Aerostrom 71	Tornado 88	Tornado 65	Tornado 52	Aerochill 51 HC	Aerochill 51 WW	Ocean Air	Airtek AT802PM	Airtek AT602PM
Mode of Operatio	n	Remote/IOT	Manual	Manual	Manual	Manual	Manual/Remote	Manual/Remote	Manual/Remote	Manual	Manual	Manual	Manual	Manual
Cooling Medium		DenseNest® Honeycomb	Woodwool	DenseNest® Honeycomb	Honeycomb	Honeycomb								
Water Tank Capa (Litres upto brim)	city)	70 Ltrs	70 Ltrs	70 Ltrs	92 Ltrs	71 Ltrs	88 Ltrs	65 Ltrs	52 Ltrs	51 Ltrs	51 Ltrs	70 Ltrs	73 Ltrs	52 Ltrs
Power Consumpt (Wattage)	ion	190 W	190 W	190 W	180 W	180 W	190 W	190 W	165 W	165 W				
Air Delivery (Cv.n	n./hr)	3650	3650	3650	4000	4000	3650	3650	3650	3200	3200	3600	2610	2610
Air Throw Distant (Metres)	ce	18.3 m.	18.3 m.	18.3 m.	17 m.	17 m.	18.3 m.	18.3 m.	18.3 m.	11 m.	11 m.	18.3 m.	12 m.	12 m.
Auto Fill		Yes	Yes	Yes	Πο	Πο	По	Πο	Πο	По	Πο	Πο	Yes	Yes
Water Level Indic	ator	Yes	Yes	Yes	Yes	Yes								
Speed Control-3/	RPM	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L								
Blower/Fan Type	•	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch								
Wheels/Trolley		4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	5 Castor Wheels	5 Castor Wheels	5 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels
Prevents Mosquil Breeding	to	Yes	Yes	Yes	No	No	По	По	No	По	По	No	По	По
Anti Bacterial Tar	nk	Πο	По	Πο	По	Yes	Yes							
Dust Filter		Yes	Yes	Yes	По	По	По	Πο	По	По	Πο	Πο	Yes	Yes
Ice Chamber		Yes	Yes	Yes	По	По	По	По	По	По	По	Πο	Yes	Yes
Vertical Louvres Movement		Motorised	Motorised	Motorised	Motorised	Motorised								
Horizontal Louvre Movement	es	Manual	Manual	Manual	Manual	Manual								
	L	61.2	61.2	61.2	66	66	63.0	63.0	63.0	64.5	64.5	65.0	71.5	71.5
Dimensions Without Packaging (cm)	W	43.0	43.0	43.0	50	50	41.0	41.0	41.0	50.5	50.5	38.0	46	45
2 3 (4	н	124.8	124.8	124.8	123	113	133.0	122.0	113.0	102.0	102.0	124.5	115	102
Dimensions With Packaging (cm)	LxWxH	65.5x48x131	65.5x48x131	65.5x48x131	73x53x132	73x53x122	69x47x140	69x47x127	69x47x118	67x53.5x108	67x53.5x108	68x40x130	74.6x51.2 x119.7	74.6x51.2 x106.3
Net Weight (kg)		19.7	19.7	19.7	18	17	15.7	14.8	14.3	15.0	15.0	18.0	19.6	17.8
Gross Weight (kg))	24.0	24.0	24.0	22.5	21	21.0	18.6	18.0	19.0	19.0	21.5	23.4	20.9
Stacking		2	2	2	2	2	2	2	2	2	2	2	2	З
Product Warranty	J#	12 Months	12 Months	12 Months	12 Months	12 Months								
Cooling Area	-	400 sq ft	400 sq ft	400 sq ft	450 Sq ft	400 Sq ft	350 sq ft	350 sq ft	350 sq ft	300 Sq. ft	300 sq. ft	400 sq ft	300 Sq. ft.	300 Sq. ft.

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. "Warranty is applicable in India only.

PERSONAL COOLERS -

SUPERCOOLER-

	DC	SCRICOU												SERIES		
Model Number	CD6601H	CD5501H	CD5002B	CP4001H	CP2005H	CP4502H	СР3602Н	CP2602H	CP3701H	CP2401H	CP1801H	CP3001H	0D1055H/ 0D8505H	0D8505H		
Model Name	Snowbreeze Slim 66	Snowbreeze Slim 55	Snowbreeze Super 50	Aerocool 40	Aerocool 20	Premia 45	Premia 36	Premia 26	Smartcool DX 37	Smartcool DX 24	Smartcool DX 18	Supercool 30	Toofan Slim 105	Toofan Slim 85		
Mode of Operation	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual		
Cooling Medium	DenseNest® Honeycomb	DenseNest® Honeycomb	Wood Wool	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb										
Water Tank Capacity (Litres upto brim)	66 Ltrs	55 Ltrs	50 Ltrs	40 Ltrs	20 Ltrs	45 Ltrs	36 Ltrs	26 Ltrs	37 Ltrs	24 Ltrs	18 Ltrs	30 Ltrs	105 Ltrs	85 Ltrs		
Power Consumption (Wattage)	220 W	220 W	50 W	150 W	150 W	140 W	350 W	350 W								
Air Delivery (Cv.m./hr)	3000	3000	3500	1750	1750	1500	1500	1500	1300	1300	1300	1300	7000	7000		
Air Throw Distance (Metres)	16 m.	16 m.	16.2 m.	8.0 m.	8.0 m.	7.6 m.	17 m.	17 m.								
Auto Fill	Πο	По	По	По	По	По	По	По	По	По	По	По	По	No		
Water Level Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	По	По		
Speed Control-3/RPM	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L		
Blower/Fan Type	Fan / 16 inch	Fan / 16 inch	Fan / 16 inch	Fan / 12 inch	Fan / 12 inch	Blower	Aerofan/ hi-speed 18 inch	Aerofan/ hi-speed 18 inch								
Wheels/Trolley	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor wheels	4 castor wheels	4 castor wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	2 Trolley Wheels & 2 Castor Wheels	Trolley	Trolley		
Prevents Mosquito Breeding	Πο	По	По	По	По	По	По	Πο	По	По	По	По	No	Πο		
Anti Bacterial Tank	По	По	По	По	По	По	По	По	По	По	По	По	Πο	Πο		
Dust Filter	Πο	Πο	По	Πο	Πο	Yes	Πο	Πο								
Ice Chamber	Yes	Yes	Yes	По	По	Yes	Yes	Yes	Yes	Yes	Yes	По	По	Πο		
Vertical Louvres Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised		
Horizontal Louvres Movement	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Motorised	Manual	Manual		

Dimensions With Packaging (cm) 64x43.5x124 64x43.5x117 68x56.5x105.5 51x40.5x90 51x40.5x77 53.5x42x98 53.5x42x90 53.5x42x98 51x38.5x89 51x38.5x74.5 51x38.5x70.2 39.6x46.6x99.5 75x53x127 75x53x120 LxWxH 13.4 7.8 11 10 9 9.2 8.6 10.3 28.3 27.5 Net Weight (kg) 14.2 15.5 7.8 8.0 Gross Weight (kg) 18.3 17.5 19.1 10.5 10.5 13.5 12 11 11.0 10.1 9.3 12.2 32.8 32 2 2 2 2 З З З З З З 2 2 Stacking 2 З Product Warranty* 12 Months 300 Sqft 300 sqft 300 sqft 200 sqft 200 sqft 200 sqft 200 sqft 180 sqft 600 sqft 600 sqft **Cooling Area** 200 sqft 150 sqft 150 sqft 150 sqft

53.5

42

90

53.5

42

81

46.0

34.0

82.5

46.0

34.0

70.0

46.0

34.0

66.0

34.5

41.8

93.0

67.9

49

117.7

67.9

49

110.7

All the technical parameters are as per Orient testing standards. Specifications of DenseDest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room.

46.0

36.4

74.0

53.5

42

98

As product upgradation is a continuous process, design and specifications are subject to change without notice. #Warranty is applicable in India only.

62.0

50.0

100.5

46.0

36.4

88.5

Movement

Dimensions

Packaging (cm)

Without

L.

w

н

60.5

39.5

118.0

60.5

38.5

112.0

		SUPERCOOLER SERIES								idow Ilers		TOWER COOLERS	c	COMMERCIAL COOLER
						M	1							
Model Number		0D1055HM	OD8505HM	0D9005H	0D9004H	0D7005H	0D7004H	0D7006H	CW5501B/ CW5502B	CW5002B	CT5502HR/ CT5501H	CT4002HR/ CT4001H	CT2604HR/ CT2603H	CC1101H
Model Name		Hurricane 105 (Modular)	Hurricane 85 (Modular)	Thunder 90	Thunder 90	Thunder 70	Thunder 70	Summerking 70	Magicool Plus 55	Magicool DX 50	Ultimo Tower 55	Ultimo Tower 40	Ultimo Tower 26	Stark 110
Mode of Operatio	n	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	loT/Remote	loT/Remote	loT/Remote/ Manual	Manual
Cooling Medium		DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	Wood Wool	Wood Wool	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	Honeycomb
Water Tank Capa (Litres upto brim)		105 Ltrs	85 Ltrs	90 Ltrs	90 Ltrs	70 Ltrs	70 Ltrs	70 Ltrs	55 Ltrs	50 Ltrs	55 Ltrs	40 Ltrs	26 Ltrs	110 Ltrs
Power Consumpt (Wattage)	ion	350 W	350 W	350 W	200 W	350 W	200 W	250 W	220 W	220 W	160 W	160 W	160 W	450 W
Air Delivery (Cv.m	n./hr)	7000	7000	7000	5000	7000	5000	6000	2000	2000	1500	1500	1500	8000
Air Throw Distant (Metres)	ce	17 m.	17 m.	17 m.	13.7 m.	17 m.	13.7 m	17 m	10.7 m.	10.7 m.	9.14 m.	9.14 m.	9.14 m.	18 m.
Auto Fill		По	Πο	No	По	По	По	По	По	Πο	По	По	Πο	Yes
Water Level Indic	ator	По	По	По	По	По	По	По	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control-3/	RPM	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L
Blower/Fan Type		Aerofan/ hi-speed 18 inch	Aerofan/ hi-speed 18 inch	Aerofan/16 inch	Aerofan/16 inch	Aerofan/16 inch	Aerofan/16 inch	Aerofan/16 inch	Blower	Blower	Blower	Blower	Blower	Aerofan
Wheels/Trolley		Trolley	Trolley	Trolley Optional	Trolley Optional	Trolley Optional	Trolley Optional	Trolley	Trolley Optional	Trolley Optional	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels
Prevents Mosquit Breeding	:0	По	Πο	No	По	По	Πο	Πο	По	Πο	Yes	Yes	Yes	Πο
Anti Bacterial Tar	nk	По	По	По	По	По	По	По	По	По	По	По	По	По
Dust Filter		По	Πο	По	По	По	Πο	По	По	Πο	Yes	Yes	Yes	No
Ice Chomber		По	Πο	По	По	По	Πο	По	По	По	Yes	Yes	Yes	По
Vertical Louvres Movement		Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorized	Motorised	Motorised	Motorised	Motorised	По
Horizontal Louvre Movement	25	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Πο
	L	67.9	67.9	67.8	67.8	67.8	67.8	66.5	65.1	66.0	39	39	39	85.0
Dimensions Without Packaging (cm)	W	49	49	61.4	61.4	61.4	61.4	44.5	54.9	53.5	34.6	34.6	34.6	62.0
	н	117.7	110.7	102.3	102.3	93.6	93.6	105	58.3	55.5	138.8	124.8	105.3	144.0
Dimensions With Packaging (cm)	L×W×H	75x53x81.5	75x53x81.5	69x63x107	69x63x106	69x63x97	69x63x97	67.5x46x113.5	69.5X59.5X67.0	72x60x63	51.7x41.5x134.3	51.7x41.5x120.3	51.7x41.5x104.3	90x63x130
Net Weight (kg)		32.5	27.2	31.85	29.35	28.1	28.1	25	12	13.0	12	11	10.5	28.0
Gross Weight (kg)		37.2	32.2	34.1	34.1	33.1	33.1	28.5	16	16.0	15.5	15	13	35.0
Stocking		2	З	2	2	2	2	2	З	З	2	2	2	2
Product Warranty	1#	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
Cooling Area		600 sqft	600 sqft	500 Sqft	500 sqft	500 sqft	500 sqft	500 sqft	230 sq ft	230 sq ft	200 sqft	200 sqft	200 sqft	600 sqft

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. ^{al}Warranty is applicable in India only.

BRANCH OFFICES

NORTH REGION

Head Office: 240, Okhla Industrial Estate Phase III, New Delhi 110020 Delhi: 62, Okhla Industrial Estate Phase III, New Delhi 110020 Chandigarh: 840, First Floor, NAC Manimajara, UT Chandigarh - 160101 Rajasthan: C176 Road Number 9J, V.K.I. Area Jaipur - 302013 Uttar Pradesh: 607, 6th floor, Ratan Square Marg, Lucknow - 226001 Noida: C-130, Sector 63, Noida - 201301

EAST REGION

Rssam: Nilakshi Talukdar Campus, Opp Vodafone Head Office, NH - 37, Katabari, Guwahati - 781035
Bihar: 4th Floor, Sai Tower, Beside Hotel Utsav, New Dak Bunglow Road. Patna - 800001
Jharkhand: Modi Heights, Phase-1, 4th Floor, Office No - 401, Ratu Road, Near Durga Mandir Ranchi - 834001
Odisha: Badadhanpur, Puri Bypass Road, Bhubaneswar - 751002
West Bengal: 6, Ghore Bibi Lane, Behind Swabhumi, Kolkata - 700054

SOUTH REGION

Telangana: 6-3-1090/C, R K Plazs, 2nd Floor, Raj Bhawan Road, Somajiguda, Hyderabad - 500082 **Chennai**: Heavitree' 2nd Floor, Unit – B, No-47, Spur Tank Road, Chetpet, Chennai – 600031 **Karnataka**: SY No. 73, harokyathanahalli dasanapura hobli, makali post Tumkur main road Bangalore - 562162 **Kerala**: Kollamkuzhi Business Square, 5th Floor, NH bypass, Vytila, Cochin - 682019

WEST REGION

Chhattisgarh: G.D. Warehousing, Opp. Reliance Petrol Pump Ring Road No. 2, Gondwara, Raipur - Chhattisgarh, India. - 493221
Gujarat: Survey no 107 village jetalpur, near gokulesh rice milltaluka dascroi N.H, 8 Ahmedabad - 382426
Madhya Pradesh: Survey no 275/1/1, Kelodhala, SDA Compound, Dewas Naka Indore - 452010
Mumbai: 604, 6th Floor, Dev Corpora, Cadbury Junction, Eastern Express Highway, Thane (West), Mumbai - 400601
Pune: Gat no 173 Wade bolhai road Vill Kesnand Tal Gaveli Dist Pune - 412207
Ragpur: Shriyash Heights, Block No. 402, 4th Floor, Plot No. 95, Lendra West Precinct, Ramdaspeth, Nagpur - 440010



switch to smart

Fans • Home Appliances• Lighting • Switchgear

Orient Electric Limited

(A CK Birla Group company) 240, Okhla Industrial Estate, Phase-III, New Delhi-110020

Orient Helpline No.: 1800 103 7574 (Toll-Free) Email: customer.connect@orientelectric.com Website: www.orientelectric.com



1800 103 7574 Authorized Service Center

Smart 🕻 are



'Orient Electric Limited (OEL) is the registered proprietor of the designs in respect of the products featured in this catalogue. OEL is the owner of all intellectual property in respect of the products featured in this catalogue. Any unauthorized manufacturing/selling/distribution/ marketing of any of the products featured in this catalogue or any act of manufacturing/selling/distributing/marketing any product which are identical to/similar to or (fraudulent imitations) of the products featured in this catalogue would amount to infringement of OEL's Intellectual Property Rights for which OEL will initiate appropriate legal action.