





Everything you've ever wanted under one roof

FANS CATALOGUE 2023





ABOUTUS

PRODUCTS

CONTACT

INTRODUCTION

SAVINGS

MANUFACTURING

MILESTONES

AWARDS

ORIENT ELECTRIC

A BRAND THAT STRIVES TO BRING THE BEST OF INNOVATION FOR YOU.

For you and the future that awaits you.

The pioneers of change. The market leaders. The Superbrand. We are known by a lot of names but at our core, we are a brand with a singular goal in mind - delighting our consumers with the finest there is to offer! And we've been doing it for 68 years.

Our customer-first ideology empowers us to break new barriers in our pursuit of offering better, more innovative solutions. We strive every day to get the right proportions of aesthetics, technology, and performance at your doorstep.

At Orient, your comfort and convenience take the front seat, with affordability and functional utility following suit. Which is one of the reasons why we're the front-runners in the energy-efficient fans segment. We are always in-sync with the changing rules of the modern world and constantly explore new avenues to make life simpler, better, and future-ready.

We are already India's favorite one-stop-shop for fans, lighting, home appliances, switchgears, and other electrical solutions. And yet, we're always excited for more - more innovations, more comfort, more elegance.

We call it The Orient way.









INTRODUCTION

SAVINGS

MANUFACTURING

MILESTONES

AWARDS

BEE STAR RATING FOR CEILING FANS



Did you know that in a tropical country like India, ceiling fans play an essential role in keeping households cool and comfortable? However, they can also consume a significant amount of energy, accounting for almost 20% of overall household electricity usage. That's why the Bureau of Energy Efficiency (BEE) has introduced a new BEE Star rating scheme for fans

Starting January 1st, 2023, all ceiling fans produced must comply with this rating scheme, and manufacturers must obtain relevant NABL testing to ensure their fans meet the standards. By choosing a BEE-compliant 5-star rated fan, you could save up to `1700 per year, and reduce your energy consumption by up to 50% compared to non-star rated traditional fans.

Happy to introduce our new BEE complied Star Rated ceiling fan series which are more energy-efficient and cost-effective option today. Stay cool, comfortable, and save big on your electricity bills with Orient Fans!





ABOUTUS

PRODUCTS

CONTACT

INTRODUCTION

SAVINGS

MANUFACTURING

MILESTONES

AWARDS

SAVINGS ARE IN THE AIR! ORIENT STAR-RATED FANS.

How to calculate star-rating in fans? Air Delivery / Watt = Service Value, further Service Value is designated as per BEE norms.

Slabs (Service Value)	Star Rating	Annual Savings (INR)*
≥4.0 < 4.5	1 Star	861
≥4.5 < 5.0	2 Star	1096
≥5.0 < 5.5	3 Star	1291
≥5.5 < 6.0	4 Star	1448
≥6.0	5 Star	1761

^{*}Orient fans compared to non star induction motor fans. Calculated basis electricity rates @₹6.7/unit







Added safety wire





ABOUTUS

PRODUCTS

CONTACT

INTRODUCTION

SAVINGS

MANUFACTURING

MILESTONES

AWARDS

STATE-OF-THE-ART FAN MANUFACTURING FACILITIES

Many of the Innovations in the fan industry that are now taken for granted came from the research of Orient Electric's R&D centres and from our urge to bring top-quality products to Indian consumers. As a brand leader as well as a thought leader in fans, we have been routinely introducing pioneering manufacturing processes and technologies thus setting new industry benchmarks in terms of performance, functionality, reliability, and aesthetics.

We draw a sizable advantage from our state-of-the-art proprietary manufacturing facilities for fans at Faridabad and Kolkata, which enables us to manufacture first-to-market products with best-in-class quality and performance. Quality being the key driving force behind everything we do at Orient Electric, we conscientiously follow the Six Sigma processes to manufacture zero-defect products.

Our sustained investments in building up competence and innovation centers have helped not only to bring differentiation but also bring down costs. We have a huge acceptability of our products in the international markets. We are today the largest exporter of fans from India with a strong marketing presence in over 35 international markets.











ABOUT US

PRODUCTS

CONTACT

INTRODUCTION

SAVINGS

MANUFACTURING

MILESTONES

AWARDS

ORIENT ELECTRIC MILESTONES

1939	The journey begins. Factory established in Kolkata.	2014	Unveils energy-efficient BLDC fans.
1954	Inducted into the CK Birla Group. Renamed as Orient Fans.	2016	Unveils the 'Very Silent Very Powerful' Aeroquiet premium ceiling fan.
1965	Becomes the first Indian company to introduce die-casting of the rotor and	2017	Demerges and gets listed as a separate entity.
	fan body cover in ceiling fans.	2018	Gets listed on the stock exchanges.
1969	Establishes a factory in Faridabad.	2019	Unveils India's first smart ceiling fan.
1990	Develops and patents the revolutionary PSPO technology for fans.	2020	Enters the 'Fortune India 500' list.
2014	Unveils new brand identity. Rebranded as Orient Electric with the positioning statement of 'Switch to Smart'.	2023	Launches first-of-its-kind Cloud 3 fan with Cloudchill technology.





ABOUTUS

PRODUCTS

CONTACT

INTRODUCTION

SAVINGS

MANUFACTURING

MILESTONES

AWARDS

ACCOLADES AS GLORIOUS AS OUR RANGE



At Orient Electric, we have a great story to tell. As an enduring enterprise, we have been creating value consistently for more than six decades. And we are honoured to have been recognised time and again for our accomplishments as a consumer electricals major, a great employer, and a responsible corporate citizen.


We continue to be a consumer validated 'Superbrand' for Fans, Air Coolers and Lighting. In the recent times, we have been conferred with many other illustrious awards and recognitions including Most Trusted Brands of India 2023, Prestigious Brands of Asia 2021-22, The Economic Times Iconic Brands of India 2022, and National Energy & Conservation Award 2021, just to name a few. We have been consistently awarded 'Star Performer' by the Engineering Export Promotion Council (EEPC) and are also rated as 'Star Export House' by the Ministry of Commerce and Industry, Government of India.


Additionally, we continue to retain our 'Great Place to Work' certification since 2020 which endorses our commitment to sustaining a high-performance, people-centric culture.













Aero Series

Under Light Fans

BLDC Fans

Decorative Fans







Table, Pedestal & Wall Fans



Exhaust Fans




Industrial Fans

Product Comparison

Model Sweep (MM), Speed (RPM), Air Delivery (CMM), Consumption (WATTS)







Introducing, the best of us for the best of you! Arriving in style with their trademark elegance and exclusive designs, Orient Aero Series fans are exceptional without a doubt.

Aero Series





AERO SERIES



VERY SILENT. VERY POWERFUL. VERY EFFICIENT.



The Aero Series fans have many sides to them. They are bold, dynamic and premium. They also are technologically unmatched, governed by the core principle of aerodynamics applied in aircrafts and Formula One cars. This design and the use of new-age material reduce friction and air turbulence like never before. The result? Drastically reduced fan noise and an unmatched air thrust. So, wait no further. The coolness, the silence, the future await you.



BEND AND RUST PROOF ABS BODY



HYDROGRAPHIC PU FINISH



ROBUST & RELIABLE INTELLIGENT BLDC MOTOR



HIGHEST AIR DELIVERY



AERODYNAMIC & SLIM DESIGN



CEILING ADJUSTABLE TELESCOPIC MOUNTING






AERO SERIES









Aeroslim BLDC

Aeroquiet BLDC

Aeroquiet







Aerostorm

Aerolite

Aerocool





AERO SERIES

AEROSLIM BLDC







India's first-ever IoT enabled, voice-controlled ceiling fan.







High air delivery



3 Years warranty



Reverse rotation



Ceiling adjustable telescopic mounting



Aerodynamic and slim design



Bend & rust-proof ABS body

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	260	310	40

On using four fans for 16 hours daily throughout one year.







PRODUCTS HOME **ABOUTUS**

CONTACT

AERO SERIES

AEROQUIET BLDC















High air delivery



Aerodynamic & slim design



Very silent operation



Superior PU finish

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	225	310	35

On using four fans for 16 hours daily throughout one year.



Available with Remote





ABOUTUS PRODUCTS HOME CONTACT

AERO SERIES

AEROQUIET

















Strongest motor (18 pole)





Aerodynamic & slim design

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
900	150	430	48
1200	225	310	55



900mm comes only in two colors Caramel Brown and White.





AERO SERIES

AEROSTORM





High air delivery



Superior PU finish



Strongest motor (18 pole)



Aerofoil design



Aerodynamic & slim design

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1320	300	300	75





AERO SERIES

AEROLITE







High air delivery



Warm white LED light



Superior PU finish



Aerodynamic & slim design

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	230	310	62





AERO SERIES

AEROCOOL







High air delivery



Superior PU finish



Strongest motor (18 pole)



Aerofoil design




Aerodynamic and slim design

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1360	300	300	75








Air-circulating Luxury Chandeliers. Impeccable beauty, Impactful technology.

Underlight Fans







UNDERLIGHT FANS















HOME ABOUT US PROD

PRODUCTS CONTACT

UNDERLIGHT FANS



Eleganza
EZ 01

AIR CIRCULATOR



Eleganza
EZ 02
AIR CIRCULATOR



Mood lighting (White, Yellow, Mix)



Provides Air Circuation



With Remote



2 Years Warranty on Motor



High quality crystals



Designer transparent retractable blades





PRODUCTS HOME **ABOUTUS** CONTACT

UNDERLIGHT FANS

AEROSLIM BLDC















High air delivery



Robust and reliable





Reverse rotation



Ceiling adjustable telescopic mounting



Aerodynamic and slim design



Bend & rust-proof **ABS** body

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	260	310	40

On using four fans for 16 hours daily throughout one year.







UNDERLIGHT FANS

AEROLITE





High air delivery



Superior PU finish



Warm white LED light



Aerodynamic & slim design



Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	230	310	62





PRODUCTS HOME **ABOUTUS** CONTACT

UNDERLIGHT FANS



Motor Antique Copper Blade Oakwood



5 Blades for high air delivery



Trendy glass shade for light



Capacitor based speed control



Electroplated finish for premium look



Wooden-finish aluminium blades



Reverse rotation


Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1300	270	270	80





UNDERLIGHT FANS

SUBARIS SOLO





5 Blades for high air delivery



Trendy glass shade for light



Capacitor based speed control



Electroplated finish for premium look



Wooden-finish aluminium blades



Reverse rotation

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1300	270	270	80





UNDERLIGHT FANS





5 Blades for high air delivery



Trendy glass shade for light



Capacitor based speed control



Elegant metallic bronze paint finish for a premium look



Wooden-finish aluminium blades



5 wooden blades with different wooden finish on both sides, to suit the home decor

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1300	215	250	80





UNDERLIGHT FANS

SPECTRA





LED light kit



Multi colour lights for different moods



LED light intensity adjustment as per need



Timer & 5-speed control through remote



Electroplated finish



Automatic and manual colour changing mechanism for lights



Multi-Colour Light Display



Candle Light



Green Light



Red Light



Yellow Light



Blue Light

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	230	320	70





Energy Saving Series

In Brushless Direct Current motors, permanent magnets are used for transferring electricity unlike conventional motors that use electromagnetic induction. This means negligible losses in the form of heat along with lesser wear and tear of motor parts, making it super energy-efficient and durable. This is why it is widely being used in aircrafts, automobiles, home appliances, air conditioners, and washing machines.

orient BLDC FANS

The BLDC fans series is a masterpiece of innovation, created to save energy and your hard-earned money. Its intelligent design is a result of years of research, which ensures that you never have to compromise.

Apart from savings on your electricity bill, it also helps cut down CO2 emission by reducing consumption of coal for energy generation.



FEATURES

PRODUCTS


















Jazz BLDC



HOME ABOUTUS PRODUCTS CONTACT

BDLC FANS -



Wendy BLDC





BDLCFANS

AEROSLIM BLDC







High air delivery



Ceiling adjustable telescopic mounting



3 Years warranty



Aerodynamic and slim design



Reverse rotation



Bend & rust-proof ABS body



White

	peep Air Delivery RPM (cmm)		Power (W)	
12	200	260	310	40

On using four fans for 16 hours daily throughout one year.







BDLCFANS

AEROQUIET BLDC













High air delivery



Aerodynamic & slim design



•



Superior PU finish





Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	225	310	35

*On using four fans for 16 hours daily throughout one year.







PRODUCTS HOME **ABOUTUS** CONTACT

BDLCFANS

i-FLOAT BLDC IoT



(start & stop as per your needs) Turbo mode, Sleep mode, Breeze mode Built-In Timer (2, 4, 6, 8 Hrs)



Aerodynamic design for 15% more air delivery



Works on low voltages (140V-270V)



3 Years warranty



Metalised decorative ring adds elegance and beauty



Reverse rotation



Very silent operation



Sweep (mm)			Power (W)
1200	215	330	32

On using four fans for 16 hours daily throughout one year.







BDLCFANS

i-FLOAT BLDC





3 Years warranty



Works on low voltages (140V-270V)



Metalised decorative ring adds elegance and beauty



Saves up to 50% electricity



Aerodynamic design for 15% more air delivery



Very silent operation

Sweep (mm)	Air Delivery (cmm)		
1200	215	330	32

*On using four fans for 16 hours daily throughout one year.







BDLC FANS

HECTOR-500 BLDC







High air delivery

Works on

low voltages

(140V - 270V)



Very silent operation



Remote control for ease of operation



Saves up to 50% electricity



Robust & reliable Intelligent BLDC motor



Pearl White

	Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
With Remote	1200mm	230	350	28
V 12-1	1200mm	230	350	32
With Regulator	900mm	140	450	25
	1400mm	260	300	35

On using four fans for 16 hours daily throughout one year. 5 Years warranty available with 1200mm variant only.







BDLCFANS

i-FALCON Remote BLDC





High air delivery



Saves up to 50% electricity



3 Years warranty



Wide Tip Aluminium blades for better air spread.



Very silent operation



Modern look with minimalistic design



Sweep (mm)	Air Delivery (cmm) RPM		Power (W)
1200	225	350	32

On using four fans for 16 hours daily throughout one year.







HOME ABOUTUS PRODUCTS

CONTACT

BDLCFANS

i-FALCON BLDC





Robust & reliable Intelligent BLDC motor



Works on low voltages (140V-270V)



Saves up to 50% electricity



Noiseles Operation

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	225	350	30

*On using four fans for 16 hours daily throughout one year.







BDLCFANS

i FALCON DECO BLDC





Stylish and Elegant Design to enhance your home decor



Works on Low Voltage(140-270V)



Wide Tip Aluminium blades for better air spread.



3 Years warranty



Low noise operation



High air delivery



Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	225	350	30

*On using four fans for 16 hours daily throughout one year.







BDLCFANS

HECTOR DECO BLDC







Low noise operation



Stylish and Elegant Design to enhance your home decor



Wider Tip Blade for better air spread



Remote Operation

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	230	350	30

On using four fans for 16 hours daily throughout one year.










BDLCFANS

ECOTECH SUPREME BLDC





Stabilizer free functioning (120V – 280V)



Modern look with minimalistic design



Intelligent BLDC – 50% energy savings



Remote Operation





Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	370	28

*On using four fans for 16 hours daily throughout one year. Also available in regulator variant with 30W power consumption.








BDLCFANS

ECOTECH PRO BLDC





Low Power consumption of 26W



Low Noise, silent operation



Wider tip blades for High air delivery, 220CMM



Advanced Intelligent BLDC Technology, results 50% Electricity Saving.





Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	370	26

On using four fans for 16 hours daily throughout one year. Also available with regulator with power consumption of 32W.








PRODUCTS HOME **ABOUTUS** CONTACT

BDLCFANS

ECOTECH PRIME BLDC











Modern look with minimalistic design



High air delivery





Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	350	32

*On using four fans for 16 hours daily throughout one year.







HOME ABOUTUS PRODUCTS

CONTACT

BDLCFANS

JAZZ BLDC















Stylish blade trims with metallic finish



Integrated PU painted & metallized trims for astonishing and impeccable aesthetics



50% energy savings



Stabilizer free functioning (120V – 280V)





Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	215	350	33

On using four fans for 16 hours daily throughout one year.







BDLC FANS •

WENDY BLDC







Dual colour tone with integrated trims



Ribbed Aluminum, extra wide blades for higher air delivery and thrust



50% energy savings



Stabilizer free functioning (120V – 280V)



3 Years warranty




Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	230	350	35









Easy Bring home a beauty that just won't quit. Orient Decorative Fans are a seamless mix of art and science with top-notch performance packed in an elegant package that takes your breath away

Decorative Fans





DECORATIVE FANS

Orient's range of aesthetically brilliant and functionally optimized fans give our consumers the best of both worlds. These fans smoothly fit into the 'modern home' style, capturing the attention of everyone with their sheer elegance while filling every space with unmatched comfort!














DECORATIVE FANS







DECORATIVE FANS

MORACE















High Air delivery and Air throw



Wider Tip Aluminium blades for Better Air Spread



Anti-dust and easy to clean



Exotic trim design blends with modern interiors

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	215	370	52







DECORATIVE FANS

STALLION





With unique four blades design looks as good as it cools.

Premium electroplated



Bold design for modern homes

finish



Wider and unique blade design



Four-blades for higher delivery



Strong, robust motor with double ball bearing

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1320	260	330	75





DECORATIVE FANS

QUASAR





A designer fan that **packs beauty with performance.**

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
900	140	400	38
1050	165	380	45
1200	235	320	50
1400	260	300	60



Wide blades for high air delivery



Elegant design to complement room decor



Ribbed blades & lacquer coating for durability



⁹⁰⁰mm, 1050mm and 1200mm rated BEE 2-star. 1400mm rated BEE 1-star.





DECORATIVE FANS

KIARA ANTIDUST









Scratch resistant

Full copper motor for durability



Metallic finish & stylish blade trims



Powerful motor for high air delivery



Attracts less dust



Easy to clean

	nm) neep	Air Delivery (cmm)	RPM	Power (W)
17	200	215	370	53







DECORATIVE FANS

JAZZ ART









Premium Finish with modern styling on trims



Durable and strong 14 pole motor



Metallic finish & stylish blade trims



Decorative ring on bottam cover & canopy for better aesthetics

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	215	370	53



Cosmos Black Blue Dot





DECORATIVE FANS

QUADRO ORNAMENTAL





Golden Chocolate



Sea Green Oyster Green



Silver Blue





Wide blades for high air delivery



Elegant design to complement room decor



Full copper motor, ribbed blades & lacquer coating for durability



Wide blades for high air delivery

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	230	320	55







DECORATIVE FANS

WENDY















Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
900	155	400	37
1200	230	320	55
1400	250	300	55



Wide blades for high air delivery



Metallic finish with lacquer coating for longer life



Full copper motor & ribbed aluminium blades for durability



Elegant looks with stylish trims

Also available in Anti Dust variant. *Fan available with remote option in sweep size 1200mm. 900mm rated BEE 3-star. 1200mm rated BEE 2-star. 1400mm rated BEE 1-star.





DECORATIVE FANS

ARETA





Wide blades for high air delivery



Curvy blades & three-layered canopy



Full copper motor & ribbed aluminium blades for durability



Elegant looks with decorative trims & bottom cover ring

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	230	320	53







DECORATIVE FANS

QUASAR ORNAMENTAL








Metallic **Ivory Cherry**

Silver Blue











Lacquer coating provides longer life



High air delivery


Dual colour combination adds elegance to your home decor

Wide blades for

high air delivery



Decorative ring on motor & canopy for better desthetics





Also available in Anti Dust variant only in 1200mm. 900mm and 1050mm rated BEE 2-star. 1200mm rated BEE 1-star. 1400mm rated BEE 2-star.





DECORATIVE FANS

JAZZ













Decorative ring on bottam cover & canopy for better desthetics



Durable and strong 14 pole motor



Full copper motor & ribbed aluminium blades for durability



Metallic finish & stylish blade trims

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
600	110	850	68
900	155	400	37
1050	165	380	45
1200	225	380	53
1400	250	300	60

Also available in High Speed varient. 900mm rated BEE 3-star. 1050mm rated BEE 2-star, 1200mm and 1400mm rated BEE 1-star.









DECORATIVE FANS

GRATIA Metallic Bronze Copper **Burgundy Silver** Pearl Metallic Ivory Metallic White Mahogany Azure Blue-Silver Brown Silky Silver Metallic Ivory Rust proof aluminium blades Matt Bronze Highest air delivery Decorative Wide tip blades ring & trim Off White Topaz Gold Metallic Copper **Matt Silver**

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
600	110	850	65
900	140	400	38
1050	165	380	45
1200	220	320	53
1400	255	300	62

Also available in Anti Dust variant. Also available in High Speed varient. 900mm and 1050mm rated BEE 2-star. 1200mm and 1400mm rated BEE 1-star.







DECORATIVE FANS

GRATIA CLASS







Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	320	53



Wide blades for high air delivery



Ribbed aluminium blades for durability



Stylish bottam cover and canopy for better aesthetics





DECORATIVE FANS

ADONIS







High Air Delivery and Air Throw



Wider Tip blades for Better Air Spread



Rust Proof



14 Pole strong motor

weep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	370	53







PRODUCTS HOME **ABOUTUS**

CONTACT

DECORATIVE FANS

FALCON 400







Full copper motor for durability



Rust proof aluminium blades



Tangential blades for better desthetics



Strong motor (14 pole)

Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	215	380	53








ABOUTUS PRODUCTS HOME CONTACT

DECORATIVE FANS

FALCON DECO















Ribbed aluminium blades for higher durability

Fastest fan in the

category (380 RPM)



Durable motor for long life



Strong motor (14 pole)

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
1200	220	380	55



Ash Rose





DECORATIVE FANS

NEW BREEZE





Strong motor for better performance



Ribbed aluminium blades for longer durability



Powder coating provides longer life



Rust proof aluminium blades

Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
900	140	400	38
1050	165	380	45
1200	225	320	44
1400	255	300	56

00mm, 1050mm and 1400mm rated BEE 2-star. 1200mm rated BEE 3-star.







DECORATIVE FANS

SMART SAVER 50









Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	220	350	50







DECORATIVE FANS

ENERGY STAR





Sweep	Air Delivery	RPM	Power
(mm)	(cmm)		(W)
1200	220	320	48







DECORATIVE FANS

SUMMER COOL





A fan that has been trusted by over 30 Million happy consumers.



Ribbed aluminium blades for durability



16 pole motor for higher durability



Decorative cup on the motor cover adds elegance to the decor



Powder coating provides long-lasting premium finish



Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
600	140	850	70
900	140	400	38
1050	165	380	45
1200	220	320	50
1400	255	300	56

00mm, 1050mm and 1400mm rated BEE 2-star. 1200mm rated BEE 1-star.



Metallic Bronze

Copper





DECORATIVE FANS

SUMMER BREEZE PRO







Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
900	138	400	38
1200	215	370	53
1400	250	300	60



Wider tip blades for better air circulation



Superior paint finish for longer & Impeccable feel



Strongest 14 pole motor in its category for higher durability



Rust proof aluminium blades

00mm rated BEE 2-star. 1200mm and 1400mm rated BEE 1-star.





DECORATIVE FANS

NEW AIR PLUS





Sweep (mm)	Air Delivery (cmm)	RPM	Power (W)
600	110	800	62
900	140	400	37
1050	165	380	45
1200	225	380	53
1400	250	300	58



Strong motor for better performance



Powder coating provides longer life



Ribbed aluminium blades for longer durability




Also available in varient 600mm in 4 blades. 900mm. 1050mm and 1200mm rated BEE 2-star. 1200mm and 1400mm rated BEE 1-star.









"Easy on the eyes. Tough on the heat. Introducing the brand-new range of portable fans from Orient - designed to stun and impress with their revolutionary designs, next-generation technology, and elegant finish. With a complete package like this, the only thing left to do is to pick what color you like"

Lifestyle Fans





LIFESTYLE FANS

GET MOUNTAIN COOL BREEZE IN HOT SUMMERS.







LIFESTYLE FANS





Orient Cloud 3 is a one-of-a-kind lifestyle cooling solution powered by the unique Cloudchill technology which helps bring down the air temperature by up to 12 degree Celsius. It has an in-built cloud chamber that converts water into cloud-like microparticles which instantly cools the air while the aerodynamically designed fan blades help spread this chilled air across the room. It is easy to move and comes with a remote control for convenient usage. And all this is packed in a beautiful body that forms a perfect product to enhance the interiors of your home.





LIFESTYLE FANS •







HOME ABOUTUS

PRODUCTS

CONTACT

LIFESTYLEFANS

Orient CLOUD 3



TILT MECHANISM

Adjustable downward tilt up to 10-degrees helps direct the cooling where you want it



EASY FILL INLET FOR WATER & ICE

Revolutionary
Cloudchill
technology drops
temperature up to 12
degrees. For extra
chill, add some ice,
for a temperature
drop up to 20
degrees







30-DEGREE OSCILLATION

Unique 30-degree oscillation with gliding top mechanism helps circulate cool air across the room, enhancing your comfort



FRAGRANCE CHAMBER

Add fragrance of your choice in the easy fill inlet to lift your mood

Available in White and Black



BREEZE MODE

Experience the pleasant sensation of fresh and pure breeze inside your home with the fan s breeze mode



ENHANCED AIR CIRCULATION WITH UNIQUE GUARD DESIGN

Unique and elegant grill design ensures safety and helps in effective circulation of air to enhance the overall cooling experience





LIFESTYLEFANS

Orient PROTEUS

Voltage: 220-240V Frequency: 50Hz

Power: 42W

















HOME ABOUTUS

PRODUCTS

CONTACT

LIFESTYLE FANS



Voltage: 220-240V Frequency: 50/60Hz

Power: 40W





Silent operation



Strong & reliable motor



Built-in timer



Remote



Power saving



Swing




Breeze modes



Easy clean







Enjoy all-year-round cooling with our wide range of table, wall, and pedestal fans - designed with a touch of comfort and the convenience of Ergonomics.

Table, Pedestal and Wall Fans





TPW FANS -








Table Fan

Pedestal Fan

Wall Fan





TPW FANS

WIND-PRO



Motor with revolutionary



for smoother, longer and reliable operations.

Desk 60



Thermal overload protection device



Extra-high air thrust with heavenly silence motor



Elegant aesthetic with 5-leaf blades



Oscillation & speed control

Available in two colors: Snow White & Signal White

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	1350





HOME ABOUTUS

PRODUCTS

CONTACT

TPW FANS •

RETRO RELIC



Antique Copper



Pewter Finish



Sweep (mm)Air Delivery (cmm)RPM300472100



PAGE78

90-degree oscillation



3-Speed rotary switch control



High speed motor to deliver air at 2100 RPM



Motor protection with thermal overload protection device & auto reset



Easy fan head tilt mechanism

Antique Brass





TPW FANS

RETRO SERIES



T12 Rubbed Bronze



T16HS Rubbed Bronze



T16 Rubbed Bronze

Motor with revolutionary



for smoother, longer and reliable operations.

Air Delivery (cmm)	RPM
47	2100
85	2100
80	1300
	(cmm) 47 85



90-degree oscillation



High speed motor gives high air thrust at 2100 RPM



Rubbed-bronze finish adds to the overall aesthetics



Motor protection through thermal overload protection device



3-Speed rotary switch control



Spiral guard design ensure international safety standard



Up & down tilt mechanism



3-speed rotary switch control



Rubbed-bronze finish adds to the overall aesthetics






TPW FANS

DESK 25







Signal White

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330



Up & down tilt mechanism

for smoother, longer and reliable operations.



3-Speed piano switch control



90-degree oscillation



Easy snap-fit assembly



Aerodynamically designed resin blades for maximum air delivery



Motor protection with thermal overload protection and auto-resetting



Extra protection against corrosion with powder-coated guard and polymer ring





TPW FANS

DESK 26



Azure Blue-white



Crimson Red-white



Crystal White

Motor with revolutionary



for smoother, longer and reliable operations.

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330



Up & down tilt mechanism



3-Speed piano switch control



90-degree oscillation



Easy snap-fit assembly



Motor protection with thermal overload protection and auto-resetting



Aerodynamically designed resin blades for maximum air delivery



Extra protection against corrosion with powder-coated guard and polymer ring





TPW FANS

DESK 71



Motor with revolutionary



for smoother, longer and reliable operations.

Desk 71

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330



Up & down tilt mechanism



Extra protection against corrosion with powder-coated guard and polymer ring



90-degree oscillation



Motor protection with thermal overload protection



3-Speed rotary switch control



Aerodynamically designed resin blades for maximum air delivery






TPW FANS

DESK 26

Trendz



Electric Blue



Slate Grey

Motor with revolutionary



for smoother, longer and reliable operations.



Up & down tilt mechanism



90-degree oscillation



Easy snap-fit assembly



3-speed piano switch control



Motor protection with thermal overload protection and auto-resetting



Aerodynamically designed resin blades ensure high thrust of air

Sweep

(mm)

400



Extra protection against corrosion with powder-coated guard and polymer ring

Air Delivery

(cmm)

90

RPM

1330





TPW FANS

TABLE 27

Trendz



Slate Grey



Electric Blue



(mm)	(cmm)	RPM
400	100	2100



Up & down tilt mechanism



3-speed piano switch control



Extra protection against corrosion with powder-coated guard and polymer ring



Motor protection with thermal overload protection and auto-resetting



Aerodynamically designed resin blades for high air delivery





HOME ABOUT US PRODUCTS

CONTACT

TPW FANS

FINSTAR DESK-21







Crimson Red - White



Azure Blue - White



Up & down tilt mechanism



90-degree oscillation



3-speed piano switch control



Strong and reliable motor with thermal overload protection device

Sweep (mm)	Air Delivery (cmm)	RPM
400	85	1330





HOME ABOUT US

PRODUCTS

CONTACT

TPW FANS

TABLE 27



Commander Grey



Signal White



Up & down tilt mechanism



2100 RPM For high air thrust



Aerodynamically designed resin blades for maximum air delivery



3-speed piano switch control



Motor protection with thermal overload protection and auto resetting



Extra protection against corrosion with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2100





HOME ABOUT US PRODUCTS

CONTACT

TPW FANS

DESK 17



Crystal White



Sweep (mm)	Air Delivery (cmm)	RPM
300	80	2100



3-Speed rotary Switch control

90-degree

oscillation



Up & down index tilt mechanism



Ideal for small cabins, offices & homes



2100 RPM For high air thrust



Motor protection with thermal overload protection and auto-resetting



Extra protection against corrosion with powder-coated guard and polymer ring



Aerodynamically designed resin blades for maximum air delivery





TPW FANS

ZIPPY



Blue-White





Aerodynamic plastic blades for high air thrust



Attractive colour combination



2-in-1 advantage of wall mounting & table-top usage



Motor protected through thermal overload protection device



Heavy-duty motor with 2500 RPM provides high air thrust

Sweep (mm)	Air Delivery (cmm)	RPM
225	16	2500





HOME ABOUT US P

PRODUCTS CONTACT

TPW FANS

TORNADO-II







Chorme

Black

For Commercial Use

ALL METAL CONSTRUCTION



Powerful motor for high air delivery



Unit packing with easy assembly



Thermal overload protection with auto-reset



Unique oil reservoir lubrication for better reliability & longer life



Extra protection against corrosion with powder-coated guard and polymer ring



Aerodynamic metal blades for high air thrust

Sweep (mm)	Air Delivery (cmm)	RPM
450	110	1325



Unique oscillation mechanism



3-speed regulation & On Off control





HOME ABOUT US PRODUCTS

CONTACT

TPW FANS

FARATA FT-01



For Commercial Use



Balanced operation & powder-coated finish ensure longer life



3-speed totary Switch control

weep (mm)	Air Delivery (cmm)	RPM
500	167	1400

(0°0)

Heavy-duty motor & aerodynamic blades give high air thrust at minimum noise





HOME ABOUT US

PRODUCTS

CONTACT

TPW FANS

STAND 37



Signal White



Crystal White







Up & down tilt mechanism



2100 RPM with high speed powerful motor



90-degree oscillation



Motor protection with thermal overload protection and auto-resetting



Aerodynamically designed resin blades for high air delivery



Extra protection against corrosion with powder-coated guard and polymer ring





HOME ABOUT US PRODU

PRODUCTS CONTACT

TPW FANS

STAND 37 Trendz



Slate Grey

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2100







90-degree oscillation



3-Speed piano switch control



High speed motor gives high air thrust at 2100 RPM



Telescopic arrangement for full height adjustment by contemporary collet





CONTACT

HOME ABOUT US PRODUCTS

TPW FANS

STAND 33



Signal White



Off White

Motor with revolutionary



for smoother, longer and reliable operations.



Up & down tilt mechanism



90-degree oscillation



3-speed piano switch control



Specially designed high torque motor



Aerodynamically designed resin blades ensure high thrust of air



Motor protection with thermal overload protection device

Sweep

(mm)

400

Air Delivery

(cmm)

90



Extra protection against corrosion with powder-coated guard and polymer ring

RPM

1330





HOME ABOUTUS

PRODUCTS

CONTACT

TPW FANS

STAND 31







Signal White

Motor with revolutionary



for smoother, longer and reliable operations.



Up & down tilt mechanism



3-speed piano switch control



90-degree oscillation



Cross-steel base adds elegance to the decor



Aerodynamically designed resin blades for high air delivery



Extra protection against corrosion with powder-coated guard and polymer ring





Motor protection with thermal overload protection device





TPW FANS

STAND 35



Rubbed Bronze

Motor with revolutionary



for smoother, longer and reliable operations.



Sleek 4-leaf aluminium blade classic design



Specially designed high torque motor



Attractive rubbedbronze finish



Extra protection against corrosion with powder-coated guard and metal ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	80	1300





TPW FANS

STAND 35HS



Rubbed Bronze

Motor with revolutionary



for smoother, longer and reliable operations.





Sleek 4-leaf aluminium blade classic design



Specially designed high torque motor



Attractive rubbedbronze finish



Extra protection against corrosion with powder-coated guard and metal ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330





CONTACT

HOME ABOUT US PRODUCTS

TPW FANS

STAND 32 Trendz



Electric Blue

Motor with revolutionary

for smoother, longer and reliable operations.

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330



Extra protection against corrosion with powder-coated guard and polymer ring



Aerodynamically designed resin blades for high air delivery



Motor protection thermal overload protection device with auto-reset





TPW FANS

STAND 38



Crystal White

Motor with revolutionary

for smoother, longer and reliable operations.

Sweep (mm)	Air Delivery (cmm)	RPM
450	92	1330



Up & down tilt mechanism



90-degree oscillation



Specially designed high torque motor



Extra protection against corrosion with powder-coated guard and polymer ring



Aerodynamically designed resinblades give high air thrust



Sleek switch panel & round base add elegance to the decor



Motor protection with thermal overload protection device



Front & back guard with extra ribs for safety





HOME **ABOUTUS**

PRODUCTS

CONTACT

TPW FANS

STAND 32



Grey





Signal White

Air Delivery

(cmm)

90

Motor with revolutionary



for smoother, longer and reliable operations.



Up & down tilt mechanism



90-degree oscillation



3-speed piano switch control



Telescopic arrangement for full height adjustment by contemporary collet



Square base finish adds to the overall aesthetics



Motor protection with thermal overload protection device



Aerodynamically designed resin blades for high air delivery

Sweep

(mm)

400



Extra protection against corrosion with powder-coated guard and polymer ring

RPM

1330





HOME **ABOUTUS** **PRODUCTS**

CONTACT

TPW FANS

FINSTAR STAND



Crystal White



Azure Blue White



Crimson Red White

Sweep

(mm)

400

Air Delivery

(cmm)

85

Motor with revolutionary



for smoother, longer and reliable operations.

0.1.0
(€(₹3)-∞
(84%)
\



90-degree oscillation

Up & down tilt mechanism



Extra protection against corrosion with powder-coated guard and polymer ring



Strong and reliable motor with thermal overload protection device



Telescopic arrangement for full height adjustment

RPM

1330





TPW FANS

STYLUS



Motor with revolutionary



for smoother, longer and reliable operations.

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	1350



Manual and remote control



Unique square guard with radial wires



Super-efficient and silent motor



Breeze mode and timer for auto switch off



Unique combination of motor and blade for more air thrust



90-degree oscillation with remote control



High air delivery at moderate power consumption



Thermal overload protection device





TPW FANS -

WIND-PRO



Stand 70

Sweep (mm)Air Delivery (cmm)RPM4001001350

Available in two colors: Snow White & Signal White

Motor with revolutionary



for smoother, longer and reliable operations.



Thermal overload protection device



Extra-high air thrust with heavenly silence motor



Elegant aesthetic with 5-leaf blades




Oscillation & speed control





TPW FANS

STYLUS





Stylus Wall

Motor with revolutionary



for smoother, longer and reliable operations.

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	1350



Manual and remote control



Unique square guard with radial wires



Super-efficient and silent motor



Breeze mode and timer for auto switch off



Unique combination of motor and blade for more air thrust



90-degree oscillation with remote control



High air delivery at moderate power consumption



Thermal overload protection device





TPW FANS

WIND-PRO



Motor with revolutionary



for smoother, longer and reliable operations.

Sweep (mm)	Air Delivery (cmm)	RPM
400	100	1350

Available in two colors: Snow White & Signal White



Thermal overload protection device



Extra-high air thrust with heavenly silence motor



Elegant aesthetic with 5-leaf blades



Oscillation & speed control






HOME ABOUTUS PRODUCTS

CONTACT

TPW FANS

WALL 49





Motor with revolutionary



for smoother, longer and reliable operations.

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330



Up & down tilt mechanism



Aerodynamic blades for high air thrust



Extra protection with powder-coated guard and polymer ring



Motor protection with thermal overload protection device



Automatic speed control through the breeze control button



Advanced touch-screen panel for manual operation





HOME ABOUT US PRODUCTS

CONTACT

TPW FANS

WALL 41



Motor with revolutionary



for smoother, longer and reliable operations.

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330



90-degree oscillation



Up & down tilt mechanism



3-Speed piano switch control



Powerful motor for high air delivery



Aerodynamic resin blades for high air thrust



Front & back guard with extra ribs for safety



Extra protection with powder-coated guard and polymer ring



Motor protected with thermal overload protection device





TPW FANS

WALL 44



Motor with revolutionary



for smoother, longer and reliable operations.



Up & down tilt mechanism



90-degree oscillation



Powerful motor for high air delivery





Crimson Red-white



Aerodynamic resin blades for high air thrust



Extra protection against corrosion with powder-coated guard and polymer ring



Motor protected with thermal overload protection device





HOME ABOUTUS


PRODUCTS

CONTACT

TPW FANS

FINSTAR WALL

WITH PULL CHORD MECHANISM





Sweep (mm) Air Delivery (cmm) RPM 400 85 1330



for smoother, longer and reliable operations.



Up & down tilt mechanism



90-degree oscillation



Strong and reliable motor with thermal overload protection device



Extra protection against corrosion with powder-coated guard and polymer ring





HOME ABOUT US

PRODUCTS

CONTACT

TPW FANS

FINSTAR WALL

WITH PULL CHORD MECHANISM





Sweep (mm)	Air Delivery (cmm)	RPM
300	80	2100



Up & down tilt mechanism



3-Speed rotary switch control



Motor protection with thermal overload protection and auto-resetting



Specially designed motor gives high air thrust 2100 RPM



Aerodynamically designed resin blades for maximum air delivery



Extra protection against corrosion with powder-coated guard and polymer ring






HOME ABOUT US PRODUCTS

CONTACT

TPW FANS

WALL 47







Sweep (mm)	Air Delivery (cmm)	RPM
400	100	2100



Up & down tilt mechanism



3-Speed rotary switch control



Motor protection with thermal overload protection and auto-resetting



Specially designed motor gives high air thrust 2100 RPM



Aerodynamically designed resin blades for maximum air delivery



Extra protection against corrosion with powder-coated guard and polymer ring





PRODUCTS HOME **ABOUTUS** CONTACT

TPW FANS

WALL 11



Motor with revolutionary



for smoother, longer and reliable operations.


Sweep (mm)	Air Delivery (cmm)	RPM
300	50	1400



Up & down tilt mechanism



Powerful motor for high air delivery





Aerodynamic resin blades for high air thrust



90-degree oscillation



Oscillation & speed control by pull-cord mechanism



Motor protection with thermal overload protection





TPW FANS

WALL 43



Motor with revolutionary



for smoother, longer and reliable operations.

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330



Up & down tilt mechanism



3-Speed rotary switch control



90-degree oscillation



Powerful motor for high air delivery



Oscillation & speed control by pull-cord mechanism



Extra protection with powder-coated guard and polymer ring



Aerodynamic resin blades for high air thrust



Motor protection with thermal overload protection





TPW FANS

ROTO-53



Motor with revolutionary



for smoother, longer and reliable operations.



Wall mounting regulator



Powerful motor for high air delivery



360-degree cyclic motion



Extra protection against corrosion with powder-coated guard and polymer ring

Sweep (mm)	Air Delivery (cmm)	RPM
400	90	1330





HOME ABOUTUS PRODUCTS

CONTACT

TPW FANS

WALL 44 Trendz





Motor with revolutionary



for smoother, longer and reliable operations.



Up & down tilt mechanism

90-degree

oscillation



Powerful motor for high air delivery



Aerodynamic Resin Blades For high air thrust



Motor protection with thermal overload protection device

Sweep

(mm)

400

Air Delivery

(cmm)

90



Extra protection with powder-coated guard and polymer ring



3-speed piano switch control

RPM

1330





TPW FANS

WALL 47 Trendz









Up & down tilt mechanism



90-degree oscillation



Motor protection with thermal overload protection device



Specially designed motor gives high air thrust 2100 RPM



Extra protection with powder-coated guard and polymer ring



Oscillation & speed control by pull cord mechanism

Sweep

(mm)

400

Air Delivery

(cmm)

100

RPM


2100



Aerodynamic Resin Blades For high air thrust







Keep cool, Keep calm. Stay noise-free! Orient's next-generation of exhaust fans deliver cleaner air, dust-free surroundings, and top-notch performance in an elegant design that complements your décor and lifts the mood!

Exhaust Fans





CONTACT

HOME ABOUTUS PRODUCTS

EXHAUST FANS -









Smart Air Neo SF

Ventilator HS

Ventilator DX

Smart Air LSH









Smart Air Neo

Smart Air

Venito Air

High Speed Exhaust









Hill Air

Air flow

Spring Air

Power Flow





PRODUCTS HOME **ABOUTUS** CONTACT

EXHAUST FANS

SMART AIR NEO SF



Silver Finish








Powerful air suction



Glass Mountable

& bathrooms





Sweep (mm)	Air Delivery (cmm)	RPM
150	250	2000





HOME ABOUTUS PRODUCTS

CONTACT

EXHAUST FANS

VENTILATOR HS







Smooth & slient operation



Sleek & trendy design



Dust protection shutter



2 years warranty

Sweep (mm)	Air Delivery (cmm)	RPM
150	500	2500
200	750	2100





EXHAUST FANS

VENTILATOR DX





Resin body & blades for easy maintenance



International design



Shutter to prevent dust from outside



2 years warranty

80	1350
50	1300
80	1270
	50





CONTACT

HOME ABOUTUS PRODUCTS

EXHAUST FANS

SMART AIR LSH



Off White







Powerful air suction



Glass Mountable



Ideal for kitchens & bathrooms



Easy to clean

Sweep (mm)	Air Delivery (cmm)	RPM
150	230	2000





EXHAUST FANS

SMART AIR NEO



Off White





Strong powerful motor



Powerful air suction



Glass Mountable



Ideal for kitchens & bathrooms



Easy to clean

Sweep (mm)	Air Delivery (cmm)	RPM
100	90	2500
150	250	2000






EXHAUST FANS

SMART AIR







Sweep (mm)	Air Delivery (cmm)	RPM
100	90	2400
150	240	1800





HOME ABOUTUS

PRODUCTS

CONTACT

EXHAUST FANS

VENITO AIR







Off White



Strong powerful motor



Powerful air suction



Glass Mountable



Ideal for kitchens & bathrooms



Easy to clean



Elegant design

Sweep (mm)	Air Delivery (cmm)	RPM
150	280	2000





HOME ABOUT US PRODUCTS C

CONTACT

EXHAUST FANS

HIGH SPEED EXHAUST





Front guard protection for bird



Ideal for kitchens & bathrooms



Powerful air suction



Powder-coated for long life

Sweep (mm)	Air Delivery (cmm)	RPM
230	1150	2250





EXHAUST FANS

HILL AIR





Front guard protection for bird



Ideal for kitchens & bathrooms



Powder-coated for long life

Sweep (mm)	Air Delivery (cmm)	RPM
230	550	1350
300	1290	1300





EXHAUST FANS

AIR FLOW







Resin blades for easy cleaning

Sweep (mm)	Air Delivery (cmm)	RPM
150	400	2600
230	550	1350
300	1290	1300





EXHAUST FANS

SPRING AIR







Resin blades for easy cleaning

Sweep (mm)	Air Delivery (cmm)	RPM
230	650	1300
300	1290	1300





EXHAUSTFANS

POWER FLOW






Powerful air suction



Powder-coated for long life



Ideal for low end industrial use







EXHAUSTFANS

POWER FLOW





Powerful air suction



Powder-coated for long life



Ideal for low end industrial use




Double ball-bearing

Sweep (mm)	Air Delivery (cmm)	RPM
230	865	1350
300	1800	1320








Works like a charm. Heavy duty fans for Industrial use.

Industrial Fans





INDUSTRIAL FANS



Thunderstorm Wall Fan



Thunderstorm Stand Fan



Heavy-Duty Exhaust



Air Circulator Wall 18/24



Air Circulator Stand 18/24





HOME ABOUTUS

PRODUCTS

CONTACT

INDUSTRIAL FANS

THUNDERSTORM WALL FAN





Sweep Model	Sweep (mm)	Swe (RPI		Phase	Power Input (Watt)	Current (AMP)	Air Delivery (CMH)	Noise Level (DB)	
450 mm AC(Wall)	450	1450	5%	1	80 10%	0.34	9000	60 65	

Sweep Model	Sweep (mm)	Swe (RPI		Phase		r Input att)	Current (AMP)	Air Delivery (CMH)	Noise (D	Level B)
600 mm (24" Wall)		1450	5%	1	170	10%	0.34	18000	70	75



Double ball bearings ZZ (Permanent lubricated) for longer life



Powerful air circulator motor for continuous operation with high air delivery & thrust



It comes with the air direction control by telescopic height adjustment



Motor protection thermal overload protection device with auto-reset



Narrow aerodynamically designed blades for providing Low Noise



Sturdy metallic body for durability



Tilt adjustment for adjusting the fan till 15% angle



Floating arrangement for changing the position of oscillation





HOME ABOUTUS PRODUCTS

CONTACT

INDUSTRIAL FANS

THUNDERSTORM STAND FAN







Sweep	Sweep	Sweep	Phase	Power Input	Current	Air Delivery	Noise Level
Model	(mm)	(RPM)		(Watt)	(AMP)	(CMH)	(DB)
600 mm (24" Stand)	600	1450 5	% 1	170 10%	0.34	18000	70 75



Double ball bearings ZZ (Permanent lubricated) for longer life



Powerful air circulator motor for continuous operation with high air delivery & thrust



Tilt adjustment for adjusting the fan till 15° angle



Motor protection thermal overload protection device with auto-reset



Narrow aerodynamically designed blades for providing "Low Noise"



Floating arrangement for changing the position of oscillation



It comes with the air direction control by telescopic height adjustment



Sturdy metallic body for "durability"






HOME ABOUTUS PRODUCTS

CONTACT

INDUSTRIAL FANS

HEAVY DUTY EXHAUST





IP55 Protected



Sweep (mm)	Phase	Speed (RPM)	Power (watt)	Current (AMP)	Air Delivery (CMH)	Noise label (DBA)
300	Single	900	55	0.24	1145	45
300	Sirigie	1400	85	0.41	1710	50
380	Single	900	105	0.45	2000	55
500	Sirigie	1400	155	0.70	3250	60
450	6: 1	900	150	0.67	3900	60
430	Single	1400	330	1.5	6120	70
600	Single	700	255	1.15	7100	65
600	Sirigie	900	485	2.1	9400	70
380	Three	1400	155	0.3	3250	60
450	Three	1400	355	0.6	6120	70
600	Three	900	485	0.9	9400	70

S. No.	Product	ØX	ØH	ØS	Y SQ
1.	Heavy-duty Exhaust Fan	384	7.8	320	313
2.	Heavy-duty Exhaust Fan	468	10.8	405	373
3.	Heavy-duty Exhaust Fan	548	10.8	484	447
4.	Heavy-duty Exhaust Fan	718	10.8	632	603



Pre-lubricated double ball bearing for maintenance free running



Class 'B' insulation



Rerodynamically contoured blades to handle maximum air delivery with minimum power consumption



Epoxy powder coating to resist corrosion



Motor protected with thermal overload protection device



Powerful air suction





INDUSTRIAL FANS

WALL AC 18





High torque gear box with safety clutch



3-speed control



Up & down tilt mechanism



90-degree oscillation



Powerful air circulator motor for high air delivery & thrust



Best-in-category air thrust



Broad blade profile for low noise



Motor protection thermal overload protection device with auto-reset



Spiral guard design ensure international safety standard

STAND AC-18



Sweep Model	Sweep (mm)	Sweep (RPM)		Phase		r Input att)	Current (AMP)	Air Delivery (CMH)	Noise (D	
450 mm AC (Stand Wall)	450	1450	5%	1	100	10%	0.43	8100	50	60

Tolerance on ratings (As per IS 2997-1964) Speed -10% Power 10% Air Delivery -10%





INDUSTRIAL FANS

WALL AC-24





High torque gear box with safety clutch



Indexed floating system in the motor head



Motor protection thermal overload protection device with auto-reset



Spiral guard design ensure international safety standard



Environment protection with durable powder coating



Best-in-category air thrust



Up & down tilt mechanism



90-degree oscillation



Powerful air circulator motor for high air delivery & thrust

STAND AC-24



Sweep	Sweep		Sweep		Power Input	Current	Air Delivery	Noise Level
Model	(mm)		(RPM)		(Watt)	(AMP)	(CMH)	(DB)
600mm 24" (Stand Wall)	600	1450	5%	1	200 10%	0.85	15000	60 65

Tolerance on ratings (As per IS 2997-1964) Speed -10% Power 10% Air Delivery -10%





SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)	BEE Star Rating	USP
1200	330	215	32	****	BLDC
1400	300	260	35	****	BLDC
1200	370	220	26	****	BLDC
1200	370	220	28	****	BLDC
1200	350	230	28	****	BLDC
900	450	140	25	* * * * *	BLDC
1400	300	250	35	****	BLDC
1200	330	215	32	****	BLDC
1200	370	220	26	****	BLDC
1200	370	220	32	****	BLDC
1200	370	220	32	****	BLDC
1200	350	230	32	****	BLDC
1200	370	220	26	****	BLDC
1200	350	225	30	****	BLDC
1200	370	220	30	****	BLDC
1200	370	220	28	****	BLDC
1200	350	225	30	****	BLDC
1200	370	225	30	****	BLDC
1200	350	215	33	****	BLDC
1200	350	230	35	****	BLDC
1200	370	220	30	****	BLDC
1200	350	230	30	****	BLDC
1200	370	220	32	****	BLDC
1200	350	220	32	****	BLDC
1230	310	240	35	****	BLDC
1200	320	220	55	*	Anti-Dust
1200	370	215	53	*	Anti-Dust
1200	370	215	53	*	Anti-Dust
1200	370	215	53	*	Anti-Dust
1200	370	220	53	*	Anti-Dust
1200	320	235	50	* *	Anti-Dust
1200	320	230	55	*	Anti-Dust
1200	370	215	52	*	Induction
900	400	155	37	* * *	Induction
1200	320	230	55	*	Induction
1200	320	235	50	* *	Induction
1400	300	260	60	*	Induction
900	400	140	38	* *	Induction
1050	380	165	45	* *	Induction
1200	320	235	50	* *	Induction
1400	300	260	60	*	Induction
900	400	140	38	* *	Induction
	t e	1.00	45	+ +	Induction
1050	380	165	45		IIIdoction
1050 1200	380	220	50	*	Induction
		-			
	Size (MM) 1200 1400 1200 1200 900 1400 1200	Size (MM) (RPM) 1200 330 1400 300 1200 370 1200 370 1200 350 900 450 1400 300 1200 330 1200 370 1200 370 1200 350 1200 370 1200 370 1200 370 1200 370 1200 370 1200 350 1200 350 1200 350 1200 350 1200 350 1200 350 1200 350 1200 370 1200 350 1200 370 1200 370 1200 370 1200 370 1200 370 1200 370 1200 370	Size (MM) (RPM) (CMM) 1200 330 215 1400 300 260 1200 370 220 1200 370 220 1200 350 230 900 450 140 1400 300 250 1200 330 215 1200 370 220 1200 370 220 1200 370 220 1200 370 220 1200 370 220 1200 370 220 1200 370 220 1200 370 220 1200 370 220 1200 370 225 1200 370 225 1200 350 235 1200 350 230 1200 350 230 1200 350 230 1200 3	Size (MM) (RPM) (CMM) (Wotts) 1200 330 215 32 1400 300 260 35 1200 370 220 26 1200 350 230 28 1200 350 230 28 900 450 140 25 1400 300 250 35 1200 330 215 32 1200 370 220 26 1200 370 220 32 1200 370 220 32 1200 370 220 32 1200 370 220 32 1200 370 220 32 1200 370 220 30 1200 370 220 30 1200 370 220 30 1200 350 215 33 1200 350 230	Size (MM) (RPM) (CMM) Wotts) Stor Roting 1200 330 215 32 ***** 1400 300 260 35 ****** 1200 370 220 26 ****** 1200 370 220 28 ****** 1200 350 230 28 ****** 900 450 140 25 ****** 1200 30 250 35 ****** 1200 370 220 26 ****** 1200 370 220 26 ****** 1200 370 220 32 ****** 1200 370 220 32 ****** 1200 370 220 32 ****** 1200 370 220 32 ****** 1200 370 220 30 ****** 1200 370 220 30 ******





SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)	BEE Star Rating	USP
1200	320	220	55	*	Induction
1200	370	220	53	*	Induction
900	430	150	48	*	Induction
1200	320	230	53	*	Induction
1200	320	230	53	*	Induction
1200	320	220	55	*	Induction
1200	370	215	53	*	Induction
1200	320	220	48	*	Induction
1200	380	215	53	*	Induction
1200	380	220	55	*	Induction
1200	320	215	53	*	Induction
900	400	140	38	* *	Induction
1050	380	165	45	* *	Induction
1200	320	220	53	*	Induction
1400	300	255	62	*	Induction
1200	320	220	53	*	Induction
1200	370	215	53	*	Induction
1200	380	225	50	* *	Induction
1200	350	220	50	*	Induction
1050	380	165	45	* *	Induction
900	400	155	37	* * *	Induction
1400	300	250	60	*	Induction
1200	380	225	53	*	Induction
1200	370	215	53	*	Induction
1200	370	215	53	*	Induction
1200	370	220	53	*	Induction
1050	380	165	45	* *	Induction
1400	300	250	58	*	Induction
900	400	140	37	* *	Induction
1200	380	225	53	*	Induction
1050	380	165	45	* *	Induction
1050	380	165	45	* *	Induction
1400	300	250	58	*	Induction
900	400	140	37	* *	Induction
1200	370	215	53	*	Induction
900	400	140	38	* *	Induction
1400	300	255	56	* *	Induction
1200	320	225	44	* * *	Induction
1200	370	215	53	*	Induction
1400	300	255	55	* *	Induction
1200	320	220	50	*	Induction
1200	320	215	50	*	Induction
	220	230	55	*	Induction
1200	320	230	33		
1200 1200	320	230	55	*	Induction
				*	
	Size (MM) 1200 900 1200	Size (MM) (RPM) 1200 320 1200 370 900 430 1200 320 1200 320 1200 370 1200 320 1200 380 1200 380 1200 320 900 400 1050 380 1200 320 1400 300 1200 320 1200 320 1200 370 1200 350 1050 380 1200 350 1050 380 1200 370 1200 370 1200 370 1200 370 1200 370 1200 370 1200 370 1200 370 1200 380 1050 380 1050 380	Size (MM) (RPM) (CMM) 1200 320 220 1200 370 220 900 430 150 1200 320 230 1200 320 230 1200 320 220 1200 320 220 1200 320 220 1200 380 215 1200 380 215 1200 380 220 1200 380 225 1200 320 215 900 400 140 1050 380 165 1200 320 220 1400 300 255 1200 370 215 1200 380 165 900 400 155 1400 300 250 1200 380 165 900 400 155 1200 370<	Size (MM) (RPM) (CMM) (Wotts) 1200 320 220 55 1200 370 220 55 1200 370 220 53 1200 320 230 53 1200 320 220 55 1200 370 215 53 1200 320 220 48 1200 380 215 53 1200 380 215 53 1200 380 220 55 1200 380 220 55 1200 380 220 55 1200 380 220 55 1200 380 165 45 1200 320 220 53 1400 300 255 62 1200 320 220 53 1200 350 220 50 150 380 165	Size (MM) (RPM) (CMM) Wotts) Stor Roting 1200 320 220 55 * 1200 370 220 53 * 900 430 150 48 * 1200 320 230 53 * 1200 320 220 55 * 1200 320 220 55 * 1200 370 215 53 * 1200 320 220 48 * 1200 380 215 53 * 1200 380 220 55 * 1200 380 220 55 * 1200 380 165 45 * 1200 320 220 53 * 1200 320 220 53 * 1200 320 220 53 * 1200 370 215





Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)	BEE Star Rating	USP
Summer Breeze	900	400	150	38	* *	Induction
Summer Breeze	1400	300	250	55	* *	Induction
Summer Breeze Pro	1200	370	215	53	*	Induction
Summer Breeze Pro	1400	300	250	60	*	Induction
Summer Breeze Pro	900	400	138	38	* *	Induction
Summer Chill	900	400	140	37	* *	Induction
Summer Cool	1200	320	220	50	*	Induction
Summer Crown	1200	320	220	48	*	Induction
Summer Delite Decore	1400	300	255	55	* *	Induction
Summer Delite Ornamental	1200	320	220	50	*	Induction
Summer Delite Ornamental	1400	300	255	55	* *	Induction
Summer Delite Ornamental	1050	380	165	45	* *	Induction
Summer King	1050	380	165	45	* *	Induction
Summer King XI	1200	320	220	50	*	Induction
Summer Pride	1400	300	245	55	*	Induction
Summercool	900	400	140	38	* *	Induction
Summer Cool	1400	300	255	56	* *	Induction
Summer cool	1050	380	165	45	* *	Induction
Twister Hi-Speed	1200	370	220	50	*	Induction

Retro Series						
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)		
Retro Relic	400	2100	47	60		
Retro T12	400	2100	47	60		
Retro T16	400	1300	80	56		
Stand 35	400	1300	80	56		
Retro T16 HS	400	2100	85	90		
Stand 35 HS	400	2100	85	90		
		Trendz Series				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)		
Desk 26 Trendz	400	1330	84	58		
Stand 32 Trendz	400	1330	84	58		
Wall 44 Trendz	400	1330	84	58		
Table 27 Trendz	400	2100	100	110		
Stand 37 Trendz	400	2100	100	110		
Wall 47 Trendz	400	2100	100	110		
		Windpro Serieds				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)		
Desk 60	400	1350	100	80		
Stand 70	400	1350	100	80		
Wall 80	400	1350	100	80		
Wall 50	400	2250	100	110		
	Th	understorm Series				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)		
18 Thunderstorm Stand Fan	450	450	150	80		
18 Thunderstand Wall Fan	450	450	150	80		
24 Thunderstorm Stand Fan	600	600	300	170		
24 Thunderstorm Wall Fan	600	600	300	170		
		Pedestal Fan				
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)		
Tornado II	450	1325	110	90		
Stand 34	400	2100	84	58		
Stand 31	400	1330	84	58		
Stand 32	400	1330	84	58		





Stand 39	400	1330	84	58
Stand 33	400	1330	84	58
Finstar (Pedestal)	400	1330	84	58
Stand 37	400	2100	100	110
Stand 38	450	2100	87	64
Farata Ft-01	500	1400	167	160
Stand AC 18	450	1400	135	100
Stand AC 24	600	1375	250	200
		Table Fans	<u>'</u>	<u>'</u>
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Finstar (Desk-21)	400	1330	84	58
Desk 25	40	1330	84	58
Desk 26	400	1330	84	58
Desk 71	400	1330	84	58
Table 27	400	2100	100	110
Desk 17	300	2100	80	90
		Wall Fans]
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Wall AC 18	450	1400	135	100
Wall AC 24	600	1375	250	200
Wall 14	300	2100	80	90
Finstar (Wall)	400	1330	84	58
Wall 41	400	1330	84	58
Wall 43	400	1330	84	58
	400	1330	84	58
Wall 44	400	2100	100	110
Wall 47		_	+	
Wall 49	400	1330	84	58
Wall 11	300	1400	50	53
Wall 48	450	1330	87	64
Tornado Wall II	450	1325	110	90
Madal		Multi-Utility Fan	OID DELINEDY (CMM)	D (1-1-1-)
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Roto 53	400	1330	84	58
Zippy (High Speed)	225	2500	16	50
		Stylus Series		
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Stylus Stand	400	1350	100	80
Stylus Wall	400	1350	100	80
		Exhaust Fans		
Model	SWEEP Size (MM)	SPEED (RPM)	AIR DELIVERY (CMM)	Power Consumption (Watts)
Smart Air	100, 1500	2400, 1800	90, 240	18, 24
Spring Air	225, 300	1300, 1300	650, 1290	55, 68
Ventilator DX	150, 200, 250	1350, 1300, 1270	280, 550, 780	38, 40, 40
Ventilator HS	150, 200	2500, 2100	500, 750	40, 40
Smart Air Neo	150	2000	250	40
Smart Air LSH	150	2000	230	40
Smart Air Neo SF	150	2000	250	40
Vento Air, Vento Air WF	150	2000	280	40
Ventilator HS	150	2500	500	40
Hill Air	225, 300	1350, 1300	550, 1290	42, 67
High Speed Exhaust	225	2250	1150	60
Air flow	150, 225, 300	2600, 1350, 1300	400, 550, 1290	36, 38, , 50
Power flow	150, 225, 300	2600, 1350, 1320	500, 865, 1800	40, 48, 72
Heavy Duty Exhaust	300, 380, 450, 450, 600	1400, 1400, 900, 1400, 900	1750, 3500, 3900, 6200, 10000	85, 150, 145, 375, 500
Raffa	150, 200	1300, 1280	210, 430	24, 28





OUR OFFICES

SERVICE BRANCH OFFICES

HEAD OFFICE

Area	Updated Address and contact Details
Kerala	Mr. Manoj Ambady, Orient Electric Limited, 5th Floor, Kallamkuzi Business Square, Ernakulam, Kerala Vyttila, Cochin-682019, Contact No: 918129821355
Chennai	Mr. Vishnu Kumar, Orient Electric Limited.heavitree, 2nd Floor, Unit B, New No. 47, Spur Tank Road, Chetpet, Chennai-600031, Tamilnadu, Contact No: 919600001639
Madurai	Mr. K. Prakash, Rodco Marketing Pvt Ltd, 228, Lig Colony, K.k Nagar Madhurai - 625020, Contact No: 9944484128
Hydrabad	Mr. Durgaprasad Rao Orint Electric Ltd, 6-3-1090/Crk Plaza 2nd Floor, Raj Bhavan Road, Somajiguda, Hyderabad - 500082, Telangana (India) Contact No: 9000134193
Banglore	Mr. Kuldip Pandey, Orient Electric Ltd, C/O, Rpm Logistics Pvt Ltd. Sy No. 73, Harokyanthanaha, Dasanapura Hobli, Makali (P) Tumkur Main Road Bengaluru - 552162, Karnataka, Contact No: 9919003378
Vijayvada	Mr. P. Babu, D.no: 23-17/1, Warehouse 1, Kohinoor Estates, Opp Hil Limited, Vijayawada, Mylavaram Rd, Kondapalli, Ibrahimpatnam - Andhra Pradesh, 521228, Contact No. 9052211336.
Delhi	Mr. Vivek Sharma, Rajent Enterprises 3/15, Asaf Ali Road. New Delhi-110002, Mob. 9999410680
Haryana	Mr. Sourav Singh/ Mr. Neeraj Yadav, Alok Distributors, 14/3, Mathura Road, Behind Pnb Bank, Mewala Maharajpur Metro Station, Harayana. Contact No: 96676 00151/9643001001
Rajasthan	Mr Rr Chowdhary / Mr Sunny Sambharwal, Rajasthan,Vasundhara International, D-2(B) Meera Marg,Kamal Varndhavan, Bani Park, Rajasthan- 302016, Contact No: 9001298204/76656 99996
Noida	Mr. Ramit Bhatnagar, D-209, Sector-63, Noida 201301 India, Contact No: 9971397635.
Lucknow	Mr. Sunil Srivastava, Orient Electric Limited-A Ck Birla Group Company, 607, 6th Floor, Ratan Square20-R Vidhan Sabha Marg, Lucknow - 226001, Contact No:9554338866.
Chandigarh	Mr. Dinesh Trehan, Orient Electric Limited, Sco 840 1st Floor, Nac Manimajra, Chandigarh-160101, Contact No: 9646009593.





OUR OFFICES

SERVICE BRANCH OFFICES

HEAD OFFICE

Area	Updated Address and contact Details
Amritsar	Mr Lalit Chopra, Daga Co, C-4 , Baba Budha Ji Avenue, Opp Ashok Vatika Public School, New Amritsar - 143006, Contact No: 8556978996.
Mumbai	Mr. Vishal Neb: 9769208629 Paramount Logistrade Centre C/O Hellmann Worldwide Logistics Gala No 8 To 13, Building No. A-9, Situated At Survey No 12,Village Lonad, Thane - 421302 Maharashtra.
Pune	Mr. Vishal Neb: 9769208629 , Pune Orient Electric Ltd Sai Balaji Warehousing Gate No.173, Wade Bolhai Road Vill- Kesnand, Tal- Haveli Dist -Pune -412207.
Nagpur	Mr. Deepak Suroshe, Orient Electric Limited, Block No 402, 4th Floor, Shriyash Heights, Plot No. 95, Lendra West Precinct, Ramdaspeth, Nagpur - 440010, Contact No: 9158998211.
Indore	Mr. Rajeev Dwivedi , Jalan Brothers Pvt Ltd 4/1, Mangal Compound, Behind Mercedes-Benz Showroom, Dewas Naka, Indore, Pin Code # 452010, Contact No: 9826724892 .
Raipur	Mr. Jay Prakash, Jalan Brothers Pvt. Ltd., Kedia Business Park, Opp. National Garage G.e. Road, Tatiband, Raipur, Contact No: 9131875970.
Ahemdabad	Mr.jaypalsinh Chauhan (M) 9909909272 Orient Electric Limited-A Ck Birla Group Companyopp- Sumar Logistic Park, Gr Floor, Building No 1, Rudra Pratap Logistic Park, Survey No 102-2, Kajipura Nh-64, Matar Industrial Area, Kheda, Gujarat - 387530
Kolkata	Mr. Mayank Kharkwal, 234/3a, Fmc Fortuna Building, 4th Floor, Room No A 10, Kolkata 700020 Contact No: 9839001094.
Bhubaneswar	Mr. Abhinav Batra ,Badhanpur, Puri By Pass Road, Bhubaneswar 751002, Contact No: 9826343332.
Patna	Mr. Raj Anand, Orient Electric Limited - A Ck Birla Group Company 4th Floor, Sai Tower, Beside Hotel Utsav, New Dak Bunglow Road, Patna 800001, India, Contact No: 9386741195
Ranchi	Anand Kumar, Jharkhand Orient Electric Limited, Office No. 401, Modi Heights, Phase-1, Ratu Road, Ranchi-834001, Contact No: 7366965555.
Guwahati	Mr. Manas Jyoti Bharadwaj, Branch Sales Manager, Orient Electric Limited, Nilakshi Talukdar Campus, Opp Vodafone Head Office, Bh-37, Katabari Guwahati 781035, India, Contact No: 9864058464.





OUR OFFICES

SERVICE BRANCH OFFICES

HEAD OFFICE

Delhi

Orient Electric 62, 1st Floor, Okhla Industrial Estate, Phase-3, New Delhi-110020

Indore

No 419, 4th Floor, Shagun Sterling Plot No 7 PU 4 SCH-54, Vijay Nagar, Square Indore-452010

Kolkata

6 Ghore Bibi Lane, Phool Bagan, Kadapara, Kankurgachi, Kolkata, West Bengal-700054

Chennai

Heavitree, 2nd Floor, Unit - B, New No: 47, Spur Tank Road, Chetpet, Chennai - 600031, Tamil Nadu.

Ahmedabad

Orient Trading Company, 327, Ratna Business Square, Opp. Kunal Restaurant, Ashram Road, Ahmedabad-380009, Mob - Jaypalsinh Chauhan - 9909909272


Customer Care No.: 1800 103 7574 (Toll-Free)

Room Size (sqft)	Recommended Sweep Size for Ceiling Fans				
	mm	feet	inches		
Upto 70	600	2.0	24		
70	900	3.0	36		
100	1050	3.5	42		
160	1200	4.0	48		
180	1300	4.3	52		
225	1400	4.7	56		

Important: To maximize air delivery over the required area, your Orient Electric ceiling fan should be 2.1 meter or more from the ground and 30cm or more below the ceiling. For large rooms with more than one fan, the center distance between each fan will depend on sweep sizes.

Sweep	1400mm	1200mm	1050mm	900mm
Center Distance	3m	2.5m	2m	1.8m

- Visuals shown in the brochure, may vary slightly from actual product
- · All ceiling fans are with double ball bearing
- Air delivery may vary ±5%
- · All specifications are subject to change without any prior notice
- Models may change during the year



Sweep size is referred to the entire diameter of a fan.







Orient Electric Limited (a CK Birla Group company)

240, Okhla Industrial Estate, Phase-III, New Delhi - 110020.

Orient Helpline No.: 1800 103 7574 (Toll Free)

Email: customer.connect@orientelectric.com

Website: www.orientelectric.com









