

# SMART SOLUTIONS ★★★ FOR ★★★ SAFER LIVING



COMBINED PRICE LIST (NOVEMBER 2022)



SWITCHGEAR	01
MODULAR SWITCHES	26
i-NEX SMART PLUG	50
BUILDING ACCESSORIES	52
WIRING ACCESSORIES	55

# SWITCHGEAR WITH REVOLUTIONARY SDB TECHNOLOGY



Overload  
Protection



Short Circuit  
Protection



Current Leakage  
Protection



Fire Protection




Electrical Shock  
Protection

# MINIATURE CIRCUIT BREAKER (MCB)

## Overheat Sensing Technology

Orient MCBs with SDB Technology detect heat from external ambient or loose wire connection and trip, thereby safeguarding the circuit connected with it.



## Ease of Installation

Two-Position DIN rail clip for easy installations & dismantling

- Easy and quick method of MCB mounting and replacement on the DIN rail
- Great convenience for the installation/removal of a product
- Safe and time-saving



## Trip-Free Mechanism - Positive Contact Indication

Trip-free mechanism ensures that MCB trips even if it's held in ON position.

Red Colour Indication - MCB ON

Green Colour Indication - MCB OFF

EuroTech has a positive indication which offers more safety to a user. Separate colour flag indication shows the status of the MCB, that is whether it is in operation or not.



## Engraved ON/OFF Marking

Clear visual indication of ON/OFF is engraved on knob for better safety.



## Large Cable Terminals

- Large cable terminals of 35 sq mm suitable for copper or aluminium cables up to 35 sq mm cross-section area on both incoming & outgoing sides
- Large cable terminals avoid a loose connection to a great extent



## Bi-connection

EuroTech MCB has user-friendly dual-function terminals for connection through a busbar and cable on both incoming & outgoing sides.



# MINIATURE CIRCUIT BREAKER (MCB)


## Cooler Operation

There is cooler running operation inside the distribution board through better air circulation design on the MCB's outer body. When two (MCBs) are placed adjacent to each other, air channels between two MCBs from a tunnel, resulting in very effective air circulation around individual poles.



## Line & Load Interchangeability

Orient Eurotech MCBs offers line & load interchangeability. One can connect load or line on either side. In many other MCBs, it's fixed.




## Less Welding Joints

Orient EuroTech MCBs have less welding joints in the current-carrying path as compared to more number of welding joints in conventional MCBs. This arrangement significantly reduces the power consumption of the MCB.



## Better Arc Quenching Arrangement

- The assembly comprises of CRCA sheet arc plates with zinc coating on it. The arc is moved into the arc chute which gets split into the arc plates & gets quenched.
- Arc plates covered fully with vulcanized fibre paper ensure faster quenching and minimal spreading of carbon fumes inside the MCB, thus eliminating the threat of carbonisation inside the MCB circuit.



## Precise Overload Tripping

Orient MCB with SDB technology comes in a single enclosed unit which does not require manual trip setting, unlike conventional MCBs. This arrangement ensures 100% precise tripping.

Also, a snap disc bi-metal is not in the electrical circuit during overload & short circuit hence a longer service life with better, precise & further operations, whereas in conventional MCBs, the bi-metallic strip always remains active and is a part of the current-carrying circuit for the above faults.



## MINIATURE CIRCUIT BREAKER (MCB)

<b>Single Pole</b>	<b>Part No.</b>	<b>Description</b>	<b>Ratings</b>	<b>Curve</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	101SPB0060	MCB SPB 6A	6A	B	219	12	180
	101SPB0100	MCB SPB 10A	10A	B	219	12	180
	101SPB0130	MCB SPB 13A	13A	B	On Demand	12	180
	101SPB0160	MCB SPB 16A	16A	B	219	12	180
	101SPB0200	MCB SPB 20A	20A	B	219	12	180
	101SPB0250	MCB SPB 25A	25A	B	219	12	180
	101SPB0320	MCB SPB 32A	32A	B	219	12	180
	101SPB0400	MCB SPB 40A	40A	B	531	12	180
	101SPB0500	MCB SPB 50A	50A	B	542	12	180
	101SPB0630	MCB SPB 63A	63A	B	542	12	180

<b>Single Pole with Neutral (1P+N)</b>	<b>Part No.</b>	<b>Description</b>	<b>Ratings</b>	<b>Curve</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	101SNB0060	MCB SPNB 6A	6A	B	741	6	90
	101SNB0100	MCB SPNB 10A	10A	B	741	6	90
	101SNB0130	MCB SPNB 13A	13A	B	On Demand	6	90
	101SNB0160	MCB SPNB 16A	16A	B	741	6	90
	101SNB0200	MCB SPNB 20A	20A	B	741	6	90
	101SNB0250	MCB SPNB 25A	25A	B	741	6	90
	101SNB0320	MCB SPNB 32A	32A	B	741	6	90
	101SNB0400	MCB SPNB 40A	40A	B	1192	6	90
	101SNB0500	MCB SPNB 50A	50A	B	1202	6	90
	101SNB0630	MCB SPNB 63A	63A	B	1202	6	90

<b>Double Pole (2P)</b>	<b>Part No.</b>	<b>Description</b>	<b>Ratings</b>	<b>Curve</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	101DPB0060	MCB DPB 6A	6A	B	768	6	90
	101DPB0100	MCB DPB 10A	10A	B	768	6	90
	101DPB0130	MCB DPB 13A	13A	B	On Demand	6	90
	101DPB0160	MCB DPB 16A	16A	B	768	6	90
	101DPB0200	MCB DPB 20A	20A	B	768	6	90
	101DPB0250	MCB DPB 25A	25A	B	768	6	90
	101DPB0320	MCB DPB 32A	32A	B	768	6	90
	101DPB0400	MCB DPB 40A	40A	B	1175	6	90
	101DPB0500	MCB DPB 50A	50A	B	1271	6	90
	101DPB0630	MCB DPB 63A	63A	B	1271	6	90

# MINIATURE CIRCUIT BREAKER (MCB)

Triple Pole (3P)	Part No.	Description	Ratings	Curve	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	101TPB0060	MCB TPB 6A	6A	B	1219	4	60
	101TPB0100	MCB TPB 10A	10A	B	1219	4	60
	101TPB0130	MCB TPB 13A	13A	B	On Demand	4	60
	101TPB0160	MCB TPB 16A	16A	B	1219	4	60
	101TPB0200	MCB TPB 20A	20A	B	1219	4	60
	101TPB0250	MCB TPB 25A	25A	B	1219	4	60
	101TPB0320	MCB TPB 32A	32A	B	1219	4	60
	101TPB0400	MCB TPB 40A	40A	B	1806	4	60
	101TPB0500	MCB TPB 50A	50A	B	1868	4	60
	101TPB0630	MCB TPB 63A	63A	B	1868	4	60

Triple Pole with Neutral (3P+N)	Part No.	Description	Ratings	Curve	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	101TPB0060	MCB TPNB 6A	6A	B	1626	3	45
	101TPB0100	MCB TPNB 10A	10A	B	1626	3	45
	101TPB0130	MCB TPNB 13A	13A	B	On Demand	3	45
	101TPB0160	MCB TPNB 16A	16A	B	1626	3	45
	101TPB0200	MCB TPNB 20A	20A	B	1626	3	45
	101TPB0250	MCB TPNB 25A	25A	B	1626	3	45
	101TPB0320	MCB TPNB 32A	32A	B	1626	3	45
	101TPB0400	MCB TPNB 40A	40A	B	2281	3	45
	101TPB0500	MCB TPNB 50A	50A	B	2294	3	45
	101TPB0630	MCB TPNB 63A	63A	B	2294	3	45

Four Pole (4P)	Part No.	Description	Ratings	Curve	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	101FPB0060	MCB FPB 6A	6A	B	1671	3	45
	101FPB0100	MCB FPB 10A	10A	B	1671	3	45
	101FPB0130	MCB FPB 13A	13A	B	On Demand	3	45
	101FPB0160	MCB FPB 16A	16A	B	1671	3	45
	101FPB0200	MCB FPB 20A	20A	B	1671	3	45
	101FPB0250	MCB FPB 25A	25A	B	1671	3	45
	101FPB0320	MCB FPB 32A	32A	B	1671	3	45
	101FPB0400	MCB FPB 40A	40A	B	2270	3	45
	101FPB0500	MCB FPB 50A	50A	B	2399	3	45
	101FPB0630	MCB FPB 63A	63A	B	2399	3	45

# MINIATURE CIRCUIT BREAKER (MCB)

<b>Single Pole</b>	<b>Part No.</b>	<b>Description</b>	<b>Ratings</b>	<b>Curve</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	101SPC0005	MCB SPC 0.5A	0.5A	C	On Demand	12	180
	101SPC0010	MCB SPC 01A	1A	C	On Demand	12	180
	101SPC0020	MCB SPC 02A	2A	C	On Demand	12	180
	101SPC0030	MCB SPC 03A	3A	C	On Demand	12	180
	101SPC0040	MCB SPC 04A	4A	C	On Demand	12	180
	101SPC0050	MCB SPC 05A	5A	C	On Demand	12	180
	101SPC0060	MCB SPC 6A	6A	C	240	12	180
	101SPC0100	MCB SPC 10A	10A	C	240	12	180
	101SPC0130	MCB SPC 13A	13A	C	On Demand	12	180
	101SPC0160	MCB SPC 16A	16A	C	240	12	180
	101SPC0200	MCB SPC 20A	20A	C	240	12	180
	101SPC0250	MCB SPC 25A	25A	C	240	12	180
	101SPC0320	MCB SPC 32A	32A	C	240	12	180
	101SPC0400	MCB SPC 40A	40A	C	531	12	180
	101SPC0500	MCB SPC 50A	50A	C	542	12	180
	101SPC0630	MCB SPC 63A	63A	C	542	12	180



<b>Single Pole with Neutral (1P+N)</b>	<b>Part No.</b>	<b>Description</b>	<b>Ratings</b>	<b>Curve</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	101SPNC0005	MCB SPNC 0.5A	0.5A	C	On Demand	6	90
	101SPNC0010	MCB SPNC 01A	1A	C	On Demand	6	90
	101SPNC0020	MCB SPNC 02A	2A	C	On Demand	6	90
	101SPNC0030	MCB SPNC 03A	3A	C	On Demand	6	90
	101SPNC0040	MCB SPNC 04A	4A	C	On Demand	6	90
	101SPNC0050	MCB SPNC 05A	5A	C	On Demand	6	90
	101SPNC0060	MCB SPNC 06A	6A	C	741	6	90
	101SPNC0100	MCB SPNC 10A	10A	C	741	6	90
	101SPNC0130	MCB SPNC 13A	13A	C	On Demand	6	90
	101SPNC0160	MCB SPNC 16A	16A	C	741	6	90
	101SPNC0200	MCB SPNC 20A	20A	C	741	6	90
	101SPNC0250	MCB SPNC 25A	25A	C	741	6	90
	101SPNC0320	MCB SPNC 32A	32A	C	741	6	90
	101SPNC0400	MCB SPNC 40A	40A	C	1192	6	90
	101SPNC0500	MCB SPNC 50A	50A	C	1202	6	90
	101SPNC0630	MCB SPNC 63A	63A	C	1202	6	90



# MINIATURE CIRCUIT BREAKER (MCB)

<b>Double Pole (2P)</b>	<b>Part No.</b>	<b>Description</b>	<b>Ratings</b>	<b>Curve</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	101DPC0005	MCB DPC 0.5A	0.5A	C	On Demand	6	90
	101DPC0010	MCB DPC 01A	1A	C	On Demand	6	90
	101DPC0020	MCB DPC 02A	2A	C	On Demand	6	90
	101DPC0030	MCB DPC 03A	3A	C	On Demand	6	90
	101DPC0040	MCB DPC 04A	4A	C	On Demand	6	90
	101DPC0050	MCB DPC 05A	5A	C	On Demand	6	90
	101DPC0060	MCB DPC 6A	6A	C	768	6	90
	101DPC0100	MCB DPC 10A	10A	C	768	6	90
	101DPC0130	MCB DPC 13A	13A	C	On Demand	6	90
	101DPC0160	MCB DPC 16A	16A	C	768	6	90
	101DPC0200	MCB DPC 20A	20A	C	768	6	90
	101DPC0250	MCB DPC 25A	25A	C	768	6	90
	101DPC0320	MCB DPC 32A	32A	C	768	6	90
	101DPC0400	MCB DPC 40A	40A	C	1197	6	90
	101DPC0500	MCB DPC 50A	50A	C	1288	6	90
	101DPC0630	MCB DPC 63A	63A	C	1288	6	90



<b>Triple Pole (3P)</b>	<b>Part No.</b>	<b>Description</b>	<b>Ratings</b>	<b>Curve</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	101TPC0005	MCB TPC 0.5A	0.5A	C	On Demand	4	60
	101TPC0010	MCB TPC 01A	1A	C	On Demand	4	60
	101TPC0020	MCB TPC 02A	2A	C	On Demand	4	60
	101TPC0030	MCB TPC 03A	3A	C	On Demand	4	60
	101TPC0040	MCB TPC 04A	4A	C	On Demand	4	60
	101TPC0050	MCB TPC 05A	5A	C	On Demand	4	60
	101TPC0060	MCB TPC 6A	6A	C	1219	4	60
	101TPC0100	MCB TPC 10A	10A	C	1219	4	60
	101TPC0130	MCB TPC 13A	13A	C	On Demand	4	60
	101TPC0160	MCB TPC 16A	16A	C	1219	4	60
	101TPC0200	MCB TPC 20A	20A	C	1219	4	60
	101TPC0250	MCB TPC 25A	25A	C	1219	4	60
	101TPC0320	MCB TPC 32A	32A	C	1219	4	60
	101TPC0400	MCB TPC 40A	40A	C	1806	4	60
	101TPC0500	MCB TPC 50A	50A	C	1868	4	60
	101TPC0630	MCB TPC 63A	63A	C	1868	4	60



## MINIATURE CIRCUIT BREAKER (MCB)

<b>Triple Pole with Neutral (3P+N)</b>	<b>Part No.</b>	<b>Description</b>	<b>Ratings</b>	<b>Curve</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	101TNC0005	MCB TPNC 0.5A	0.5A	C	On Demand	3	45
	101TNC0010	MCB TPNC 01A	1A	C	On Demand	3	45
	101TNC0020	MCB TPNC 02A	2A	C	On Demand	3	45
	101TNC0030	MCB TPNC 03A	3A	C	On Demand	3	45
	101TNC0040	MCB TPNC 04A	4A	C	On Demand	3	45
	101TNC0050	MCB TPNC 05A	5A	C	On Demand	3	45
	101TNC0060	MCB TPNC 06A	6A	C	1642	3	45
	101TNC0100	MCB TPNC 10A	10A	C	1642	3	45
	101TNC0130	MCB TPNC 13A	13A	C	On Demand	3	45
	101TNC0160	MCB TPNC 16A	16A	C	1642	3	45
	101TNC0200	MCB TPNC 20A	20A	C	1642	3	45
	101TNC0250	MCB TPNC 25A	25A	C	1642	3	45
	101TNC0320	MCB TPNC 32A	32A	C	1642	3	45
	101TNC0400	MCB TPNC 40A	40A	C	2281	3	45
	101TNC0500	MCB TPNC 50A	50A	C	2294	3	45
	101TNC0630	MCB TPNC 63A	63A	C	2294	3	45

<b>Four Pole (4P)</b>	<b>Part No.</b>	<b>Description</b>	<b>Ratings</b>	<b>Curve</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	101FPC0005	MCB FPC 0.5A	0.5A	C	On Demand	3	45
	101FPC0010	MCB FPC 01A	1A	C	On Demand	3	45
	101FPC0020	MCB FPC 02A	2A	C	On Demand	3	45
	101FPC0030	MCB FPC 03A	3A	C	On Demand	3	45
	101FPC0040	MCB FPC 04A	4A	C	On Demand	3	45
	101FPC0050	MCB FPC 05A	5A	C	On Demand	3	45
	101FPC0060	MCB FPC 6A	6A	C	1671	3	45
	101FPC0100	MCB FPC 10A	10A	C	1671	3	45
	101FPC0130	MCB FPC 13A	13A	C	On Demand	3	45
	101FPC0160	MCB FPC 16A	16A	C	1671	3	45
	101FPC0200	MCB FPC 20A	20A	C	1671	3	45
	101FPC0250	MCB FPC 25A	25A	C	1671	3	45
	101FPC0320	MCB FPC 32A	32A	C	1671	3	45
	101FPC0400	MCB FPC 40A	40A	C	2270	3	45
	101FPC0500	MCB FPC 50A	50A	C	2394	3	45
	101FPC0630	MCB FPC 63A	63A	C	2394	3	45

# MINIATURE CIRCUIT BREAKER (MCB)

Single Pole (1P)	Part No.	Description	Ratings	Curve	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	101SPD0005	MCB SPD 0.5A	0.5A	D	On Demand	12	180
	101SPD0010	MCB SPD 01A	1A	D	On Demand	12	180
	101SPD0020	MCB SPD 02A	2A	D	On Demand	12	180
	101SPD0040	MCB SPD 04A	4A	D	On Demand	12	180
	101SPD0060	MCB SPD 06A	6A	D	328	12	180
	101SPD0100	MCB SPD 10A	10A	D	328	12	180
	101SPD0130	MCB SPD 13A	13A	D	On Demand	12	180
	101SPD0160	MCB SPD 16A	16A	D	328	12	180
	101SPD0200	MCB SPD 20A	20A	D	328	12	180
	101SPD0250	MCB SPD 25A	25A	D	328	12	180
	101SPD0320	MCB SPD 32A	32A	D	328	12	180

Single Pole with Neutral (1P+N)	Part No.	Description	Ratings	Curve	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	101SPND0005	MCB SPND 0.5A	0.5A	D	On Demand	6	90
	101SPND0010	MCB SPND 01A	1A	D	On Demand	6	90
	101SPND0020	MCB SPND 02A	2A	D	On Demand	6	90
	101SPND0040	MCB SPND 04A	4A	D	On Demand	6	90
	101SPND0060	MCB SPND 06A	6A	D	881	6	90
	101SPND0100	MCB SPND 10A	10A	D	881	6	90
	101SPND0130	MCB SPND 13A	13A	D	On Demand	6	90
	101SPND0160	MCB SPND 16A	16A	D	881	6	90
	101SPND0200	MCB SPND 20A	20A	D	881	6	90
	101SPND0250	MCB SPND 25A	25A	D	881	6	90
	101SPND0320	MCB SPND 32A	32A	D	881	6	90

Double Pole (2P)	Part No.	Description	Ratings	Curve	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	101DPD0005	MCB DPD 0.5A	0.5A	D	On Demand	6	90
	101DPD0010	MCB DPD 01A	1A	D	On Demand	6	90
	101DPD0020	MCB DPD 02A	2A	D	On Demand	6	90
	101DPD0040	MCB DPD 04A	4A	D	On Demand	6	90
	101DPD0060	MCB DPD 06A	6A	D	892	6	90
	101DPD0100	MCB DPD 10A	10A	D	892	6	90
	101DPD0130	MCB DPD 13A	13A	D	On Demand	6	90
	101DPD0160	MCB DPD 16A	16A	D	892	6	90
	101DPD0200	MCB DPD 20A	20A	D	892	6	90
	101DPD0250	MCB DPD 25A	25A	D	892	6	90
	101DPD0320	MCB DPD 32A	32A	D	892	6	90

# MINIATURE CIRCUIT BREAKER (MCB)

Triple Pole (3P)	Part No.	Description	Ratings	Curve	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	101TPD0005	MCB TPD 0.5A	0.5A	D	On Demand	4	60
	101TPD0010	MCB TPD 01A	1A	D	On Demand	4	60
	101TPD0020	MCB TPD 02A	2A	D	On Demand	4	60
	101TPD0040	MCB TPD 04A	4A	D	On Demand	4	60
	101TPD0060	MCB TPD 6A	6A	D	1372	4	60
	101TPD0100	MCB TPD 10A	10A	D	1372	4	60
	101TPD0130	MCB TPD 13A	13A	D	On Demand	4	60
	101TPD0160	MCB TPD 16A	16A	D	1372	4	60
	101TPD0200	MCB TPD 20A	20A	D	1372	4	60
	101TPD0250	MCB TPD 25A	25A	D	1372	4	60
	101TPD0320	MCB TPD 32A	32A	D	1372	4	60

Triple Pole with Neutral (3P+N)	Part No.	Description	Ratings	Curve	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	101TND0005	MCB TPND 0.5A	0.5A	D	On Demand	3	45
	101TND0010	MCB TPND 01A	1A	D	On Demand	3	45
	101TND0020	MCB TPND 02A	2A	D	On Demand	3	45
	101TND0040	MCB TPND 04A	4A	D	On Demand	3	45
	101TND0060	MCB TPND 6A	6A	D	1750	3	45
	101TND0100	MCB TPND 10A	10A	D	1750	3	45
	101TND0130	MCB TPND 13A	13A	D	On Demand	3	45
	101TND0160	MCB TPND 16A	16A	D	1750	3	45
	101TND0200	MCB TPND 20A	20A	D	1750	3	45
	101TND0250	MCB TPND 25A	25A	D	1750	3	45
	101TND0320	MCB TPND 32A	32A	D	1750	3	45

Four Pole (4P)	Part No.	Description	Ratings	Curve	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	101FPD0005	MCB FPD 0.5A	0.5A	D	On Demand	3	45
	101FPD0010	MCB FPD 01A	1A	D	On Demand	3	45
	101FPD0020	MCB FPD 02A	2A	D	On Demand	3	45
	101FPD0040	MCB FPD 04A	4A	D	On Demand	3	45
	101FPD0060	MCB FPD 6A	6A	D	1801	3	45
	101FPD0100	MCB FPD 10A	10A	D	1801	3	45
	101FPD0130	MCB FPD 13A	13A	D	On Demand	3	45
	101FPD0160	MCB FPD 16A	16A	D	1801	3	45
	101FPD0200	MCB FPD 20A	20A	D	1801	3	45
	101FPD0250	MCB FPD 25A	25A	D	1801	3	45
	101FPD0320	MCB FPD 32A	32A	D	1801	3	45

# DC MCB

## Smart Features & Benefits:

- Dual tripping system - Overload through bi-metal and short circuit through electromagnetic coil
- Incorporates a built-in permanent magnet, which directs the arc into the arc quenching chamber
- Free from nuisance tripping caused by vibrations
- Clear indication of polarity by the + and - sign stickers on the poles of MCB
- Time constant = 5ms
- Housing of DC MCB is made up of the fire-retardant, anti-tracking and non-hygroscopic injection moulded thermoplastic
- Contacts are made up of silver inlaid copper, which ensure low resistance and a longer life of circuit breaker
- Properly spaced nickel plated de-ionizing plates for quick arc extinction are a part of well-designed arc chute

<b>Single Pole DC (1P)</b>	<b>Part No.</b>	<b>Description</b>	<b>Ratings</b>	<b>Curve</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	111SPC0005	MCB SPDC 0.5A	0.5A	C	440	12	180
	111SPC0010	MCB SPDC 01A	1A	C	469	12	180
	111SPC0020	MCB SPDC 02A	2A	C	440	12	180
	111SPC0040	MCB SPDC 04A	4A	C	440	12	180
	111SPC0060	MCB SPDC 6A	6A	C	452	12	180
	111SPC0100	MCB SPDC 10A	10A	C	452	12	180
	111SPC0130	MCB SPDC 13A	13A	C	452	12	180
	111SPC0160	MCB SPDC 16A	16A	C	452	12	180
	111SPC0200	MCB SPDC 20A	20A	C	452	12	180
	111SPC0250	MCB SPDC 25A	25A	C	452	12	180
	111SPC0320	MCB SPDC 32A	32A	C	452	12	180
	111SPC0400	MCB SPDC 40A	40A	C	627	12	180
	111SPC0500	MCB SPDC 50A	50A	C	689	12	180
	111SPC0630	MCB SPDC 63A	63A	C	689	12	180



<b>Double Pole DC (2P)</b>	<b>Part No.</b>	<b>Description</b>	<b>Ratings</b>	<b>Curve</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	111DPC0005	MCB DPDC 0.5A	0.5A	C	1018	6	90
	111DPC0010	MCB DPDC 01A	1A	C	1084	6	90
	111DPC0020	MCB DPDC 02A	2A	C	1018	6	90
	111DPC0040	MCB DPDC 04A	4A	C	1018	6	90
	111DPC0060	MCB DPDC 6A	6A	C	858	6	90
	111DPC0100	MCB DPDC 10A	10A	C	858	6	90
	111DPC0130	MCB DPDC 13A	13A	C	858	6	90
	111DPC0160	MCB DPDC 16A	16A	C	858	6	90
	111DPC0200	MCB DPDC 20A	20A	C	858	6	90
	111DPC0250	MCB DPDC 25A	25A	C	858	6	90
	111DPC0320	MCB DPDC 32A	32A	C	858	6	90
	111DPC0400	MCB DPDC 40A	40A	C	1249	6	90
	111DPC0500	MCB DPDC 50A	50A	C	1380	6	90
	111DPC0630	MCB DPDC 63A	63A	C	1380	6	90



## STELLA MCB BREAKER (MCB)

	Part No.	Description	Ratings	Curve	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	103SPB0060T	MCB SPB 6A DM	0.5A	B	175	12	180
	103SPB0100T	MCB SPB 10A DM	1A	B	175	12	180
	103SPB0160T	MCB SPB 16A DM	2A	B	175	12	180
	103SPB0200T	MCB SPB 20A DM	4A	B	175	12	180
	103SPB0250T	MCB SPB 25A DM	6A	B	175	12	180
	103SPB0320T	MCB SPB 32A DM	6A	B	175	12	180



Overload  
Protection



Short Circuit  
Protection



Superior  
Build Quality



RoHS  
Certification



German  
Technology

# ISOLATOR

## Smart Features & Benefits:

- Forced opening and suitable for use as main switch
- High short circuit withstanding capacity
- Optimal protection against unintentional touching of live parts
- Dual-function terminals
- Quick mounting clip, lockable in open position
- The switch-isolators are equipped with dual-function terminals which enable simultaneous connection of conductors and bus bar
- Cross/Slotted-head screws size 2, system pozidriv, enable easy, reliable and time-saving wiring
- Facility for sealing or padlocking in closed or isolated position
- Internal connection of switching mechanisms ensures simultaneous switching even without toggle linkage
- Same form & design as MCB range

Isolator Single Pole (1P)	Part No.	Description	Ratings	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	161SP0040	ISOLATOR SP 40A	40A	334	12	180
	161SP0063	ISOLATOR SP 63A	63A	392	12	180
	161SP0080	ISOLATOR SP 80A	80A	478	12	180
	161SP0100	ISOLATOR SP 100A	100A	478	12	180
	161SP0125	ISOLATOR SP 125A	125A	553	12	180

Isolator Double Pole (2P)	Part No.	Description	Ratings	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	161DP0040	ISOLATOR DP 40A	40A	478	6	90
	161DP0063	ISOLATOR DP 63A	63A	616	6	90
	161DP0080	ISOLATOR DP 80A	80A	794	6	90
	161DP0100	ISOLATOR DP 100A	100A	794	6	90
	161DP0125	ISOLATOR DP 125A	125A	874	6	90

Isolator Triple Pole (3P)	Part No.	Description	Ratings	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	161TP0040	ISOLATOR TP 40A	40A	994	4	60
	161TP0063	ISOLATOR TP 63A	63A	1059	4	60
	161TP0080	ISOLATOR TP 80A	80A	1231	4	60
	161TP0100	ISOLATOR TP 100A	100A	1231	4	60
	161TP0125	ISOLATOR TP 125A	125A	1277	4	60

Isolator Four Pole (4P)	Part No.	Description	Ratings	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	161FP0040	ISOLATOR FP 40A	40A	1093	3	45
	161FP0063	ISOLATOR FP 63A	63A	1111	3	45
	161FP0080	ISOLATOR FP 80A	80A	1432	3	45
	161FP0100	ISOLATOR FP 100A	100A	1432	3	45
	161FP0125	ISOLATOR FP 125A	125A	1542	3	45

# RESIDUAL CURRENT CIRCUIT BREAKER (RCCB)

## Smart Features & Benefits:

- Provides protection against earth fault/leakage current and also fulfils the functional isolation
- Automatically measures and disconnects the circuit when earth fault/leakage current occurs and exceeds the rated sensitivity
- High short circuit current withstand capacity - 10kA
- Dual termination possible for cable and comb type busbar connection
- Equipped with finger protection disconnection terminals (IP20)
- Fire-resistant plastic parts to withstand abnormal heating and strong impact
- Independent of line voltage. Also free from external voltage fluctuation
- Incorporates a filtering device for prevention of nuisance tripping due to transient voltage

RCCB Double-Pole AC Type (2P)	Part No.	Description	Ratings		MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	201DA03025	RCCB DP 25A30mA	25A	30mA	2807	6	90
	201DA03040	RCCB DP 40A30mA	40A	30mA	3043	6	90
	201DA03063	RCCB DP 63A30mA	63A	30mA	3843	6	90
	201DA10025	RCCB DP 25A100mA	25A	100mA	2973	6	90
	201DA10040	RCCB DP 40A100mA	40A	100mA	3106	6	90
	201DA10063	RCCB DP 63A100mA	63A	100mA	4083	6	90
	201DA30025	RCCB DP 25A300mA	25A	300mA	3009	6	90
	201DA30040	RCCB DP 40A300mA	40A	300mA	3181	6	90
	201DA30063	RCCB DP 63A300mA	63A	300mA	4066	6	90

RCCB Four-Pole AC Type (4P)	Part No.	Description	Ratings		MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	201FA03025	RCCB FP 25A30mA	25A	30mA	3733	3	45
	201FA03040	RCCB FP 40A30mA	40A	30mA	3750	3	45
	201FA03063	RCCB FP 63A30mA	63A	30mA	4193	3	45
	201FA10025	RCCB FP 25A100mA	25A	100mA	3767	3	45
	201FA10040	RCCB FP 40A100mA	40A	100mA	3843	3	45
	201FA10063	RCCB FP 63A100mA	63A	100mA	4245	3	45
	201FA30025	RCCB FP 25A300mA	25A	300mA	3767	3	45
	201FA30040	RCCB FP 40A300mA	40A	300mA	3900	3	45
	201FA30063	RCCB FP 63A300mA	63A	300mA	4256	3	45

# RESIDUAL CURRENT CIRCUIT BREAKER (STELLA RCCB)

## Smart Features & Benefits:

- Provides protection against earth fault/leakage current and also fulfils the functional isolation
- Automatically measures and disconnects the circuit when earth fault/leakage current occurs and exceeds the rated sensitivity
- High short circuit current withstand capacity - 10kA
- Dual termination possible for cable and comb type busbar connection
- Equipped with finger protection disconnection terminals (IP20)
- Fire-resistant plastic parts to withstand abnormal heating and strong impact
- Independent of line voltage. Also free from external voltage fluctuation
- Incorporates a filtering device for prevention of nuisance tripping due to transient voltage

RCCB Double-Pole AC Type (2P)	Part No.	Description	Ratings		MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	203DA03025	RCCB DP 25A30MA	25A	30mA	2225	6	90
	203DA03040	RCCB DP 40A30MA	40A	30mA	2431	6	90
	203DA03063	RCCB DP 63A30MA	63A	30mA	2946	6	90
	203DA10025	RCCB DP 25A100MA	25A	100mA	2400	6	90
	203DA10040	RCCB DP 40A100MA	40A	100mA	2513	6	90
	203DA10063	RCCB DP 63A100MA	63A	100mA	3152	6	90
	203DA30025	RCCB DP 25A300MA	25A	300mA	2410	6	90
	203DA30040	RCCB DP 40A300MA	40A	300mA	2554	6	90
	203DA30063	RCCB DP 63A300MA	63A	300mA	3131	6	90

RCCB Four-Pole AC Type (4P)	Part No.	Description	Ratings		MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	203FA03025	RCCB FP 25A30MA	25A	30mA	2905	3	45
	203FA03040	RCCB FP 40A30MA	40A	30mA	2925	3	45
	203FA03063	RCCB FP 63A30MA	63A	30mA	3306	3	45
	203FA10025	RCCB FP 25A100MA	25A	100mA	2987	3	45
	203FA10040	RCCB FP 40A100MA	40A	100mA	3028	3	45
	203FA10063	RCCB FP 63A100MA	63A	100mA	3378	3	45
	203FA30025	RCCB FP 25A300MA	25A	300mA	2936	3	45
	203FA30040	RCCB FP 40A300MA	40A	300mA	3214	3	45
	203FA30063	RCCB FP 63A300MA	63A	300mA	3502	3	45

## ACCESSORIES

MCB Accessories	Part No.	Description	MRP (₹)
	101SPXTC	Terminal Cover SP	65
	101SPXLK	Locking Kit	789
	121SP02300	Shunt Trip 240V AC/DC	3024
	121SP00480	Shunt Trip 12-48V AC/DC	3024
	141SPONONC	Auxiliary NO+NC, 1 NC	1080

RCCB Accessories	Part No.	Description	MRP (₹)
	201DCXTC	Terminal Cover DP	133
	201FCXTC	Terminal Cover FP	175
	101SPXLK	Locking Kit	789
	221AC02300	Shunt Trip 240V AC/DC	3439
	231ACONONC	Auxiliary 1 NO/1 NC	1180
	231ACONONO	Auxiliary 2 NO	1180
	231ACONCNC	Auxiliary 2 NC	1180
	101SPXB	Bell	1462
	101SPXB	Buzzer	1462

## MCB CHANGEOVER

### Smart Features & Benefits:

- Compact design
- Double break contacts
- Silver alloy contact tips
- Shrouded terminals
- Front operations with three positions I-O-II
- Centre position-OFF
- Easy snap on DIN rail mounting
- Can be mounted with other products viz MCB, RCCBs, Isolator in distribution board
- Specification IS/ IEC 60947-3

MCB Changeover	Part No.	Description	Ratings	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	181DP00250	MCB Changeover Switch DP 25A	25A	1580	6	90
	181DP00320	MCB Changeover Switch DP 32A	32A	1580	6	90
	181DP00400	MCB Changeover Switch DP 40A	40A	1919	6	90
	181DP00630	MCB Changeover Switch DP 63A	63A	1919	6	90
	181FP00250	MCB Changeover Switch FP 25A	25A	2709	3	45
	181FP00320	MCB Changeover Switch FP 32A	32A	2709	3	45
	181FP00400	MCB Changeover Switch FP 40A	40A	3500	3	45
	181FP00630	MCB Changeover Switch FP 63A	63A	3500	3	45

# CANVAS O DISTRIBUTION BOARDS



## Smart Features & Benefits:



### 3-Piece Concept for Easy maintenance:

- Instead of removing Door Assembly (Inner & Outer), only the intermediate plate needs to be removed for the purpose of maintenance, without spoiling the alignment & associated plastering/paint work.



### Ease of Installation - Removable Pan Assembly:

- This concept facilitates detaching of the chassis from the DB, and the required wiring for the circuit protection device can be done at a comfortable location. Then this assembly can be refitted into the base.



### Door & Shield Independent:

- During maintenance, one can just remove the shield without removing the entire DB.




### Enhanced Aesthetics:

- The aesthetically designed front fascia of the DB adds an alluring dimension to the living space.
- A distribution board that you no longer need to hide.



### Made of High-Quality Virgin Sheets:

- Anti-rust conditioning through 9-tank pre-treatment process.
- CRCA Grade D Steel.



### Safety Standards:

- Canvas O has been designed in accordance with IEC 61439-3, thus ensuring maximum reliability and excellent safety.

# CANVAS O DISTRIBUTION BOARDS

## Smart Features & Benefits:



### Detachable Gland Plate with Different Size of Knockouts:

- Removable gland plates at the top and bottom of the DB facilitate easy entry and exit of the cable. Thus, one can remove the entire plate from incoming & outgoing terminals.



### Ample Space for Wiring:

- This ensures proper distribution of neutral and earth wire.



### Suitable for Flush Mounting and Surface Mounting:

- Mounting key hole-every DB is provided with a key hole as an option for surface mounting.



- Pozidriv Screws for Easy Removal
- Identification Labels are Provided
- Front Plate Stud:

- Front plate stud is provided for the easy lifting of the front plate.



### Cement Protection Sheet:

- Remove the cement protection sheet at the time of mounting top cover with base.



### Embossed Earthing Identification:

- Clear earthing markings for easy location. DBs are equipped with a stainless steel screw that prevents rusting of the surface.



### Provided with Neutral and Earth Bus Bar with Terminal Capacity 16 SQ MM

#### Insulated Copper Bus Bar:

- All the DBs have this facility for quick, safe and easy installation.
- Bus Bar are suitable for 100A.
- Supplied with a RYBΩ wire set along with cable ties for better cable management.

Canvas O SPN DBs - Horizontal	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	4	381SDDRG04T	2300	1	1
	6W	6	381SDDRG06T	2403	1	1
	8W	8	381SDDRG08T	2837	1	1
	12W	12	381SDDRG12T	3527	1	1
	16W	16	381SDDRG16T	4256	1	1

Canvas O TPN DBs - Horizontal	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	4	381TDDRG04T	5572	1	1
	6W	6	381TDDRG06T	6825	1	1
	8W	8	381TDDRG08T	8179	1	1
	12W	12	381TDDRG12T	12256	1	1

## n SERIES DISTRIBUTION BOARDS

<b>SPN DB with Single Door</b>	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	4	301SSDRG04T	1086	1	1
	6W	6	301SSDRG06T	1227	1	1
	8W	8	301SSDRG08T	1355	1	1
	10W	10	301SSDRG10T	1687	1	1
	12W	12	301SSDRG12T	1764	1	1
	14W	14	301SSDRG14T	1943	1	1
	16W	16	301SSDRG16T	2141	1	1

<b>SPN DB with Double Door</b>	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	4	301SDDRG04T	1687	1	4
	6W	6	301SDDRG06T	1898	1	4
	8W	8	301SDDRG08T	2083	1	4
	10W	10	301SDDRG10T	2396	1	4
	12W	12	301SDDRG12T	2582	1	4
	14W	14	301SDDRG14T	2965	1	4
	16W	16	301SDDRG16T	3176	1	4

<b>SPN DB with Acrylic Door</b>	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	8W	8	301SADRG08T	2364	1	1
	10W	10	301SADRG10T	2620	1	1
	12W	12	301SADRG12T	2876	1	1
	14W	14	301SADRG14T	3131	1	1
	16W	16	301SADRG16T	3387	1	1

## n SERIES DISTRIBUTION BOARDS

<b>TPN DB with Single Door</b>	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	4+12	301TSDRG04T	3067	1	1
	6W	4+18	301TSDRG06T	3598	1	1
	8W	8+24	301TSDRG08T	4447	1	1
	10W	8+30	301TSDRG10T	5240	1	1
	12W	8+36	301TSDRG12T	5550	1	1
<b>TPN DB with Double Door</b>	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	4+12	301TDDRG04T	4179	1	4
	6W	4+18	301TDDRG06T	4984	1	4
	8W	8+24	301TDDRG08T	6390	1	4
	10W	8+30	301TDDRG10T	6997	1	4
	12W	8+36	301TDDRG12T	9489	1	4
<b>TPN DB with Acrylic Door</b>	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	4+12	301TADRG04T	5112	1	1
	6W	4+18	301TADRG06T	5623	1	1
	8W	8+24	301TADRG08T	7029	1	1
	10W	8+30	301TADRG10T	8690	1	1
	12W	8+36	301TADRG12T	9195	1	1
<b>Vertical TPN DB with Single Door</b>	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	4+12	302TSDRG04T	8786	1	1
	6W	8+18	302TSDRG06T	10224	1	1
	8W	8+24	302TSDRG08T	12780	1	1
	12W	8+36	302TSDRG12T	16486	1	1
<b>Vertical TPN DB with Double Door</b>	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	4+12	302TDDRG04T	12269	1	1
	6W	8+18	302TDDRG06T	15106	1	1
	8W	8+24	302TDDRG08T	15630	1	1
	12W	8+36	302TDDRG12T	21266	1	1

## n SERIES DISTRIBUTION BOARDS

<b>Vertical Phase Selector TPN DBs</b>	<b>No. of Ways</b>	<b>Total Module (Incomer + Outgoing)</b>	<b>Part No.</b>	<b>MRP (₹)</b>	<b>Ratings</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	4W	8+12	332TDDRG4004T	14314	40A	1	1
	6W	8+18	332TDDRG4006T	14940	40A	1	1
	8W	8+24	332TDDRG4008T	16665	40A	1	1
	4W	8+12	332TDDRG6304T	16742	63A	1	1
	6W	8+18	332TDDRG6306T	16927	63A	1	1
	8W	8+24	332TDDRG6308T	17777	63A	1	1

<b>Per Phase Isolation TPN DBs</b>	<b>No. of Ways</b>	<b>Total Module (Incomer + Outgoing)</b>	<b>Part No.</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	4W	8+6+12	351TDDRG04T	7591	1	1
	6W	8+6+18	351TDDRG06T	9266	1	1
	8W	8+6+24	351TDDRG08T	10448	1	1

<b>Per Phase Isolation TPN DBs 4 Tier</b>	<b>No. of Ways</b>	<b>Total Module (Incomer + Outgoing)</b>	<b>Part No.</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	8W	8+6+24	352TDDRG08T	12652	1	1
	12W	8+6+36	352TDDRG12T	14933	1	1

<b>7 Segment DBs</b>	<b>No. of Ways</b>	<b>Total Module (Incomer + Outgoing)</b>	<b>Part No.</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	4W	8+12	341TDDRG04T	10518	1	1
	6W	8+18	341TDDRG06T	13649	1	1
	8W	8+24	341TDDRG08T	17419	1	1
	12W	8+36	341TDDRG12T	18339	1	1

<b>Pre-wired SPN DBs (with Cable End Box)</b>	<b>No. of Ways</b>	<b>Total Module (Incomer + Outgoing)</b>	<b>Part No.</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	6W	2+6	311SDDRG06T	6825	1	1
	8W	2+8	311SDDRG08T	8039	1	1
	10W	2+10	311SDDRG10T	9266	1	1
	12W	2+12	311SDDRG12T	10799	1	1
	16W	2+16	311SDDRG16T	12435	1	1

## n SERIES DISTRIBUTION BOARDS

Pre-wired TPN DBs (with Cable End Box)	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	8+12	311TDDRG04T	14684	1	1
	6W	8+18	311TDDRG06T	17611	1	1
	8W	8+24	311TDDRG08T	19886	1	1
	12W	8+36	311TDDRG12T	22391	1	1

Metallic Consumer Unit	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	2+4	321SSWRG04T	1380	1	1
	8W	2+8	321SSWRG08T	1764	1	1
	12W	2+12	321SSWRG12T	2185	1	1

Consumer Unit SPN with Acrylic Window (Plastic Cover)	No. of Ways	Total Module (Incomer+Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	4	321SAWRG04T	1380	1	1
	6W	6	321SAWRG06T	1636	1	1
	8W	8	321SAWRG08T	1738	1	1
	12W	12	321SAWRG12T	2249	1	1
	16W	14	321SAWRG16T	3093	1	1

## OFFLOAD CHANGEOVER

Offload Changeover Switch	Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	401CSDP032	Offload Changeover Switch DP 32A	2096	1	1
	401CSFP032	Offload Changeover Switch FP 32A	3578	1	1
	401CSFP063	Offload Changeover Switch FP 63A	8026	1	1
	401CSFP100	Offload Changeover Switch FP 100A	12524	1	1
	401CSFP200	Offload Changeover Switch FP 200A	27541	1	1
	401CSFP400	Offload Changeover Switch FP 400A	52654	1	1

## STELLA DB

<b>SPN DB with Double Door</b>	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	4	303SDDRG04T	1449	1	4
	6W	6	303SDDRG06T	1699	1	4
	8W	8	303SDDRG08T	1749	1	4
	10W	10	303SDDRG10T	2249	1	4
	12W	12	303SDDRG12T	2249	1	4
	16W	16	303SDDRG16T	2649	1	4

## TPN DB

<b>TPN DB with Double Door</b>	No. of Ways	Total Module (Incomer + Outgoing)	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	4W	4+12	303TDDRG04T	3449	1	4
	6W	4+18	303TDDRG06T	4149	1	4
	8W	8+24	303TDDRG08T	6049	1	4
	12W	8+30	303TDDRG12T	7049	1	4

## n SERIES MCB ENCLOSURE

MCB Enclosure	No. of Ways	Total Module (Incomer+Outgoing)	Part No.	Type	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	2W	2	361DPSDPLRGT	Plastic	102	1	10
	4W	4	361FPSDPLRGT	Plastic	179	1	6
	2W	2	361DPSDSSRGRT	Metal	403	1	1
	4W	4	361FPSDSSRGRT	Metal	486	1	1

## ACCESSORIES DBs

Plug and Socket Board	Ratings	TYPE	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	20A	SP	371SPG20T	1035	1	25
	20A	SPN	371SRG20T	1035	1	25
	30A	TPN	371TRG30T	2377	1	1

Plug Assembly	Ratings	TYPE	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	20A	SPN	372SPARG20T	518	1	1
	30A	TPN	372TPARG30T	1150	1	1

Socket Assembly	Ratings	TYPE	Part No.	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	20A	SPN	372SSARG20T	518	1	1
	30A	TPN	372TSARG30T	1086	1	1

## MINI MCB WITH ENCLOSURE

### Smart Features & Benefits:

- Suitable for positive isolation
- Energy saving
- Long life due to copper-silver contact
- Enhanced safety using high quality fire-retardant material
- Heat-dissipating channel for superior cooling
- Trip-free mechanism
- Easy to operate & install
- Overload & short circuit protection
- LED indicator of supply
- IP 40 protection
- ISI marked MCB



Description	Part No.	MRP (₹)	STD Pkg.
Mini MCB with Enclosure DP16A	171DPC0160	452	10
Mini MCB with Enclosure DP32A	171DPC0320	452	10

## MCB PROTECTED POWER BOARD

### Smart Features & Benefits:

- Elegant white colour to suit all interiors
- MCB protection against overload & short circuit
- Suitable for protection of home appliances like ACs, LCDs, geyser, etc.
- Heavy-duty brass terminal for cooler running & longer life
- Well-designed plug top "hand gripping" for better fitment and removal
- Robust & strong - made up of corrosion/heat & impact resistant polycarbonate FR grade material
- UV stabilized for a longer life & protection against decolourisation



Description	Part No.	MRP (₹)	STD Pkg.
MCB Protected Power Board SP 16A	191SPC0160	814	20
MCB Protected Power Board SP 25A	191SPC0250	814	20
MCB Protected Power Board DP 16A	191DPC0160	949	20
MCB Protected Power Board DP 25A	191DPC0250	949	20

# EXPLORE OUR WIDE RANGE OF SWITCHES



**SALUS BLOOM**  
MODULAR SWITCHES

**SALUS**  
MODULAR  
SWITCHES

INTRODUCING ORIENT ELECTRIC SWITCHES WITH  
**3 LAYERS OF SAFETY**

# THE SUREST WAY TO BE SAFE



**A confluence of technology  
and trust**


Orient switches use 3AB technology that offer 3 layers of protection. It is technology that you can trust to keep your loved ones safe.



**Extra RIB**  
to contain  
the spark  
inside the  
switch cavity.



**Added lid cover**  
over the cavity to  
further shield the  
spark. Made of  
special material:  
fire-retardant and  
arc-quenching.




**Shock-resistant**  
switch cap  
to reinforce  
the safety.

# KEY FEATURES

## Sleek Plates

- Easy to Clean
- Minimizes Dust Accumulation



## Green and Eco-friendly

- Halogen-free
- UV Stabilized, Non-toxic fumes
- RoHS Compliant

## Superior Build Quality

- Robust and Strong.  
Made of Polycarbonate Material
- Special Lock Design For Firm Locking  
of Grid Plates and Cover Frame

## Ease of Installation

- Front Loading / Removal of Switch
- Wire Capacity of 6 Square mm

## Switch



- Copper Moving Contact
- Additional Silver Inlay for 16 Amp and Above
- Zero Contact Bouncing
- Anti-weld Contacts
- Brass Terminals and Brass Screws For Efficient Electrical Contacts

## Socket



- Phosphorous Bronze Contact Clips
- Brass Terminals and Brass Screws For Efficient Electrical Contacts
- Easy Insertion of 2-Pin Plug

# SALUS WIRING ACCESSORIES

<b>Switches</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
43MRWH1001 	43MRWH1001	10A 1 Way Switch	75	20	200
	43MRWH1004	10A 1 Way Switch with Indicator	151	20	120
	43MRWH1002	10A 2 Way Switch	151	20	200
	43MRWH1012	10A Mega 1 Way Switch (2M)	173	10	120
	43MRWH1013	10A Mega 1 Way Switch with Indicator (2M)	220	10	120
	43MRWH1016	10A Mega 2 Way Switch (2M)	209	10	120
	43MRWH1006	20A 1 Way Switch	183	20	200
	43MRWH1008	20A 1 Way Switch with Indicator	214	20	120
	43MRWH1007	20A 2 Way Switch	226	20	120
	43MRWH1009	20A Mega DP Switch with Indicator	353	10	120
43MRWH1012 	43MRWH1017	20A Mega 1 Way Switch (2M)	365	10	120
	43MRWH1018	20A Mega 1 Way Switch with Indicator (2M)	414	10	120
	43MRWH1019	20A Mega 2 Way Switch (2M)	438	10	120
	43MRWH1010	25A 1 Way Switch	284	20	120
	43MRWH1011	25A 1 Way Switch with Indicator	324	20	120
	43MRWH1020	32A Mega DP Switch with Indicator (2M)	590	10	120

<b>Bell Push</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
43MRWH1003 	43MRWH1003	10A Bell Push Switch	180	20	120
	43MRWH1005	10A Bell Push Switch with Indicator	231	20	120
	43MRWH1014	10A Mega Bell Push Switch (2M)	214	10	120
	43MRWH1015	10A Mega Bell Push Switch (2M) with Indicator	243	10	120


<b>Sockets</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
43MRWH2003 	43MRWH2001	6A 2-pin Shuttered Socket	139	20	120
	43MRWH2002	6A 3-pin Shuttered Socket	161	10	120
	43MRWH2003	6A 5-pin Shuttered Socket	183	10	120
	43MRWH2004	6A/16A 3-pin Comb Shutter Socket	273	10	120
	43MRWH2005	6A/13A Universal Shutter Socket	266	10	120
	43MRWH2006	10A/25A 3-pin Comb Shutter Socket	315	10	120
	43MRWH2007	6/16A 3 Pin Comb Protruded Socket White	284	10	120

# SALUS WIRING ACCESSORIES

Fan Regulator & Dimmer	Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
 43MRWH3013	43MRWH3013	Step Fan Regulator 1M	497	12	72
 43MRWH3014	43MRWH3014	High-speed Fan Regulator 2M	589	6	60
	43MRWH3006	Dimmer 400W	647	12	72
	43MRWH3015	Dimmer 1000W	1059	6	60

USB Charger & TV Socket	Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
 43MRWH3001	43MRWH3001	TV Socket	160	20	120
 43MRWH3011	43MRWH3011	USB Charger Socket 2A	1343	12	120

RJ Socket with Shutter	Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
 43MRWH3002	43MRWH3002	RJ 11 Telephone Socket 1 Gang with Shutter	160	20	120
 43MRWH3003	43MRWH3004	RJ45 Jack with Krone Cat 5	530	20	120
	43MRWH3003	RJ 45 Jack with Krone Cat 6	647	20	120

Accessories	Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
 43MRWH3005	43MRWH3005	Dummy Plate 1M	38	30	300
 43MRWH3007	43MRWH3007	Indicator Lamp	124	20	120
 43MRWH3012	43MRWH3012	LED Foot Light	519	6	60

43MRWH3005 43MRWH3007 43MRWH3012

Motor Starter	Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
 43MRWH3008	43MRWH3008	20A Motor Starter	530	10	60
	43MRWH3009	25A Motor Starter	566	10	60

43MRWH3008

# SALUS WIRING ACCESSORIES

<b>Mini MCB Single Pole</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	251SPC0060	Mini MCB Single Pole C6A	256	12	72
	251SPC0100	Mini MCB Single Pole C10A	256	12	72
	251SPC0160	Mini MCB Single Pole C16A	256	12	72
	251SPC0200	Mini MCB Single Pole C20A	256	12	72
	251SPC0250	Mini MCB Single Pole C25A	256	12	72
	251SPC0320	Mini MCB Single Pole C32A	256	12	72

<b>Mini MCB Double Pole</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	251DPC0060	Mini MCB Double Pole C6A	511	6	36
	251DPC0100	Mini MCB Double Pole C10A	511	6	36
	251DPC0160	Mini MCB Double Pole C16A	511	6	36
	251DPC0200	Mini MCB Double Pole C20A	511	6	36
	251DPC0250	Mini MCB Double Pole C25A	511	6	36
	251DPC0320	Mini MCB Double Pole C32A	511	6	36

<b>Mini MCB Single Pole</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	251SPCG0060	Mini MCB Single Pole C6A GR	323	12	72
	251SPCG0100	Mini MCB Single Pole C10A GR	323	12	72
	251SPCG0160	Mini MCB Single Pole C16A GR	323	12	72
	251SPCG0200	Mini MCB Single Pole C20A GR	323	12	72
	251SPCG0250	Mini MCB Single Pole C25A GR	323	12	72
	251SPCG0320	Mini MCB Single Pole C32A GR	323	12	72

<b>Mini MCB Double Pole</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	251DPCG0060	Mini MCB Double Pole C6A GR	633	6	36
	251DPCG0100	Mini MCB Double Pole C10A GR	633	6	36
	251DPCG0160	Mini MCB Double Pole C16A GR	633	6	36
	251DPCG0200	Mini MCB Double Pole C20A GR	633	6	36
	251DPCG0250	Mini MCB Double Pole C25A GR	633	6	36
	251DPCG0320	Mini MCB Double Pole C32A GR	633	6	36

# SALUS WIRING ACCESSORIES

<b>Switches</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
43MRGR1001      43MRGR1004	43MRGR1001	10A 1 Way Switch GR	97	20	200
	43MRGR1004	10A 1 Way Switch with Indicator GR	209	20	120
	43MRGR1002	10A 2 Way Switch GR	169	20	200
	43MRGR1012	10A Mega 1 Way Switch GR	220	10	120
	43MRGR1013	10A Mega 1 Way Switch with Indicator GR (2M)	262	10	120
	43MRGR1016	10A Mega 2 Way Switch GR	255	10	120
	43MRGR1006	20A 1 Way Switch GR	209	20	200
	43MRGR1008	20A 1 Way Switch with Indicator GR	301	20	120
	43MRGR1007	20A 2 Way Switch GR	231	20	120
	43MRGR1009	20A Mega DP Switch with Indicator GR	358	10	120
43MRGR1012      43MRGR1013	43MRGR1017	20A Mega 1 Way Switch GR	440	10	120
	43MRGR1018	20A Mega 1 Way Switch with Indicator GR (2M)	462	10	120
	43MRGR1019	20A Mega 2 Way Switch GR	502	10	120
	43MRGR1010	25A 1 Way Switch GR	289	20	120
	43MRGR1011	25A 1 Way Switch with Indicator GR	347	20	120
	43MRGR1020	32A Mega DP Switch with Indicator GR	601	10	120

<b>Bell Push</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
43MRGR1003      43MRGR1015	43MRGR1003	10A Bell Push Switch GR	209	20	120
	43MRGR1005	10A Bell Push Switch with Indicator GR	257	20	120
	43MRGR1014	10A Mega Bell Push Switch GR	255	10	120
	43MRGR1015	10A Mega Bell Push Switch with Indicator GR	266	10	120

<b>Sockets</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
43MRGR2003      43MRGR2005	43MRGR2001	6A 2-pin Shuttered Socket GR	163	20	120
	43MRGR2002	6A 3-pin Shuttered Socket GR	209	10	120
	43MRGR2003	6A 5-pin Shuttered Socket GR	209	10	120
	43MRGR2004	6A/16A 3-pin Comb Shutter Socket GR	312	10	120
	43MRGR2005	6A/13A Universal Shutter Socket GR	358	10	120
	43MRGR2006	10A/25A 3-pin Comb Shutter Socket GR	404	10	120

# SALUS WIRING ACCESSORIES

Fan Regulator & Dimmer	Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
 43MRGR3013	43MRGR3013	Step Fan Regulator GR 1M	589	12	72
 43MRGR3014	43MRGR3014	High-speed Fan Regulator GR 2M	683	6	60
	43MRGR3006	Dimmer 400W GR	742	12	72
	43MRGR3015	Dimmer 1000W GR	1201	6	60

USB Charger & TV Socket	Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
 43MRGR3001	43MRGR3001	TV Socket GR	177	20	120
 43MRGR3011	43MRGR3011	USB Charger Socket 2A GR	1413	12	120

RJ Socket with Shutter	Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
 43MRGR3002	43MRGR3002	RJ 11 Telephone Socket 1 Gang with Shutter GR	208	20	120
 43MRGR3004	43MRGR3004	RJ45 Jack with Krone Cat 5 GR	566	20	120
	43MRGR3003	RJ 45 Jack with Krone Cat 6 GR	765	20	120

Accessories	Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
 43MRGR3005	43MRGR3005	Dummy Plate GR 1M	43	30	300
 43MRGR3012	43MRGR3012	LED Foot Light GR	706	6	60



Motor Starter	Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
 43MRGR3008	43MRGR3008	20A Motor Starter GR	637	10	60
	43MRGR3009	25A Motor Starter GR	647	10	60
	43MRGR3008				


# HOSPITALITY RANGE

Hospitality Range	Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	43MRWH1021	43MRWH1021 DND/MMR Internal Unit 2M	491	6	60
	43MRWH1022	43MRWH1022 DND/MMR External Unit 3M	530	4	40
	43MRWH3023	43MRWH3023 Key Card Switch 20A 2M	2237	5	50
	43MRWH3024	43MRWH3024 Buzzer 2M	742	5	50
	43MRWH3023	43MRGR1021 DND/MMR Internal Unit 2M GR	608	6	60
	43MRWH3024	43MRGR1022 DND/MMR External Unit 3M GR	647	4	40
	43MRGR3023	43MRGR3023 Key Card Switch 2M GR	2682	5	50
	43MRGR3024	43MRGR3024 Buzzer 2M GR	816	5	50



# SALUS PLATES RANGE

<b>Salus Angel White Plates</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	43MRWH4001	43MRWH4001 1M Combined Cover Plate White	108	15	150
	43MRWH4002	43MRWH4002 2M Combined Cover Plate White	108	15	150
	43MRWH4003	43MRWH4003 3M Combined Cover Plate White	129	10	100
	43MRWH4004	43MRWH4004 4M Combined Cover Plate White	152	8	80
	43MRWH4005	43MRWH4005 6M Combined Cover Plate White	197	5	50
	43MRWH4006	43MRWH4006 8M Horizontal Combined Cover Plate White	269	5	50
	43MRWH4007	43MRWH4007 8M Square Combined Cover Plate White	295	5	50
	43MRWH4008	43MRWH4008 12M Combined Cover Plate White	345	5	50
	43MRWH4010	43MRWH4010 16M Combined Cover Plate White	397	5	50
	43MRWH4009	43MRWH4009 18M Combined Cover Plate White	444	5	50
	43MRWH4009				



<b>Salus Smoke Grey Plates</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	43MRGR4001	43MRGR4001 1M Combined Cover Plate Grey	164	15	150
	43MRGR4002	43MRGR4002 2M Combined Cover Plate Grey	171	15	150
	43MRGR4003	43MRGR4003 3M Combined Cover Plate Grey	211	10	100
	43MRGR4004	43MRGR4004 4M Combined Cover Plate Grey	233	8	80
	43MRGR4005	43MRGR4005 6M Combined Cover Plate Grey	292	5	50
	43MRGR4006	43MRGR4006 8M Horizontal Combined Cover Plate Grey	420	5	50
	43MRGR4007	43MRGR4007 8M Square Combined Cover Plate Grey	420	5	50
	43MRGR4008	43MRGR4008 12M Combined Cover Plate Grey	525	5	50
	43MRGR4010	43MRGR4010 16M Combined Cover Plate Grey	583	5	50
	43MRGR4009	43MRGR4009 18M Combined Cover Plate Grey	653	5	50
	43MRGR4009				

## SALUS PLATES RANGE

<b>Salus Sun Gold Plates</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	43MRGD4001	1M Combined Cover Plate Gold	164	15	150
	43MRGD4002	2M Combined Cover Plate Gold	171	15	150
	43MRGD4003	3M Combined Cover Plate Gold	211	10	100
	43MRGD4004	4M Combined Cover Plate Gold	233	8	80
	43MRGD4005	6M Combined Cover Plate Gold	292	5	50
	43MRGD4006	8M Horizontal Combined Cover Plate Gold	420	5	50
	43MRGD4007	8M Square Combined Cover Plate Gold	420	5	50
	43MRGD4008	12M Combined Cover Plate Gold	525	5	50
	43MRGD4010	16M Combined Cover Plate Gold	583	5	50
	43MRGD4009	18M Combined Cover Plate Gold	653	5	50

<b>Salus Electric Blue Plates</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	43MRBL4001	1M Combined Cover Plate Blue	164	15	150
	43MRBL4002	2M Combined Cover Plate Blue	171	15	150
	43MRBL4003	3M Combined Cover Plate Blue	211	10	100
	43MRBL4004	4M Combined Cover Plate Blue	233	8	80
	43MRBL4005	6M Combined Cover Plate Blue	292	5	50
	43MRBL4006	8M Horizontal Combined Cover Plate Blue	420	5	50
	43MRBL4007	8M Square Combined Cover Plate Blue	420	5	50
	43MRBL4008	12M Combined Cover Plate Blue	525	5	50
	43MRBL4010	16M Combined Cover Plate Blue	583	5	50
	43MRBL4009	18M Combined Cover Plate Blue	653	5	50

# SALUS PLATES RANGE


<b>Salus Shiny Silver Plates</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	43MRSI4002	1M Combined Cover Plate Silver	164	15	150
	43MRSI4004	2M Combined Cover Plate Silver	171	15	150
	48MRSI4005	3M Combined Cover Plate Silver	211	10	100
	43MRSI4004	4M Combined Cover Plate Silver	233	8	80
	43MRSI4005	6M Combined Cover Plate Silver	292	5	50
	43MRSI4006	8M Horizontal Combined Cover Plate Silver	420	5	50
	43MRSI4007	8M Square Combined Cover Plate Silver	420	5	50
	43MRGSI4008	12M Combined Cover Plate Silver	525	5	50
	43MRGSI4010	16M Combined Cover Plate Silver	583	5	50
	43MRSI4009	18M Combined Cover Plate Silver	653	5	50

<b>Salus Z Black Plates Range</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	43MRSI4002	1M Combined Cover Plate Black	164	15	150
	43MRSI4004	2M Combined Cover Plate Black	171	15	150
	48MRZB4005	3M Combined Cover Plate Black	211	10	100
	43MRSI4004	4M Combined Cover Plate Black	233	8	80
	43MRZB4005	6M Combined Cover Plate Black	292	5	50
	43MRZB4006	8M Horizontal Combined Cover Plate Black	420	5	50
	43MRZB4007	8M Square Combined Cover Plate Black	420	5	50
	43MRZB4008	12M Combined Cover Plate Black	525	5	50
	43MRZB4010	16M Combined Cover Plate Black	583	5	50
	43MRZB4009	18M Combined Cover Plate Black	653	5	50

## SALUS PLATES RANGE

<b>Salus Classic Wood Plates</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	43MR1W4001	1M Combined Cover Plate Wood 1	233	15	150
	43MR1W4002	2M Combined Cover Plate Wood 1	233	15	150
	43MR1W4003	3M Combined Cover Plate Wood 1	292	10	100
	43MR1W4004	4M Combined Cover Plate Wood 1	374	8	80
	43MR1W4005	6M Combined Cover Plate Wood 1	481	5	50
	43MR1W4006	8M Horizontal Combined Cover Plate Wood 1	665	5	50
	43MR1W4007	8M Square Combined Cover Plate Wood 1	665	5	50
	43MR1W4008	12M Combined Cover Plate Wood 1	700	5	50
	43MR1W4010	16M Combined Cover Plate Wood 1	770	5	50
	43MR1W4009	18M Combined Cover Plate Wood 1	852	5	50





**SALUS BLOOM**  
MODULAR SWITCH

Superior build quality | Elegant design | Anti-weld Contacts



# SALUS BLOOM PLATES RANGE

<b>Salus Bloom Angle White Plates</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	48MRWH4001	1M Comb Cover Plate White Salus Bloom	116	15	150
	48MRWH4002	2M Comb Cover Plate White Salus Bloom	116	15	150
	48MRWH4003	3M Comb Cover Plate White Salus Bloom	140	10	100
	48MRWH4004	4M Comb Cover Plate White Salus Bloom	166	8	80
	48MRWH4005	6M Comb Cover Plate White Salus Bloom	213	5	50
	48MRWH4006	8M Horizontal Comb Cover Plate White Salus Bloom	292	5	50
	48MRWH4007	8M Square Comb Cover Plate White Salus Bloom	318	5	50
	48MRWH4008	12M Comb Cover Plate White Salus Bloom	374	5	50
	48MRWH4009	16M Comb Cover Plate White Salus Bloom	432	5	50
	48MRWH4010	18M Comb Cover Plate White Salus Bloom	486	5	50

<b>Salus Bloom Smoke Grey Plates</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	48MRGR4001	1M Comb Cover Plate Grey Salus Bloom	180	15	150
	48MRGR4002	2M Comb Cover Plate Grey Salus Bloom	187	15	150
	48MRGR4003	3M Comb Cover Plate Grey Salus Bloom	233	10	100
	48MRGR4004	4M Comb Cover Plate Grey Salus Bloom	259	8	80
	48MRGR4005	6M Comb Cover Plate Grey Salus Bloom	320	5	50
	48MRGR4006	8M-H Comb Cover Plate Grey Salus Bloom	462	5	50
	48MRGR4007	8M-V Comb Cover Plate Grey Salus Bloom	462	5	50
	48MRGR4008	12M Comb Cover Plate Grey Salus Bloom	563	5	50
	48MRGR4009	16M Comb Cover Plate Grey Salus Bloom	642	5	50
	48MRGR4010	18M Comb Cover Plate Grey Salus Bloom	707	5	50

# SALUS BLOOM PLATES RANGE

<b>Salus Bloom Sun Gold Plates</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	48MRGD4001	1M Comb Cover Plate Gold Salus Bloom	180	15	150
	48MRGD4002	2M Comb Cover Plate Gold Salus Bloom	187	15	150
	48MRGD4003	3M Comb Cover Plate Gold Salus Bloom	233	10	100
	48MRGD4004	4M Comb Cover Plate Gold Salus Bloom	259	8	80
	48MRGD4005	6M Comb Cover Plate Gold Salus Bloom	320	5	50
	48MRGD4006	8M-H Comb Cover Plate Gold Salus Bloom	462	5	50
	48MRGD4007	8M-V Comb Cover Plate Gold Salus Bloom	462	5	50
	48MRGD4008	12M Comb Cover Plate Gold Salus Bloom	563	5	50
	48MRGD4009	16M Comb Cover Plate Gold Salus Bloom	642	5	50
	48MRGD4010	18M Comb Cover Plate Gold Salus Bloom	707	5	50

<b>Salus Bloom Electric Blue Plates</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	48MRBL4001	1M Comb Cover Plate Blue Salus Bloom	180	15	150
	48MRBL4002	2M Comb Cover Plate Blue Salus Bloom	187	15	150
	48MRBL4003	3M Comb Cover Plate Blue Salus Bloom	233	10	100
	48MRBL4004	4M Comb Cover Plate Blue Salus Bloom	259	8	80
	48MRBL4005	6M Comb Cover Plate Blue Salus Bloom	320	5	50
	48MRBL4006	8M-H Comb Cover Plate Blue Salus Bloom	462	5	50
	48MRBL4007	8M-V Comb Cover Plate Blue Salus Bloom	462	5	50
	48MRBL4008	12M Comb Cover Plate Blue Salus Bloom	563	5	50
	48MRBL4009	16M Comb Cover Plate Blue Salus Bloom	642	5	50
	48MRBL4010	18M Comb Cover Plate Blue Salus Bloom	707	5	50


# SALUS BLOOM PLATES RANGE

<b>Salus Bloom Shiny Silver Plates</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	48MRSI4001	1M Comb Cover Plate Silver Salus Bloom	180	15	150
	48MRSI4002	2M Comb Cover Plate Silver Salus Bloom	187	15	150
	48MRSI4003	3M Comb Cover Plate Silver Salus Bloom	233	10	100
	48MRSI4004	4M Comb Cover Plate Silver Salus Bloom	259	8	80
	48MRSI4005	6M Comb Cover Plate Silver Salus Bloom	320	5	50
	48MRSI4006	8M-H Comb Cover Plate Silver Salus Bloom	462	5	50
	48MRSI4007	8M-V Comb Cover Plate Silver Salus Bloom	462	5	50
	48MRSI4008	12M Comb Cover Plate Silver Salus Bloom	563	5	50
	48MRSI4009	16M Comb Cover Plate Silver Salus Bloom	642	5	50
	48MRSI4010	18M Comb Cover Plate Silver Salus Bloom	707	5	50

<b>Salus Bloom Z Black Plates</b>	<b>Part No.</b>	<b>Description</b>	<b>MRP ₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	48MRZB4001	1M Comb Cover Plate Black Salus Bloom	180	15	150
	48MRZB4002	2M Comb Cover Plate Black Salus Bloom	187	15	150
	48MRZB4003	3M Comb Cover Plate Black Salus Bloom	233	10	100
	48MRZB4004	4M Comb Cover Plate Black Salus Bloom	259	8	80
	48MRZB4005	6M Comb Cover Plate Black Salus Bloom	320	5	50
	48MRZB4006	8M-H Comb Cover Plate Black Salus Bloom	462	5	50
	48MRZB4007	8M-V Comb Cover Plate Black Salus Bloom	462	5	50
	48MRZB4008	12M Comb Cover Plate Black Salus Bloom	563	5	50
	48MRZB4009	16M Comb Cover Plate Black Salus Bloom	642	5	50
	48MRZB4010	18M Comb Cover Plate Black Salus Bloom	707	5	50

# EXPERIENCE THE LUXURY OF BLISS

BLESS YOUR HOME WITH BLISS RANGE OF MODULAR PLATES



Shock  
Resistant



Sparkling  
White Finish



Ultra Flat  
Smooth Surface



Dust Free  
Glossy Finish



UV  
Stabilized  
Material

**BLISS**  
MODULAR  
PLATES

**BLISS+**  
MODULAR  
PLATES

## BLISS PLATES SET

Part No (White Color)	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
49MRWH4001	1M combined cover plate bliss white	110	10	40
49MRWH4002	2M combined cover plate bliss white	110	10	40
49MRWH4003	3M combined cover plate bliss white	135	10	40
49MRWH4004	4M combined cover plate bliss white	157	10	40
49MRWH4005	6M combined cover plate bliss white	205	5	20
49MRWH4006	8M Hor. combined cover plate bliss white	286	5	20
49MRWH4007	8M Sqr. combined cover plate bliss white	286	5	20
49MRWH4008	12M combined cover plate bliss white	356	5	20
49MRWH4009	16M combined cover plate bliss white	410	5	20
49MRWH4010	18M combined cover plate bliss white	464	5	20




1M




2M



3M



4M




6M



8M




8M - Sqr



12M



16M



18M

## BLISS + PLATES SET

Bliss Plus Glass White Plate	Part No (White Color)	Description	MRP (₹)	Sec. Pkg. (Qty)
	50MRWH4001	Bliss+ Modular Glass Plate White 1M	495	5
	50MRWH4002	Bliss+ Modular Glass Plate White 2M	495	5
	50MRWH4003	Bliss+ Modular Glass Plate White 3M	690	5
	50MRWH4004	Bliss+ Modular Glass Plate White 4M	900	5
	50MRWH4005	Bliss+ Modular Glass Plate White 6M	1190	5
	50MRWH4006	Bliss+ Modular Glass Plate White Hor. 8M	1500	5
	50MRWH4007	Bliss+ Modular Glass Plate White 8M Sqr.	1500	5
	50MRWH4008	Bliss+ Modular Glass Plate White 12M	1800	5
	50MRWH4009	Bliss+ Modular Glass Plate White 16M	1960	5
	50MRWH4010	Bliss+ Modular Glass Plate White 18M	2220	5



Bliss Plus Glass Black Plate	Part No (White Color)	Description	MRP (₹)	Sec. Pkg. (Qty)
	50MRBL4001	Bliss+ Modular Glass Plate Black 1M	495	5
	50MRBL4002	Bliss+ Modular Glass Plate Black 2M	495	5
	50MRBL4003	Bliss+ Modular Glass Plate Black 3M	690	5
	50MRBL4004	Bliss+ Modular Glass Plate Black 4M	900	5
	50MRBL4005	Bliss+ Modular Glass Plate Black 6M	1190	5
	50MRBL4006	Bliss+ Modular Glass Plate Black Hor. 8M	1500	5
	50MRBL4007	Bliss+ Modular Glass Plate Black 8M Sqr.	1500	5
	50MRBL4008	Bliss+ Modular Glass Plate Black 12M	1800	5
	50MRBL4009	Bliss+ Modular Glass Plate Black 16M	1960	5
	50MRBL4010	Bliss+ Modular Glass Plate Black 18M	2220	5



# A Stellar Combination

Beauty | Durability | Safety | Performance



**STELLA**  
MODULAR SWITCHES

## STELLA MODULAR SWITCHES

	<b>Part No (White Color)</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
58MRWH1021	58MRWH1021	6A 1W Switch S	41	20	200
	58MRWH1022	6A 1W Switch with Indicator Lamp S	107	20	200
	58MRWH1023	6A 2W Switch S	107	20	200
	58MRWH1024	6A Momentary Contact Switch S	117	20	200
	58MRWH1025	6A Momentary Contact Switch with Ind S	128	20	200
58MRWH1023	58MRWH1001	10A 1W Switch S	58	20	200
	58MRWH1004	10A 1W Switch with Indicator Lamp S	116	20	200
	58MRWH1003	10A Momentary Contact Switch S	116	20	200
	58MRWH1005	10A Momentary Contact Switch with Ind S	132	20	200
	58MRWH1002	10A 2W Switch S	111	20	200
58MRWH1012	58MRWH1006	20A 1W Switch S	117	20	200
	58MRWH1008	20A 1W Switch with Indicator Lamp S	158	20	200
	58MRWH1012	10A 1W Switch 2M S	126	10	100
	58MRWH1013	10A 1W Switch Indicator Lamp 2M S	160	10	100
	58MRWH1014	10A Momentary Contact Switch 2M S	160	10	100
58MRWH1015	58MRWH1015	10A Momentary Contact Switch with Ind 2M S	170	10	100
	58MRWH1018	20A DP switch with Indicator Lamp S	213	10	100
	58MRWH1020	32A DP switch with Indicator Lamp S	298	10	100

## STELLA SOCKET

	<b>Part No (White Color)</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
58MRWH2002	58MRWH2001	6A 2 Pin Shuttered Socket Stella	93	20	200
	58MRWH2002	6A 3 Pin Shuttered Socket	109	10	100
	58MRWH2003	6A 5 Pin Shuttered Socket Stella	118	10	100
	58MRWH2004	6A/16A 3Pin Combined Shutter Socket 2MFI	185	10	100
	58MRWH2005	6/13A Universal Shuttered Socket Stella	188	10	100

## STELLA FAN REGULATOR AND DIMMER

		Part No (White Color)	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	58MRWH3006	58MRWH3013	4 Step Fan Regulator S	362	10	100
	58MRWH3015	58MRWH3014	5 Step Fan Regulator S	469	6	60
		58MRWH3006	Dimmer 400W S	405	10	100
		58MRWH3015	Dimmer 1000W S	905	6	60






## STELLA COMMUNICATION SOCKET

		Part No (White Color)	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	58MRWH3002	58MRWH3002	RJ 11 with Shuttered S	117	10	100
	58MRWH3001	58MRWH3004	RJ 45 Cat 5e with Shuttered S	424	10	100
		58MRWH3003	RJ 45 Cat 6 with Shuttered S	607	10	100
	58MRWH1026	58MRWH3001	TV Socket S	128	10	100
	58MRWH1027	58MRWH1026	DND & MMR Indoor S	458	6	24
	58MRWH1028	58MRWH1027	MMR & MMR Outdoor S	479	6	24
		58MRWH1028	HDMI Port Connector S	820	10	100

## STELLA ELECTRONICS DEVICES



		Part No (White Color)	Description	MRP (₹)	Sec. Pkg. (Qty)	Master Pkg. (Qty)
	58MRWH3012	58MRWH3012	Foot Light S	612	5	20
	58MRWH3011	58MRWH3011	USB Charger Fast Charger S	1305	10	100
		58MRWH3008	Motor Starter 20A S	490	6	60
		58MRWH3009	Motor Starter 25A S	548	6	60
		58MRWH3007	Indicator Lamp S	117	10	100




## STELLA PLATES SET

	<b>Part No (White Color)</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	58MRWH4001	1 Module Combined Plate S	85	15	60
	58MRWH4002	2 Module Combined Plate S	85	15	60
	58MRWH4003	3 Module Combined Plate S	121	10	40
	58MRWH4011	3M Bridgeless Comb Plate for Foot Light S	121	10	40
	58MRWH4004	4 Module Combined Plate S	134	10	50
	58MRWH4005	6 Module Combined Plate S	192	10	50
	58MRWH4006	8 Module Combined Plate - Hor S	245	10	50
	58MRWH4007	8 Module Combined Plate - Sq S	245	5	50
	58MRWH4008	12 Module Combined Plate S	309	5	50
	58MRWH4009	16 Module Combined Plate S	341	5	50
	58MRWH4010	18 Module Combined Plate S	351	5	50
	58MRWH3005	Dummy Plate 1 M	27	30	300

58MRWH3005

## STELLA WIRING ACCESSORIES

<b>Mini MCB Single Pole</b>	<b>Part No (White Color)</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	253SPC0060	Mini MCB Single Pole C6A Stella	234	12	72
	253SPC0100	Mini MCB Single Pole C10A Stella	234	12	72
	253SPC0160 / 253SPC0200	Mini MCB Single Pole C16A/ C20A Stella	234	12	72
	253SPC0250 / 253SPC0320	Mini MCB Single Pole C25A/ C32A Stella	234	12	72

<b>Mini MCB Double Pole</b>	<b>Part No (White Color)</b>	<b>Description</b>	<b>MRP (₹)</b>	<b>Sec. Pkg. (Qty)</b>	<b>Master Pkg. (Qty)</b>
	253DPC0060	Mini MCB Double Pole C6A Stella	485	6	36
	253DPC0100	Mini MCB Double Pole C10A Stella	485	6	36
	253DPC0160 / 253DPC0200	Mini MCB Double Pole C16A/ C20A Stella	485	6	36
	253DPC0250 / 253DPC0320	Mini MCB Double Pole C25A/ C32A Stella	485	6	36

# Experience one - touch with the Orient Smart Plug

The IoT-enabled plug lets you operate all your appliances from anywhere.



16 Amp moulded  
3-pin plug.

Auto-shutter for the  
protection of plug  
from insects and dust.

Also works on low  
voltage (100-250 V).

Its high-grade  
plastic body makes  
it shock-proof.

Supports up to  
2500 W appliance.

LED light indicator  
to indicate the  
WiFi status.



IoT-Enabled\*



Energy  
Management



Smart  
Timer



Share  
Control



WiFi  
Control



Voice  
Control

# FEATURES THAT MAKE IT A **SMART PLUG**

Model Name	Smart Plug 16A
Suitable Pin Type	10A / 16 Amp Switch
Voltage Frequency for WiFi	100-250 V
Maximum Wattage	2500 W (Resistive only)
Input / Output Current	10A / 16 Amp
WiFi Standard	2.4 Ghz
Antenna	Built-in on-board
Standard	Complied with IEC, IS and EN Standards
Dimensions (LxWxH) in mm	For 10A - 55X55X49.9 For 16A - 64.5X64.5X64.9
Supported os	Android / ios
Warranty	1 Year



Part No.	Description	MRP (₹)	Sec.Pkg (Qty)	Master Pkg. (Qty)
45WA000603	I-Nex Wifi Smart Plug Socket 10A	3661	10	60
45WA000602	I-Nex Wifi Smart Plug Socket 16A	3890	10	60

# BUILDING ACCESSORIES FOR SAFER LIVING



## METAL GI BOXES

### Smart Features & Benefits:

- Made of pre-galvanized virgin sheets
- Fabrication folded design, no welding
- Metal sheet thickness - 0.9 mm
- Galvanization thickness of 120 GSM, 60 GSM on each side of metal sheet for a longer life
- Dedicated earthing terminals to avoid shock
- Screw mounting hole comes with protection tape for cement / dust protection

Metal GI Boxes	Part No.	Description	Size Inch	MRP (₹)	Master Pkg. (Qty)
	44MS000101G	Metal Box 1 & 2 Module	3X3	66	60
	44MS000102G	Metal Box 3 Module	4X3	91	45
	44MS000103G	Metal Box 4 Module	5X3	108	30
	44MS000104G	Metal Box 6 Module	8X3	146	20
	44MS000105G	Metal Box 8 Module - Horizontal	9X3	194	15
	44MS000106G	Metal Box 8 Module - Square	5X5	194	24
	44MS000107G	Metal Box 12 Module	8X6	236	16
	44MS000109G	Metal Box 16 Module	9x6	306	14
	44MS000108G	Metal Box 18 Module	9x9	358	10

## PLASTIC SURFACE MOUNTING BOX

### Smart Features & Benefits:

- Plastic boxes available in 1, 2, 3, 4, 6, 8(H), 8(Sq), 12, 16, 18 modules
- Made of high quality ABS plastic with high impact resistance
- Brass metal thread inserts

Plastic Surface Mounting Box	Part No.	Description	Size Inch	MRP (₹)	Master Pkg. (Qty)
	54PB000101	Plastic Box 1 & 2 Module	3x3	61	60
	54PB000102	Plastic Box 3 Module	4x3	73	45
	54PB000103	Plastic Box 4 Module	5x3	81	30
	54PB000104	Plastic Box 6 Module	8x3	108	20
	54PB000105	Plastic Box 8 Module - Horizontal	9x3	144	15
	54PB000106	Plastic Box 8 Module - Square	5x5	144	24
	54PB000107	Plastic Box 12 Module	8x6	185	16
	54PB000108	Plastic Box 16 Module	9x6	201	14
	54PB000109	Plastic Box 18 Module	9x9	294	10

# SMART ACCESSORIES FOR SAFER LIVING



Compatible with  
Multi-country Plug



Shock Proof  
Body



Takes Heavy Load  
up to 1.5 kW



Overload & Short  
Circuit Protection

# 4 WAY EXTENSION BOARD WITH SPIKE & SURGE PROTECTION

## Smart Features & Benefits:

- 4-universal socket specially designed to accommodate plugs of different design & types
- Heavy-duty brass contact with hard spring for a long life
- Heavy-duty cable for high current-carrying capacity & enhanced safety
- Energy saving due to special contact design & low contact resistance
- Overload & short circuit protection with replaceable fuse
- Equipped with surge & spike protection
- Cable length suitable for convenience of connection
- Firm grip sockets for enhanced safety
- On/OFF switch
- Ergonomic design with appealing aesthetics

Part No.	Description	MRP (₹)	Qty	Master
45WA000101	4 Way Extension Board HT 2 Mtr.	598	10	10
45WA000102	4 Way Extension Board Black NP 2 Mtr.	786	10	10
45WA000104	4 Way Extension Board HT 5 Mtr.	827	10	10
45WA000105	4x4 Way Extension Board 2 Mtr.	744	10	10



Code: 45WA000101

Code: 45WA000102

Code: 45WA000105

## Smart Features & Benefits:

- Universal socket specially designed to accommodate plugs of different design and type
- LED for On/Off Indication
- Heavy duty brass contact with hard spring action for a long life
- Ultra smooth rotation
- ON/OFF switch
- High-grade innovative plastic
- Ergonomic design with appealing aesthetics

Part No.	Description	MRP (₹)	Qty	Master
45WA000503	Reel - Rectangle 2-Pin 4 Meter	473	10	10
45WA000504	Reel - Rectangle 2-Pin 8 Meter	556	10	10



Compatible with  
Multi-country Plug



Shock Proof  
Body



Takes Heavy Load  
up to 1.5 kW



Overload & Short  
Circuit Protection

## PLUG TOP

### Smart Features & Benefits:

- Rating: 6A, 16A & 25A
- Long life due to heavy-duty solid brass contact
- Fire-retardant polycarbonate body for enhanced safety
- Well-designed "hand gripping" for better fitment & removal
- Superior contact gripping for low watt loss & cool running
- Elegant full white colour/white with orange base to suit all types of interiors

Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master
45WA000201	Plug Top 6A	72	20	120
45WA000203	Plug Top 16A	101	20	120
45WA000208	6A 2 Pin Plug White T	28	30	240
45WA000209	6A 2 Pin Plug & Socket White T	49	30	240



Code: 45WA000201



Code: 45WA000203



Code: 45WA000208



Code: 45WA000209

## MULTI-PLUG ADAPTOR

### Smart Features & Benefits:

- Rating: 10A
- Long-life due to heavy duty solid brass contact
- Fire-retardant polycarbonate body for enhanced safety
- Well-designed "hand gripping" for better fitment & removal
- Superior contact gripping for low watt loss & cool running
- Elegant white with orange base to suit all types of interiors

Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master
45WA000207	Multi-plug Adaptor	166	20	120



Code: 45WA000207

## LAMP HOLDER

### Smart Features & Benefits:

- Low contact point resistance
- Brass contacts for high current capacity
- Unbreakable polycarbonate housing with fire retardant material for safety & durability
- Metal ring for holding of bulb to avoid breakage/damage of bulb locking
- Long-life due to heavy-duty brass contact
- Elegant design to suit every interior

Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master
45WA000301	Lamp Holder Fancy Straight Metal Ring	60	20	120
45WA000302	Lamp Holder Fancy Angular Metal Ring	60	20	120
45WA000303	Lamp Holder Jumbo Metal Ring	74	20	80
45WA000308	Lamp Holder WA Metal Ring	46	20	20
45WA000309	Lamp Holder WA Angular Metal Ring	46	20	20
45WA000317	Pendant Holder	46	20	120



Code: 45WA000301



Code: 45WA000302



Code: 45WA000303



Code: 45WA000308



Code: 45WA000309



Code: 45WA000317

## LAMP HOLDER

### Smart Features & Benefits:

- Low contact point resistance
- Brass contacts for high current capacity
- Unbreakable polycarbonate housing with fire-retardant material for safety & durability
- Metal ring for holding of bulb to avoid breakage/damage of bulb locking
- Long-life due to heavy-duty brass contact
- Elegant design to suit every interior

Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master
45WA000304	Lamp Holder Plano Metal Ring	89	10	40



Code: 45WA000304

### Smart Features & Benefits:

- Brass terminal for high current capacity
- Unbreakable polycarbonate housing with fire-retardant material for safety & durability
- Elegant design to suit every interior

Part No.	Description	MRP (₹)	Qty	Master
45WA000307	Ceiling Rose	39	20	20




Code: 45WA000307

# DOOR BELLS

## Smart Features & Benefits:

- Soothing Sound
- Loud Sound
- Works on battery
- Power operation
- Musical



Part No.	Description	MRP (₹)	Sec. Pkg. (Qty)	Master
45WR000401	Doorbell: Musical Ding-dong	345	10	40
45WR000402	Doorbell - Gayatri Mantra	390	10	40
45WR000403	Doorbell - Gurbani	390	10	40
45WR000404	Doorbell - Choirs	390	10	40
45WR000405	Doorbell - Azan Green	390	10	40
45WR000406	Doorbell - Ding-dong BS	535	10	40
45WR000407	Doorbell - Church BS	535	10	40
45WR000412	Doorbell - Piano	390	10	40
45WR000413	Doorbell - Bulbul	390	10	40




## Smart Features & Benefits:

- 32 ringtone options
- Operating range up to 150 metres
- IP44 waterproof design for the kinetic bell push. Battery not required
- Volume adjustable (up to 85DB)
- Resistance to interference
- Multiple alerting modes: Sound, Flash, Sound or Flash

Part No.	Description	MRP (₹)	Qty	Master
45WR000409	Wireless - Mobile Bell	1223	10	10



# ORIENT ELECTRIC WIRES & CABLES



High Current Carrying Capacity



Higher Flexibility



Anti-Rodent



Anti-Termite



Copper Purity 99.97%  
Conductivity 102%  
Lead-free Copper  
Energy Saving



High Insulation Resistance  
Enhanced Lubrication  
PVC Properties  
PVC Wire (Multi Strand)  
1100 Volts



Low Emission of  
Toxic Gases  
RoHS Compliant



High Fire Retardant



## PLATINUM SERIES

**FR-LSH (Flame Retardant Low Smoke Halogen) Cables**



### Single Core FR-LSH PVC Insulated Copper Conductor (Unsheathed) Cables Voltage Grade 1100V

Nominal area of conductor sq. mm	Item code	List Price in ₹ per 90 m	No. of Standard packing in master carton
0.75	711FRC2...0075P	1309	20
1*	711FRC2...0100P	1855	20
1.5*	711FRC2...0150P	2586	16
2.5*	711FRC2...0250P	4140	12
4	711FRC2...0400P	6052	4
6	711FRC2...0600P	8865	4

Platinum Series: \*As per Conductor Class-2 of IS: 8130/1984

## DIAMOND SERIES

**FR Flame Retardant**



### Single Core FR-PVC Insulated Copper Conductor (Unsheathed) Cables Voltage Grade 1100V

Nominal area of conductor sq. mm	Item code	List Price in ₹ per 90 m	No. of Standard packing in master carton
0.75	711FRC5...0075D	1230	20
1.0	711FRC5...0100D	1660	20
1.5	711FRC5...0150D	2395	16
2.5	711FRC5...0250D	3850	12
4.0	711FRC5...0400D	5678	4
6.0	711FRC5...0600D	8600	4

Diamond Series: As per Conductor Class-5 of IS: 8130/1984

...Fill the colour code i.g. B = Blue ...BL

# Colours available: Red - RE, Yellow -YE, Blue - BL, Black-ZB, Green - GR & White - WH

List Price w.e.f 15th Sept 2022

**FANS • HOME APPLIANCES • LIGHTING • SWITCHGEAR**

Product also available at:



Follow us on:



For trade enquiries e-mail at [business.enquiry@orientelectric.com](mailto:business.enquiry@orientelectric.com) | To own an Orient Smart Shop Franchise, call at 9999386966 | Orient Helpline No.: 1800 103 7574

# **Warranty Policy**

## **Switchgear & Wiring Accessories Business**

### **w.e.f. 1st December 2020**

#### **Eligible Product Groups**

- MCBs, RCCBs & Isolators
- Modular Switches (Switches, Sockets & Electronic Products, Other Switch Group Products)
- Change over, Mini MCB/ with Enclosure, Offload Changeover, Distribution Boards (DB), Wiring Accessories & Building Accessories

#### **Standard Warranty**

Orient Electric Limited warrants its above mentioned products against defects arising due to raw material and workmanship subject to normal use and regular service for a period of 12 months from the date of invoice or 21 Months from the date of manufacturing, whichever is earlier.

#### **Extended Warranty**

Orient Electric Limited shall also provide extended warranty for following categories of products as per the below table:

S. No	Product Group	Pre-Condition for Extended Warranty	Extended Warranty Period
*1	MCBs, RCCBs & Isolator	These products to be used with Orient Electric make Distribution Board (DB) to enable them to qualify for extended warranty	84 Months from the date of manufacturing
2	Modular Switches (Switches Only) and all types of sockets	Not applicable on "Colour peel off" from switches	180 Months from the date of manufacturing

\*MCB's, RCCB's and Isolator extended warranty shall be subject to inspection by Orient Electric Limited along with photography proof.

Invoice is mandatory for claiming the warranty for both the above-mentioned product groups, however, for MCBs, RCCBs & Isolators, invoice of product with supporting invoice of distribution board (within 3 months duration) is mandatory. For all other products, no extended warranty is applicable.

#### **Terms & Conditions**

1. This warranty does not cover
  - Defects caused due to improper storage, mishandling, misuse, alteration, faulty installation, faulty electrical systems, improper maintenance, product abuse or wrong application of product.
2. Above warranty is subject to Force Majeure conditions i.e. acts of God, act of nature, lightning strike, floods, hurricane, tornadoes, etc. beyond the control of human being.
3. Product design and development being a continuous process, Orient Electric Limited may service this warranty as per the latest product availability prevailing at that point of time.
4. Orient Electric Limited reserves the right to modify/withdraw the above policy at their own discretion.
5. Any return beyond the warranty period will be rejected. Failure to give notice of claims of breach of warranty within the warranty period shall be deemed an absolute and unconditional waiver of claims for such defects.
6. This policy supersedes any previous communication/ understanding/ commitment w.r.t Warranty for Switchgear & Wiring Accessories business.
7. Decision of Orient Electric shall be final in all cases.

**\*Above warranty policy is not applicable on Stella range (Existing and upcoming series)**

#### **Process**

1. Defective product should be returned to the seller within the above-mentioned warranty period. Any return beyond the warranty period will be rejected.
2. Return of product must be accompanied with authentic proof of purchase (invoice).
3. Subject to all conditions met, seller will provide the suitable replacement subject to ready availability of particular stock.

**Warranty Policy**  
**(Stella Modular Switch Range)**  
**Switchgear & Wiring Accessories Business**  
**w.e.f. 15th September 2021**

**Eligible Product Groups**

- **New Range Stella ( Modular** Switches, Sockets & Electronic Products, Other Switch Group Products)

**Standard Warranty**

Orient Electric Limited warrants its **STELLA range** products against defects arising due to raw material and workmanship subject to normal use and regular service for a period of 12 months from the date of invoice or 21 Months from the date of manufacturing, whichever is earlier.

**Extended Warranty**

Orient Electric Limited shall also provide extended warranty for following categories of products as per the below table:

S. No	Product Group	Pre-Condition for Extended Warranty	Extended Warranty Period
*1	Modular Switches (Switches Only)	These products to be used with Orient Electric make Distribution Board (DB) to enable them to qualify for extended warranty	60 months from the date of manufacturing.

\* Invoice is mandatory for claiming the warranty for the above-mentioned product group.  
2. For all other products, no extended warranty is applicable.

**Terms & Conditions**

1. This warranty does not cover
  - Defects caused due to improper storage, mishandling, misuse, alteration, faulty installation, faulty electrical systems, improper maintenance, product abuse or wrong application of product.
2. Above warranty is subject to Force Majeure conditions i.e. acts of God, act of nature, lightning strike, floods, hurricane, tornadoes, etc. beyond the control of human being.
3. Product design and development being a continuous process, Orient Electric Limited may service this warranty as per the latest product availability prevailing at that point of time.
4. Orient Electric Limited reserves the right to modify/withdraw the above policy at their own discretion.
5. Any return beyond the warranty period will be rejected. Failure to give notice of claims of breach of warranty within the warranty period shall be deemed an absolute and unconditional waiver of claims for such defects.
6. This policy supersedes any previous communication/ understanding/ commitment w.r.t Warranty for Stella Modular Switch Range
7. Decision of Orient Electric shall be final in all cases.

**Process**

1. Defective product should be returned to the seller within the above-mentioned warranty period. Any return beyond the warranty period will be rejected.
2. Return of product must be accompanied with authentic proof of purchase (invoice).
3. Subject to all conditions met, seller will provide the suitable replacement subject to ready availability of particular stock.

## COMBINED PRICE LIST CATALOGUE (NOVEMBER) 2022

Due to continuous improvements in the product design & development and manufacturing methods, the products may differ in some respects from the details provided herein. Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication. Specifications, performance data and other technical details are likely to change owing to errors that may arise herein. Current details should therefore be checked with Orient Electric Limited.

1. All Prices are in Indian Rupees
2. All prices are on Maximum Retail Price (MRP) basis inclusive of all taxes. Tax incidence on invoices is basis applicable GST rates. Invoice amount not to exceed MRP.
3. Freight / Delivery charges if paid by Orient Electric Limited shall be on behalf of Customers only.
4. Disputes if any are subject to Delhi jurisdiction only.
5. This price list (MRP) supersedes all our previous price lists (MRPs).
6. Prices are subject to change without notice.
7. Company reserves the right to issue amendments that may arise due to errors in the price list (MRP).



COMB-11-PL-1122

### Switchgear Business Unit

Orient Electric Limited  
D-209, Sector 63, Noida-201301,  
U.P, India

### Head Office

Orient Electric Limited  
240, Okhla Industrial Area  
Phase III, New Delhi-110020

**FANS | HOME APPLIANCES | LIGHTING | SWITCHGEAR**

Website: [www.orientelectric.com](http://www.orientelectric.com) | Email: [customer.connect@orientelectric.com](mailto:customer.connect@orientelectric.com)

Orient Helpline No.- 1800 103 7574 | Follow us on:     